



Procurement Division
707 Third Street, 2nd Floor, MS #2-202
West Sacramento, CA 95605-2811

State of California

MULTIPLE AWARD SCHEDULE

Blue Violet Networks Corp.

Formerly: Blue Violet Networks, LLC

CMAS NUMBER:	3-17-84-0052B
SUPPLEMENT NUMBER:	1
CMAS TERM DATES:	9/12/2017 through 3/31/2027
CMAS CATEGORY:	Information Technology Goods and Services
APPLICABLE TERMS & CONDITIONS:	January 20, 2022
MAXIMUM ORDER LIMIT:	State Agencies: See Purchasing Authority Dollar Threshold provision Local Government Agencies: Unlimited
FOR USE BY:	State & Local Government Agencies
BASE SCHEDULE #:	GS-07F-091GA
BASE SCHEDULE HOLDER:	Blue Violet Networks

This California Multiple Award Schedule (CMAS) provides for the purchase, warranty, and installation of surveillance systems and physical access control systems. (See page 3 for the restrictions applicable to this CMAS.)

This supplement is to extend this CMAS through 3/31/2027. In addition, this supplement replaces in its entirety the existing CMAS. The most current Ordering Instructions and Special Provisions, CMAS Terms and Conditions, and products and/or services are included herein. All purchase orders issued by State agencies shall incorporate these Ordering Instructions and Special Provisions, and CMAS Terms and Conditions. Review these provisions carefully as they have changed.

Original Signature on File

Effective Date: **3/14/2022**

Bryan Dugger, Program Analyst, California Multiple Award Schedules Unit

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

NOTICE: Products and/or services on this CMAS may be available on a Mandatory Statewide Contracts. If this is the case, the use of this CMAS is restricted unless the State agency has an approved exemption as explained in the Statewide Contract User Instructions. Information regarding Statewide Contracts can be obtained at the: [Statewide Contract Index Listing](http://www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Acquisitions/Statewide-Contracts) (www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Acquisitions/Statewide-Contracts). This requirement is not applicable to local government agencies.

The services provided under this CMAS are only available in support of the products covered by this CMAS.

Agency non-compliance with the requirements may result in the loss of delegated authority to use the CMAS program.

CMAS contractor non-compliance with the requirements may result in termination.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

CMAS PRODUCT & SERVICE CODES

Product & Service Codes listed below are for marketing purposes only. Review the base schedule for the products and/or services available.

- Brand-Avigilon
- Security-Access Control System
- Security-Components
- Security-IT Hardware
- Security-Management Systems
- Security-Smart Cards
- Security-Software
- Security-Surveillance System
- Service-Hardware Installation
- Video-Surveillance Camera

AVAILABLE PRODUCTS AND/OR SERVICES

All of the products in the base schedule are available within the scope of this CMAS.

The ordering agency must verify all products and/or services are currently available on the base General Services Administration (GSA) schedule. Access the [GSA eLibrary](http://www.gsaelibrary.gsa.gov) at www.gsaelibrary.gsa.gov.

All of the job titles in the base schedule are available within the scope of this CMAS.

You may verify the following current information about the job titles available in the base schedule at the [General Services Administration \(GSA\) eLibrary](http://www.gsaelibrary.gsa.gov) (www.gsaelibrary.gsa.gov):

- Description of the functional requirements
- Minimum education and experience requirements
- Maximum pricing allowed (lower pricing acceptable)

EXCLUDED PRODUCTS AND/OR SERVICES

Software maintenance as a service and order-level materials are not available under this CMAS.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

ISSUE PURCHASE ORDER TO

Agency purchase orders must be sent to the following:

**Blue Violet Networks Corp.
17815 Newhope Street, Suite M
Fountain Valley, CA 92708
Attn: Rob Clement**

E-mail: rcllement@blueviolet.net

Agencies with questions regarding products and/or services may contact the CMAS contractor as follows:

**Contact: Rob Clement
Phone: (949) 540-5542
E-mail: rcllement@blueviolet.net**

TOP 500 DELINQUENT TAXPAYERS

In accordance with Public Contract Code (PCC) 10295.4, and prior to placing an order for IT goods and/or services, **agencies must verify** with the Franchise Tax Board and the California Department of Tax and Fee Administration that this CMAS contractor's name does not appear on either list of the 500 largest tax delinquencies pursuant to Revenue and Taxation Code 7063 or 19195. **See next paragraph for information.**

The Franchise Tax Board's list of Top 500 Delinquent Taxpayers is available at www.ftb.ca.gov/about-ftb/newsroom/top-500-past-due-balances/index.html.

The California Department of Tax and Fee Administration's list of Top 500 Sales & Use Tax Delinquencies in California is available at www.cdtfa.ca.gov/taxes-and-fees/top500.htm.

CALIFORNIA SELLER'S PERMIT

The CMAS contractor's California Seller's Permit Number is 102542983. Prior to placing an order with this company, agencies must verify that this permit is still valid at the California Department of Tax and Fee Administration website (cdtfa.ca.gov).

MINIMUM ORDER LIMITATION

There is no minimum dollar value limitation on orders placed under this CMAS.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

CMAS PRICES

The maximum prices allowed for the products and/or services available are those set forth in the base schedule.

The ordering agency is encouraged to seek prices lower than those in the base schedule. When responding to an agency's Request for Offer (RFO), the CMAS contractor can offer lower prices to be competitive.

CALIFORNIA CIVIL RIGHTS LAW CERTIFICATION

Pursuant to PCC 2010, effective January 1, 2017, applicants must certify their compliance with the California Civil Rights laws and Employer Discriminatory Policies (Civil Code 51, GC 12960). It is the agency's responsibility to verify that the contractor has a California Civil Rights Law Certification on file.

WARRANTY

For warranties, see the base schedule, the CMAS Terms and Conditions, General Provisions, and CMAS Warranty.

CMAS contractor personnel shall have the experience, education, and expertise as defined in the base schedule.

DELIVERY

45 days after receipt of order or as negotiated between agency and CMAS contractor and included in the purchase order.

SHIPPING INSTRUCTIONS

F.O.B. (Free On Board) Destination. Seller pays the freight charges.

PURCHASING AUTHORITY DOLLAR THRESHOLD

Order limits for the purchase of goods and/or services is determined by the individual agency purchasing authority threshold.

No CMAS order may be executed by a State agency that exceeds that agency's purchasing authority threshold. State agencies with approved purchasing authority, along with their dollar thresholds can be obtained at the [List of State Departments with Approved Purchasing Authority](http://www.dgs.ca.gov/PD/Resources/Page-Content/Procurement-Division-Resources-List-Folder/List-of-State-Departments-with-Approved-Purchasing-Authority) website (www.dgs.ca.gov/PD/Resources/Page-Content/Procurement-Division-Resources-List-Folder/List-of-State-Departments-with-Approved-Purchasing-Authority).

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

HOW TO USE CMAS

Agencies must adhere to the detailed requirements in the State Contracting Manual (SCM) when using CMAS. The requirements for the following bullets are in SCM, Volume 2, Chapter 6 (for non-IT), SCM, Volume 3, Chapter 6 (for IT), and SCM, Volume FISCAL, Chapter 5 (FISCAL):

- Develop an RFO, which includes a Scope of Work (SOW) and Bidder Declaration form. For information on the Bidder Declaration requirements, see SCM, Volume 2, Chapter 3, 3.5.7 and Volume 3, Chapter 3, 3.4.7.
- Search for potential CMAS contractors on the CMAS website (www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Acquisitions/California-Multiple-Award-Schedules) and select "Find a CMAS Contractor."
- Request offers from a minimum of 3 CMAS contractors including one small business (SB) and/or Disabled Veteran Business Enterprise (DVBE), if available, who are authorized to sell the products and/or services needed.
- If requesting offers from a certified DVBE, include the Disabled Veteran Business Enterprise Declarations form (Standard 843) in the RFO. This declaration must be completed and returned by the DVBE prime contractor and/or any DVBE subcontractors. (See SCM Volumes 2, 3, and FISCAL, Chapter 3).
- This is not a bid transaction, so the small business preference, DVBE incentives, protest language, intent to award, evaluation criteria, advertising, etc., are not applicable.
- If less than 3 offers are received, State agencies must document their file with the reasons why the other suppliers did not respond with an offer.
- Assess the offers received using best value methodology, with cost as one of the criteria.
- Issue a Purchase Order to the selected CMAS contractor.
- For CMAS transactions under \$10,000, only one offer is required if the State agency can establish and document that the price is fair and reasonable. The fair and reasonable method can only be used for non-customizable purchases.

SPLITTING ORDERS

Splitting orders to avoid any monetary limitations is prohibited.

Do not circumvent normal procurement methods by splitting purchases into a series of delegated purchase orders, per PCC 10329.

Splitting a project into small projects to avoid either fiscal or procedural controls is prohibited, per State Administrative Manual (SAM) 4819.34.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

ORDERING PROCEDURES

1. Purchase Orders

All Ordering Agency purchase order documents executed under this CMAS must contain the applicable CMAS number as show on page 1.

a. State Departments:

Standard 65 Purchase Documents – State departments not transacting in FISCal must use the Purchasing Authority Purchase Order (Standard 65) for purchase execution. An electronic version of the Standard 65 is available at the Department of General Services (DGS), Procurement Division (PD) website (www.dgsapps.dgs.ca.gov/osp/StatewideFormsWeb/Forms.aspx), select Standard (STD) Forms.

FISCAL Purchase Documents – State departments transacting in FISCal will follow the FISCal procurement and contracting procedures.

b. Local Government Agencies:

Local government agencies may use their own purchase order document for purchase execution.

The agency is required to complete and distribute the purchase order. For services, the agency shall modify the information contained on the order to include the service period (start and end date), and the monthly cost (or other intermittent cost), and any other information pertinent to the services. The cost for each line item must be included in the order, not just system totals.

The contractor must immediately reject purchase orders that are not accurate. Discrepancies are to be negotiated and incorporated into the purchase order prior to product delivery and service implementation.

2. Service and Delivery after CMAS Expiration

The purchase order must be issued before the CMAS expires. However, delivery of the products or completion of the services may be after the CMAS expires (unless otherwise specifically stated in the purchase order). Amending the purchase order to add quantity, time, or money is not possible if the CMAS expired.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

3. Multiple CMAS Agreements on a Single Purchase Order

Agencies wishing to include multiple CMAS agreements on a single FISCal purchase order must adhere to the following guidelines:

- All CMAS must be for the same CMAS contractor.
- The purchase order must go to one contractor location.
- Enter the word "CMAS" in the space reserved for the Leveraged Procurement Agreement (LPA) number. The word "CMAS" signifies that the purchase order contains items from multiple CMAS agreements. The purchasing agency may only use one bill code.
- For each individual CMAS, the agency must identify and group together the CMAS number with the line items and subtotal per CMAS number (do not include tax in the subtotal), and sequentially identify each individual CMAS as Sub #1, Sub #2, Sub #3, etc. This facilitates accurate billing of administrative fees by the Procurement Division.
- The total of all items on the purchase order must not exceed the purchase order limit identified in the CMAS.
- Do not combine items from IT and non-IT CMAS agreements. An Information Technology CMAS begins with the number "3" and a non-IT CMAS begins with the number "4." The purchase order limits are different for these CMAS agreements.

4. Amendments to State Agency's Purchase Orders

Agency purchase orders cannot be amended if the CMAS has expired.

SCM, Volumes 2 & 3, Chapter 6, 6.A5.0 and SCM, Volume FISCal, Chapter 5, 5.A4.0 provides the following direction regarding amendments to all types of LPA purchase orders:

Original orders, which include options for changes (e.g., quantity or time), that were evaluated and considered in the selection for award during the RFO process, may be amended consistent with the terms of the original order, provided that the original order allowed for amendments. If the original order did not evaluate options, then amendments are not allowed unless an NCB is approved for those amendments.

Amendments unique to non-IT services are covered in SCM, Volume 2, Chapter 6, 6.B2.9 and SCM, Volume FISCal, Chapter 5, 5.A4.1 as follows:

If the original contract permitted amendments, but did not specify the changes (e.g., quantity or time), it may be amended, per Public Contract Code (PCC) § 10335 (d)(1). Only a contract may be amended once under this exemption. The time shall not exceed one year, or add not more than 30% of the original order value and may not exceed \$250,000. If the original contract did not have language permitting amendments, the NCB process must be followed.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

CMAS CONTRACTOR OWNERSHIP INFORMATION

The CMAS contractor is a certified SB enterprise. Their Office of Small Business and DVBE Services (OSDS) certification number 2002871 expires on 3/31/2022.

If this certification has expired, the current expiration date should be verified at Cal eProcure (caleprocure.ca.gov/pages/PublicSearch/supplier-search.aspx). The OSDS contact information can be found on the OSDS website (www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Office-of-Small-Business-and-Disabled-Veteran-Business-Enterprise/Certification-Program). Note that some companies have been assigned a new certification number, so use the company name and/or certification number when checking status on-line.

SMALL BUSINESS MUST BE CONSIDERED

Prior to placing orders under the CMAS program, State agencies shall whenever practicable first consider offers from small businesses that have established CMAS (GC 14846(b)). NOTE: DGS auditors will request substantiation of compliance with this requirement when agency files are reviewed.

CMAS Small Business and Disabled Veteran Partners lists (www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Acquisitions/California-Multiple-Award-Schedules) can be found on the CMAS website by selecting "Find a CMAS Contractor".

In response to our commitment to increase participation by small businesses, the Department of General Services waives the administrative fee (a fee charged to customer agencies to support the CMAS program) for orders to California certified small business enterprises.

SMALL BUSINESS/DVBE - TRACKING

State agencies are able to claim subcontracting dollars towards their SB or DVBE goals whenever the CMAS contractor subcontracts a commercially useful function to a certified SB or DVBE. The CMAS contractor will provide the ordering agency with the name of the SB or DVBE used and the dollar amount the ordering agency can apply towards its SB or DVBE goal.

SMALL BUSINESS/DVBE - SUBCONTRACTING

1. The amount an ordering agency can claim towards achieving its SB or DVBE goals is the dollar amount of the subcontract award made by the CMAS contractor to each SB or DVBE.
2. The CMAS contractor will provide an ordering agency with the following information at the time the order is quoted:
 - a. The CMAS contractor will state that, as the prime contractor, it shall be responsible for the overall execution of the fulfillment of the order.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

- b. The CMAS contractor will indicate to the ordering agency how the order meets the SB or DVBE goal, as follows:
 - i. List the name of each company that is certified by the Office of Small Business and DVBE Services that it intends to subcontract a commercially useful function to; and
 - ii. Include the SB or DVBE certification number of each company listed, and attach a copy of each certification; and
 - iii. Indicate the dollar amount of each subcontract with a SB or DVBE that may be claimed by the ordering agency towards the SB or DVBE goal; and
 - iv. Indicate what commercially useful function the SB or DVBE subcontractor will be providing towards fulfillment of the order.
3. The ordering agency's purchase order must be addressed to the prime contractor, and the purchase order must reference the information provided by the prime contractor as outlined above.

WITHHOLD LANGUAGE (SB588)

Option 1 – Withhold Language

Upon delivery or completion of ordered goods or services for which the Contractor committed to DVBE subcontractor participation, state departments must require the Contractor to certify all the following:

1. The amount and percentage of work the Contractor committed to provide to one or more DVBEs under the requirements of the contract and the amount each DVBE received from the Contractor.
2. That all payments under the contract have been made to the DVBE. Upon request, the Contractor must provide proof of payment for the work.

In accordance with the Military and Veterans Code 999.7, state departments shall withhold \$10,000 from the final payment, or the full final payment if less than \$10,000, if the Contractor fails to meet the certification requirements identified above. State departments shall notify the Contractor of their failure to meet the certification requirements and give the Contractor an opportunity to comply with the certification requirements. If after 30 calendar days from the date of notice, the Contractor refuses to comply with the certification requirements, the state department shall permanently deduct \$10,000 from the final payment, or the full payment if less than \$10,000.

Option 2 – No Withhold Language

During the contract term and upon completion of the contract for which a DVBE subcontractor commitment was made, DGS-PD will require the Contractor to certify all participation commitments and payments under the contract have been made to the DVBE. Upon request by DGS-PD, the Contractor shall provide proof of payment for the work.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

PRODUCT SUBSTITUTIONS

Substitution of Deliverables may not be tendered without advance written consent of the Buyer. The Contractor must offer an equivalent or newer model of the product from the same manufacturer at the same or lower price. Contractor cannot use any specification in lieu of those contained in the Contract without written consent from the Buyer.

NEW EQUIPMENT REQUIRED

The State will procure new equipment. All equipment must be new (or warranted as newly manufactured) and the latest model in current production. Used, shopworn, demonstrator, prototype, or discontinued models are not acceptable.

Where Federal Energy Management Program (FEMP) standards are available, all State agencies shall purchase only those products that meet the recommended standards. All products displaying the Energy Star label meet the FEMP standards.

SPECIAL MANUFACTURED GOODS

Any CMAS for goods to be manufactured by the CMAS contractor specifically for the State and not suitable for sale to others may require progress payments.

TRADE-IN EQUIPMENT

Trade-ins at open market price may be considered. The product description and trade-in allowance must be identified on the purchase order.

Agencies are required to adhere to SAM 3520 through 3520.6, Disposal of Personal Property and Surplus Personal Property, as applicable, when trade-ins are considered. A Property Survey Report, Standard 152, must be submitted for approval prior to disposition of any State-owned personal property, including general office furniture regardless of the acquisition value, or if the property was recorded or capitalized for accounting purposes.

STATE AGENCY BUY RECYCLED CAMPAIGN

State ordering agencies are required to report purchases made within the eleven product categories in the California Department of Resources Recycling and Recovery's State Agency Buy Recycled Campaign per PCC 12200 through 12217.

Contractor will be required to complete and return a Recycled-Content Certification form (www.calrecycle.ca.gov/contracts/forms) upon request by the state ordering agency.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

ELECTRONIC WASTE RECYCLING

State agencies are required to recycle state owned surplus electronic equipment that has no useful life remaining (E-Waste) to the maximum extent possible. State agencies shall dispose of E-Waste using the services of the California Prison Industry Authority (CALPIA), unless the agency meets the pickup quantity and location exemption criteria detailed in SAM 3520.10. Electronic equipment that is usable and still retains value is not considered E-Waste and must be reutilized through DGS, Office of Fleet and Asset Management (OFAM) Surplus Personal Property Warehouse.

State agencies shall determine which equipment meets the definition of E-Waste or reusable Electronic Equipment, per the definitions provided in the SAM Management Memo (MM) 17-06. OFAM will validate that equipment meets the appropriate definition when reviewing the submitted Property Survey Report (Standard 152).

The electronic waste recycling fee must be shown as a line item on the agency purchase order before the CMAS contractor can include it on their invoice.

See SAM 3520.10 for more information on this policy.

Information for submitting a Standard 152 can be found on the DGS OFAM surplus property website (www.dgs.ca.gov/RESD/Resources/Page-Content/Real-Estate-Services-Division-Resources-List-Folder/DGS-Surplus-Property-Homepage).

Information on the E-Waste - CALPIA Store and the E-Waste Exemption Request Form EWR-F400 can be found at catalog.calpia.ca.gov/services/e-waste/#/.

PRODUCT INSTALLATION

The CMAS contractor is fully responsible for all installation services performed under the CMAS. Product installations must be performed by manufacturer authorized personnel and meet manufacturer documented specifications.

The prime contractor, as well as any subcontractors, must hold any certifications and/or licenses required for the project.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

PUBLIC WORKS (INSTALLATION SERVICES ONLY)

A public works contract is defined as an agreement for “the erection, construction, alteration, repair, or improvement of any public structure, building, road, or other public improvement of any kind” in accordance with PCC 1101. State agencies planning these types of projects need to review SCM, Volume 1, Chapters 10 and 11 for applicable guidelines and regulations. Visit the DGS, [Real Estate Services Division \(RESD\) website](http://www.dgs.ca.gov/RESD) (www.dgs.ca.gov/RESD) if you have questions about public works transactions.

Agency CMAS purchase orders may allow for public works installation only when it is incidental to the total purchase order amount.

Agencies are to ensure that the applicable laws and codes pertaining to the contractor and sub-contractor licensing, prevailing wage rates, bonding, labor code requirements, etc., are adhered to by the prime contractor as well as any subcontractor during performance under the CMAS purchase order.

The bond amount for public works is not less than 100% of the purchase order price.

NOTE: In accordance with Labor Code (LC) 1773.2, the ordering agency is responsible for determining the appropriate craft, classification or type of worker needed for any contract for public works. Also, the agency is to specify the applicable prevailing wage rates as determined by the Director of the Department of Industrial Relations (DIR). In lieu of specifying the prevailing wage rates, the agency may include a statement on the order that the prevailing wage rates are on file at the agency’s office and will be made available upon request. The prevailing wage rates are available from DIR at www.dir.ca.gov (select Statistics & Research).

Bonds: For guidelines, see CMAS, General Terms and Conditions, Public Works Requirements.

State Contractor’s License: Public works services can be obtained through CMAS only if incidental to the overall purchase order. If incidental public works services are included in the purchase order, prior to issuing the order agencies should contact the [State Contractor’s License Board](http://www.cslb.ca.gov) (www.cslb.ca.gov) to verify that the Contractor’s License shown below is still active and in good standing.

The CMAS contractor’s California Contractor’s License number is 1068137. This is a Class C-10 Electrical license that is valid through 8/31/2022.

Cable and Wire: Cable and wire products that are purchased under this CMAS must be for information technology projects only (computers, telecommunications, and security systems) and cannot be used for general purpose installations.

Purchase orders for cable and wire installation services only are prohibited.

Cable and wire installations under this CMAS must be installed and tested to EIA/TIA Standards.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
 BLUE VIOLET NETWORKS CORP.
 CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

Agency questions regarding the purchase and/or installation of cable and wire for computers and/or telecommunications may be directed to the California Department of Technology, Statewide Telecommunications and Network Division.

PRODUCTIVE USE REQUIREMENTS

The customer in-use requirement applies to all procurements of information technology equipment and software, per SCM, Volume 3, Chapter 2, 2.B6.2 and SCM, Volume FISCal, Chapter 2, 2.E3.2.

Each equipment or software component must be in current operation for a paying customer and the paying customer must be external to the contractor's organization (not owned by the contractor and not owning the contractor).

To substantiate compliance with the Productive Use Requirements, the CMAS contractor must provide upon request the name and address of a customer installation and the name and telephone number of a contact person.

The elapsed time such equipment or software must have been in operation is based upon the importance of the equipment or software for system operation and its cost. The following designates product categories and the required period of time for equipment or software operation prior to approval of the replacement item on CMAS.

Category 1 - Critical Software: Critical software is software that is required to control the overall operation of a computer system or peripheral equipment. Included in this category are operating systems, data base management systems, language interpreters, assemblers and compilers, communications software, and other essential system software.

Cost	Installation	Final Bid Submission
More than \$100,000	8 months	6 months
\$10,000 up to \$100,000	4 months	3 months
Less than \$10,000	1 month	1 month

Category 2 - All Information Technology Equipment and Non-Critical Software: Information technology equipment is defined in SAM 4819.2.

Cost	Installation	Final Bid Submission
More than \$100,000	6 months	4 months
\$10,000 up to \$100,000	4 months	3 months
Less than \$10,000	1 month	1 month

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

NOT SPECIFICALLY PRICED ITEMS

The only time that open market/incidental, non-schedule items may be included in a CMAS order is when they fall under the parameters of the Not Specifically Priced (NSP) Items provision.

CMAS contractors must be authorized providers of the hardware, software and/or services they offer under the NSP Items provision.

Agency and CMAS contractor use of the NSP provision is subject to the following requirements:

1. Purchase orders containing only NSP items are prohibited.
2. A purchase order containing NSP items may be issued only if it results in the lowest overall alternative to the State.
3. NSP items shall be clearly identified in the order. Any product or service already specifically priced and included in the base schedule may not be identified as an NSP item.
4. NSP Installation Services: The CMAS contractor is fully responsible for all installation services performed under the CMAS. Product installations must be performed by manufacturer authorized personnel and meet manufacturer documented specifications. The prime contractor, as well as any subcontractors, must hold any certifications and/or licenses required for the project. The total dollar value of all installation services included in the purchase order cannot exceed the dollar value of the products included in the purchase order, nor can they exceed the NSP Maximum Order Limitation.
5. Maximum Order Limitation: For orders \$250,000, or less, the total dollar value of all NSP items included in a purchase order shall not exceed \$5,000. For orders exceeding \$250,000, and at the option of the contractor, the total dollar value of all NSP items in a purchase order shall not exceed 5% of the total cost of the order or \$25,000 whichever is lower.
6. An NSP item included in an order issued against a CMAS is subject to all of the terms and conditions set forth in the contract.
7. Trade-ins, upgrades, involving the swapping of boards, are permissible, where the contract makes specific provisions for this action. In those instances, where it is permitted, the purchase order must include the replacement item and a notation that the purchase involves the swapping of a board.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

The following NSP items **are specifically excluded** from any order issued under this CMAS:

1. Items not intended for use in direct support of the priced items included in the same order. An NSP item must be subordinate to the specifically priced item that it is supporting. For example, a cable, which is not otherwise specifically priced in the base schedule, is subordinate to a specifically priced printer or facsimile machine and is eligible to be an NSP item subject to that cable meeting the remaining NSP requirements. However, a printer or facsimile machine, which is not otherwise specifically priced in the base schedule, is not subordinate to a specifically priced cable, and is not eligible to be an NSP item.
2. Supply type items, except for the minimum amount necessary to provide initial support to the priced items included in the same order.
3. Items that do not meet the Productive Use Requirements for information technology products, per SCM, Volume 3, Chapter 2, 2.B6.2 and SCM, Volume FISCal, Chapter 2, 2.E3.2.
4. Any other item or class of items specifically excluded from the scope of this CMAS.
5. Public Works components NOT incidental to the total purchase order amount.
6. Products or services the CMAS contractor is NOT factory authorized or otherwise certified or trained to provide.
7. Follow-on consultant services that were previously recommended or suggested by the same CMAS contractor.

The CMAS contractor is required to reject purchase orders containing NSP items that do not conform to the above requirements. The CMAS contractor will promptly notify the agency issuing the non-conforming order of its non-acceptance and the reasons for its non-acceptance.

STATE AND LOCAL GOVERNMENTS CAN USE CMAS

State and local government agency use of CMAS is optional. A local government is any city, county, city and county, district, or other local governmental body or corporation, including Universities of California, California State Universities, K-12 schools, and community colleges empowered to expend public funds. While the State makes this CMAS available, each local government agency should make its own determination whether the CMAS program is consistent with its procurement policies and regulations.

PCC 10298 allows any city, county, city and county, district, or other local governmental body or corporation empowered to expend public funds to contract with suppliers awarded CMAS without further competitive bidding.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

See complete [PCC 10298](http://leginfo.legislature.ca.gov/faces/codes_displaySection.xhtml?lawCode=PCC§ionNum=10298) language at
(leginfo.legislature.ca.gov/faces/codes_displaySection.xhtml?lawCode=PCC§ionNum=10298).

PCC 10299 allows any school district empowered to expend public funds to utilize CMAS without further competitive bidding.

See complete [PCC 10299](http://leginfo.legislature.ca.gov/faces/codes_displaySection.xhtml?lawCode=PCC§ionNum=10299) language at
(leginfo.legislature.ca.gov/faces/codes_displaySection.xhtml?lawCode=PCC§ionNum=10299).

UPDATES AND/OR CHANGES

A CMAS supplement is not required for updates and/or changes once the update and/or change becomes effective for the base schedule, except as follows:

- A CMAS supplement is required when the CMAS is based on specific products and/or services from another contractor's multiple award contract and the contractor wants to add a new manufacturer's products and/or services.
- A CMAS supplement is required for new federal contract terms and conditions that constitute a material difference from existing contract terms and conditions. A material change has a potentially significant effect on the delivery, quantity or quality of items provided, the amount paid to the contractor or on the cost to the State.

SELF-DELETING BASE SCHEDULE TERMS AND CONDITIONS

Instructions, or terms and conditions that appear in the Special Items or other provisions of the base schedule and apply to the purchase, license, or rental (as applicable) of products or services by the US Government in the United States, and/or to any overseas location shall be self-deleting. (Example: "Examinations of Records" provision).

Federal regulations and standards, such as Federal Acquisition Regulation, Federal Information Resources Management Regulation, Federal Information Processing Standards, General Services Administration Regulation, or Federal Installment Payment Agreement shall be self-deleting. Federal blanket orders and small order procedures are not applicable.

ORDER OF PRECEDENCE

The CMAS Terms and Conditions takes precedence if there is a conflict between the terms and conditions of the contractor's base schedule, packaging, invoices, catalogs, brochures, technical data sheets or other documents (see CMAS Terms and Conditions, CONFLICT OF TERMS).

APPLICABLE CODES, POLICIES AND GUIDELINES

All California codes, policies, and guidelines are applicable. The use of CMAS does not reduce or relieve state agencies of their responsibility to meet statewide requirements regarding contracting or the procurement of goods or services. Most procurement and contract codes, policies, and guidelines are incorporated into CMAS agreements. Nonetheless, there is no guarantee that every possible requirement that pertains to all the different and unique State processes has been included.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

PAYMENTS AND INVOICES

1. Payment Terms

Payment terms for this CMAS are net 45 days.

Payment will be made in accordance with the provisions of the California Prompt Payment Act, GC 927. Unless expressly exempted by statute, the Act requires State agencies to pay properly submitted, undisputed invoices not more than 45 days after (1) the date of acceptance of goods or performance of services; or (2) receipt of an undisputed invoice, whichever is later.

2. Payee Data Record (Standard 204)

State Agencies not transacting in FISCal, must obtain a copy of the Payee Data Record (Standard 204) in order to process payments. State Ordering Agencies must forward a copy of the Standard 204 to their accounting offices. Without the Standard 204, payment may be unnecessarily delayed. State Agencies should contact the CMAS contractor for copies of the Payee Data Record.

3. DGS Administrative and Incentive Fees

Orders from State Agencies:

DGS will bill each State agency directly an administrative fee for use of CMAS. The administrative fee should NOT be included in the order total or remitted before an invoice is received from DGS. This administrative fee is waived for CMAS purchase orders issued to California certified small businesses.

Orders from Local Government Agencies:

CMAS contractors, who are not California certified small businesses, are required to remit to DGS an incentive fee equal to a percentage of the total of all local government agency orders (excluding sales tax and shipping) placed against their CMAS.

The incentive fee is waived for CMAS purchase orders issued to California certified small businesses.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

4. Contractor Invoices

Unless otherwise stipulated, the CMAS contractor must send their invoices to the agency address set forth in the purchase order. Invoices shall be submitted in triplicate and shall include the following:

- CMAS number
- Agency purchase order number
- Agency Bill Code (State Only)
- Line item number
- Unit price
- Extended line item price
- Invoice total

State sales tax and/or use tax shall be itemized separately and added to each invoice as applicable.

The company name on the CMAS, purchase order and invoice must match or the State Controller's Office will not approve payment.

5. Advance Payments

Advance payment is allowed for services only under limited, narrowly defined circumstances, i.e., between specific departments and certain types of non-profit organizations, or when paying another government agency (GC 11256 through 11263 and 11019).

It is NOT acceptable to pay in advance, except software maintenance and license fees, which are considered a subscription and may be paid in advance if a provision addressing payment in advance is included in the purchase order.

Software warranty upgrades and extensions may also be paid for in advance, one time.

6. Credit Card

The CMAS contractor accepts the State of California credit card (CAL-Card).

A purchase order is required even when the ordering department chooses to pay the CMAS contractor via the CAL-Card.

7. Leasing/Financing

California State Agencies are required to utilize the Golden State Financial Marketplace (GS SMart) program for all financing and leasing needs. California Local Government Agencies (counties, cities, K-12 school districts, community colleges, California State Universities, Universities of California, etc.) may utilize the GS SMart program for financing and leasing according to PCC 14937. The minimum dollar amount for Local Government Agency financing and leasing is \$100,000.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

8. Lease/Purchase Analysis

State agencies must complete a Lease/Purchase Analysis (LPA) to determine best value when contemplating a lease/rental and retain a copy for future audit purposes (SAM 3710).

For short-term rental equipment, the lease/purchase analysis must be approved by DGS Office of Legal Services.

The lease/purchase analysis for all other purchases must be approved by the Department of General Services, GS SMarT State Financial Marketplace. Buyers may contact the GS SMarT Administrator, Kris Bianchini via e-mail at kristopher.bianchini@dgs.ca.gov for further information.

9. Leasing

The State reserves the right to select the form of payment for all procurements, be it either an outright purchase with payment rendered directly by the State, or a financing/lease-purchase or operating lease via the State Financial Marketplace (GS SMarT and/or Lease SMarT). If payment is via the financial marketplace, the Supplier will invoice the State and the State will approve the invoice and the selected Lender/Lessor for all product listed on the State's procurement document will pay the supplier on behalf of the State.

Buyers may contact the GS SMarT Administrator, Kris Bianchini via e-mail at kristopher.bianchini@dgs.ca.gov for further information.

OBTAINING COPY OF ORIGINAL CMAS AND SUPPLEMENTS

A copy of a CMAS and supplements, if any, can be obtained at Cal eProcure (caleprocure.ca.gov). A complete CMAS consists of the following:

- CMAS cover pages (which includes the signature page, ordering instructions and special provisions, and any attachments or exhibits as prepared by the CMAS Unit)
- CMAS Terms and Conditions.
- Base schedule terms and conditions
- Product/service listing and prices
- Supplements, if applicable.

It is important for the agency to confirm that the required products, services, and prices are included in the CMAS and are at or below base schedule rates. To streamline substantiation that the needed items are in the base schedule, the agencies should ask the CMAS contractor to identify the specific pages from the base schedule that include the required products, services, and prices. Agencies should save these pages for their file documentation.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

CONTRACTORS ACTING AS FISCAL AGENTS ARE PROHIBITED

When a subcontractor ultimately provides all of the products or performs all of the services that a CMAS contractor has agreed to provide, and the prime contractor only handles the invoicing of expenditures, then the prime contractor's role becomes that of a fiscal agent because it is merely administrative in nature and does not provide a Commercially Useful Function. It is unacceptable to use fiscal agents in this manner because the agency is paying unnecessary administrative costs.

AGENCY RESPONSIBILITY

Each agency is responsible for its own contracting program and purchasing decisions, including use of the CMAS program and associated outcomes.

This responsibility includes, but is not necessarily limited to, ensuring the necessity of the services, securing appropriate funding, complying with laws and policies, preparing the purchase order in a manner that safeguards the State's interests, obtaining required approvals, and documenting compliance with GC 19130.b (3) for outsourcing services.

It is the responsibility of each agency to consult as applicable with their legal staff and contracting offices for advice depending upon the scope or complexity of the purchase order.

If you do not have legal services available to you within your agency, DGS Office of Legal Services is available to provide services.

CONFLICT OF INTEREST

Agencies must evaluate the proposed purchase order to determine if there are any potential conflict of interest issues. See the CMAS Terms and Conditions, Conflict of Interest, for more information.

FEDERAL DEBARMENT

When federal funds are being expended, the agency is required to obtain (retain in file) a signed "Federal Debarment" certification from the CMAS contractor before the purchase order is issued.

This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, 29 CFR Part 98, Section 98.510, Participants; responsibilities. The regulations were published as Part VII of the May 26, 1988 Federal Register (pages 19160-19211).

CONTRACTOR TRAVEL

The Travel provision is not applicable to this CMAS.

LIQUIDATED DAMAGES FOR LATE DELIVERY

The value of the liquidated damages cannot be a penalty, must be mutually agreed upon by agency and contractor and included in the purchase order to be applicable.

**CALIFORNIA MULTIPLE AWARD SCHEDULE (CMAS)
BLUE VIOLET NETWORKS CORP.
CMAS NO 3-17-84-0052B, SUPPLEMENT NO. 1**

ACCEPTANCE TESTING CRITERIA

If the agency wants to include acceptance testing for all newly installed technology systems, and individual equipment, and machines which are added or field modified (modification of a machine from one model to another) after a successful performance period, the test criteria must be included in the purchase order to be applicable.

AMERICANS WITH DISABILITY ACT

To view the [DGS Accessibility Policy](http://www.dgs.ca.gov/Configuration/Footer-Utility-Links/Accessibility/Accessibility), please visit www.dgs.ca.gov/Configuration/Footer-Utility-Links/Accessibility/Accessibility.

GENERAL SERVICES
ADMINISTRATION FEDERAL SUPPLY
SERVICE
AUTHORIZED FEDERAL SUPPLY SCHEDULE CATALOG/PRICE
LIST



FSC Schedule: MAS

Security and Protection – Protective Equipment & Security Systems
Miscellaneous – Complementary Special Item Number (SINs)

Contract Number: GS-07F-091GA
Contract Period: 03-31-2017 to 03-31-2027
Mod Number: PO-0016 & PS0020
Effective Date: 04/01/2022 & 02/23/2022

Contractor:
Blue Violet Networks
17815 Newhope St. Suite M
Fountain Valley, CA 92708

Phone: 714-754-4000
Email: jp@blueviolet.net

Business Size: Small Business

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA *Advantage!*[™], a menu-driven database system. The INTERNET address GSA *Advantage!*[™] is: www.GSAAdvantage.gov .

For more information on ordering from the Federal Supply Schedule click on the FSS Schedules button at <http://www.fss.gsa.gov>.

CONTRACTOR INFORMATION:

1a. Table of awarded special item number(s):

334220 – Surveillance Systems, Wearable Body Cameras and Vehicular
334290L – Physical Access Control System (PACS) – Legacy SIN
ANCILLARY – Ancillary Supplies and Services
OLM – Order Level Materials

1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract.

334220 – \$72.75
334290L – \$0.26
ANCILLARY - \$110.83

1c. If the Contractor is proposing hourly rates, a description of all corresponding commercial job titles, experience, functional responsibility and education for those types of employees or subcontractors who will perform services shall be provided.

ANCILLARY - \$110.83

2. Maximum order: **\$250,000.00**

3. Minimum order: **\$100**

4. Geographic coverage (delivery area): **Conus**

5. Point(s) of production (city, county, and State or foreign country). **See GSA Advantage File.**

6. Discount from list, prices or statement of net price. **Prices are Net Discounts Deducted**

7. Quantity discounts: **None.**

8. Prompt payment terms: **NET 30 days. Information for Ordering Offices: Prompt payment terms cannot be negotiated out of the contractual agreement in exchange for other concessions.**

9. Foreign items (list items by country of origin): **None**

10a. Time of delivery: **45 days after receipt of order (ARO).**

10b. Expedited Delivery: **Contact the Contractor.**

10c. Rush Delivery: **Contact the Contractor for rates**

- 10d. Urgent Requirements: **Agencies can contact the Contractor's representative to affect a faster delivery. Customers are encouraged to contact the contractor for the purpose of requesting accelerated delivery**
11. F.O.B. point(s): ***Point of Production.***
- 12a. Ordering Address: **Same as contractor.**
- 12b. ORDERING PROCEDURES: **Ordering procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPAs) are found in Federal Acquisition Regulation (FAR) 8.405-3.**
13. Payment Address: **Same as contractor**
14. Warranty provision: **Standard Manufacturer Warranty. Customer should contact contractor for a copy of the warranty.**
15. Export packing charges, if applicable. ***Contact Sales Office.***
16. Terms and conditions of rental, maintenance, and repair (if applicable) ***Not Applicable***
17. Terms and conditions of installation (if applicable). ***Not Applicable***
- 18a. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices (if applicable). ***Not Applicable***
- 18b. Terms and conditions for any other services (if applicable). ***Not Applicable***
19. List of service and distribution points (if applicable). ***Not Applicable***
20. List of participating dealers (if applicable). ***Not Applicable***
21. Preventive maintenance (if applicable). ***Not Applicable***
- 22a. Special attributes such as environmental attributes (e.g., recycled content, energy efficiency, and/or reduced pollutants) ***Not Applicable***
- 22b. If applicable, indicate that Section 508 compliance information is available on Electronic and Information Technology (EIT) supplies and services and show where full details can be found (e.g. contractor's website or other location.) The EIT standards can be found at www.Section508.gov/. ***Not Applicable***
23. Unique Entity Identifier UEI number: **GRNJUKUX6UD1**
24. Notification Regarding Registration in System for Award Management (SAM) Database: ***Contractor has an active registration in the SAM database.***

Services

SIN(s) PROPOSED	LABOR CATEGORY	FUNCTIONAL RESPONSIBILITY	MINIMUM EDUCATION/ CERTIFICATION LEVEL	MINIMUM YEARS OF EXPERIENCE	PRICE OFFERED TO GSA (including IFF)
ANCILLARY	Security Technician I	Installation and service of access control and video surveillance field devices.	HS Diploma + Certifications	2	\$110.83
ANCILLARY	Security Technician II	Installation and service of access control and video surveillance head end equipment and commissioning.	HS Diploma + Certifications	5	\$119.70
ANCILLARY	Project Manager	Manage and set schedule, coordinate with others, communicate system status, risk manage.	Bachelors or Experience + Certifications	8	\$146.30
ANCILLARY	Senior Engineer	System Integration, active directory support, high level support.	Bachelors + Certifications	10	\$164.03

Products

See GSA Advantage!

SIN/SIN(s) PROPOSED	MAN. NAME	MFR PART NO	PRODUCT DESCRIPTION	MSRP	CMAS Price
334220	Avigilon	3.0C-H4A-DC2-B	3.0 Megapixel WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 925.00	\$ 708.31
334220	Avigilon	3.0C-H4A-DO2-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 1,025.00	\$ 784.89
334220	Avigilon	3.0C-H4M-D1	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2	\$ 390.00	\$ 298.64
334220	Avigilon	3.0C-H4M-D1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2, IR	\$ 425.00	\$ 325.44
334220	Avigilon	3.0C-H5SL-BO1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3.1-8.4mm f/1.6, Integrated IR	\$ 570.00	\$ 436.47
334220	Avigilon	3.0C-H5SL-BO2-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 9.5-31mm f/1.4, Integrated IR	\$ 620.00	\$ 474.76
334220	Avigilon	3.0C-H5SL-D1	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4	\$ 460.00	\$ 352.24
334220	Avigilon	3.0C-H5SL-D1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4, Integrated IR	\$ 495.00	\$ 379.04
334220	Avigilon	3.0C-H5SL-DO1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3.1-8.4mm f/1.6, Integrated IR	\$ 570.00	\$ 436.47
334220	Avigilon	320S-H4A-THC-BO12	320x256, Thermal Outdoor Bullet, 18.0mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	\$ 4,700.00	\$ 3,598.99
334220	Avigilon	320S-H4A-THC-BO24	320x256, Thermal Outdoor Bullet, 9.1mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	\$ 3,900.00	\$ 2,986.40
334220	Avigilon	320S-H4A-THC-BO50	320x256, Thermal Outdoor Bullet, 4.3mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	\$ 3,700.00	\$ 2,833.25
334220	Avigilon	4.0C-H5A-B2	4.0 MP WDR, LightCatcher, Day/Night, 3.3-9mm f/1.3 lens, Next-Generation Analytics	\$ 942.00	\$ 721.33
334220	Avigilon	4.0C-H5A-B3	4.0 MP WDR, LightCatcher, Day/Night, 9-22mm f/1.6 lens, Next-Generation Analytics	\$ 982.00	\$ 751.96

334220	Avigilon	4.0C-H5A-BO1-IR	4.0 MP WDR, LightCatcher, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 1,142.00	\$ 874.48
334220	Avigilon	4.0C-H5A-BO2-IR	4.0 MP WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 1,182.00	\$ 905.11
334220	Avigilon	4.0C-H5A-D1	4.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	\$ 942.00	\$ 721.33
334220	Avigilon	4.0C-H5A-D1-IR	4.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 992.00	\$ 759.62
334220	Avigilon	4.0C-H5A-D2	4.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	\$ 982.00	\$ 751.96
334220	Avigilon	4.0C-H5A-DC1	4.0 MP WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	\$ 992.00	\$ 759.62
334220	Avigilon	4.0C-H5A-DC1-IR	4.0 MP WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 1,042.00	\$ 797.90
334220	Avigilon	4.0C-H5A-DC2	4.0 MP WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	\$ 1,032.00	\$ 790.25
334220	Avigilon	4.0C-H5A-DO1	4.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics	\$ 1,092.00	\$ 836.19
334220	Avigilon	4.0C-H5A-DO1-IR	4.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 1,142.00	\$ 874.48
334220	Avigilon	4.0C-H5A-DO2	4.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	\$ 1,132.00	\$ 866.82
334220	Avigilon	4.0C-H5A-DP1	4.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 3.3-9mm f/1.3 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-WALL	\$ 1,032.00	\$ 790.25

334220	Avigilon	4.0C-H5A-DP1-IR	4.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 3.3-9mm f/1.3 P-iris lens, Integrated IR, Next-Generation Analytics. Must use with a H	\$ 1,082.00	\$ 828.53
334220	Avigilon	4.0C-H5A-DP2	4.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-WALL1	\$ 1,072.00	\$ 820.88
334220	Avigilon	5.0C-H5A-BO2-IR	5.0 MP WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 1,245.00	\$ 953.35
334220	Avigilon	5.0C-H5A-DO2	5.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics	\$ 1,195.00	\$ 915.06
334220	Avigilon	5.0C-H5A-DP2	5.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-WALL1	\$ 1,135.00	\$ 869.12
334220	Avigilon	5.0C-H5SL-BO1-IR	5.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3.1-8.4mm f/1.6, Integrated IR	\$ 670.00	\$ 513.05
334220	Avigilon	5.0C-H5SL-BO2-IR	5.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 9.5-31mm f/1.4, Integrated IR	\$ 720.00	\$ 551.34
334220	Avigilon	5.0C-H5SL-D1	5.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3.1-8.4mm f/1.6	\$ 560.00	\$ 428.82
334220	Avigilon	5.0C-H5SL-D1-IR	5.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3.1-8.4mm f/1.6, Integrated IR	\$ 595.00	\$ 455.62
334220	Avigilon	5.0C-H5SL-DO1-IR	5.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3.1-8.4mm f/1.6, Integrated IR	\$ 670.00	\$ 513.05
334220	Avigilon	5.0L-H4A-DC2-B	5.0 Megapixel, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 1,045.00	\$ 800.20
334220	Avigilon	5.0L-H4A-DO2-B	5.0 Megapixel, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	\$ 1,145.00	\$ 876.78

334220	Avigilon	5.0L-H4A-DP2-B	5.0 Megapixel, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-W	\$ 1,085.00	\$ 830.83
334220	Avigilon	6.0C-H5A-B2	6.0 MP WDR, LightCatcher, Day/Night, 4.9-8mm f/1.8 lens, Next-Generation Analytics	\$ 1,085.00	\$ 830.83
334220	Avigilon	6.0C-H5A-BO1-IR	6.0 MP WDR, LightCatcher, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 1,285.00	\$ 983.98
334220	Avigilon	6.0C-H5A-D1	6.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	\$ 1,085.00	\$ 830.83
334220	Avigilon	6.0C-H5A-D1-IR	6.0 MP WDR, LightCatcher, Day/Night, Indoor Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 1,135.00	\$ 869.12
334220	Avigilon	6.0C-H5A-DC1	6.0 MP WDR, LightCatcher, Day/Night, In Ceiling Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	\$ 1,135.00	\$ 869.12
334220	Avigilon	6.0C-H5A-DC1-IR	6.0 MP WDR, LightCatcher, Day/Night, In Ceiling Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 1,185.00	\$ 907.41
334220	Avigilon	6.0C-H5A-DO1	6.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	\$ 1,235.00	\$ 945.69
334220	Avigilon	6.0C-H5A-DO1-IR	6.0 MP WDR, LightCatcher, Day/Night, Outdoor Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 1,285.00	\$ 983.98
334220	Avigilon	6.0C-H5A-DP1	6.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-WALL	\$ 1,175.00	\$ 899.75
334220	Avigilon	6.0C-H5A-DP1-IR	6.0 MP WDR, LightCatcher, Day/Night, Pendant Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics. Must use with a H	\$ 1,225.00	\$ 938.04
334220	Avigilon	640S-H4A-THC-BO12	640x512, Thermal Outdoor Bullet, 36mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	\$ 8,350.00	\$ 6,212.48

334220	Avigilon	640S-H4A-THC-BO24	640x512, Thermal Outdoor Bullet, 18mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	\$ 6,100.00	\$ 4,671.03
334220	Avigilon	640S-H4A-THC-BO50	640x512, Thermal Outdoor Bullet, 8.7mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	\$ 5,900.00	\$ 4,490.36
334220	Avigilon	8.0C-H5A-B2	8.0 MP (4K) WDR, LightCatcher, Day/Night, 4.9-8mm f/1.8 lens, Next-Generation Analytics	\$ 1,300.00	\$ 995.47
334220	Avigilon	8.0C-H5A-BO1-IR	8.0 MP (4K) WDR, LightCatcher, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 1,500.00	\$ 1,148.61
334220	Avigilon	8.0C-H5A-D1	8.0 MP (4K) WDR, LightCatcher, Day/Night, Indoor Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	\$ 1,300.00	\$ 995.47
334220	Avigilon	8.0C-H5A-D1-IR	8.0 MP (4K) WDR, LightCatcher, Day/Night, Indoor Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 1,350.00	\$ 1,033.75
334220	Avigilon	8.0C-H5A-DC1	8.0 MP (4K) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	\$ 1,350.00	\$ 1,033.75
334220	Avigilon	8.0C-H5A-DC1-IR	8.0 MP (4K) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 1,400.00	\$ 1,072.04
334220	Avigilon	8.0C-H5A-DO1	8.0 MP (4K) WDR, LightCatcher, Day/Night, Outdoor Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics	\$ 1,450.00	\$ 1,110.33
334220	Avigilon	8.0C-H5A-DO1-IR	8.0 MP (4K) WDR, LightCatcher, Day/Night, Outdoor Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics	\$ 1,500.00	\$ 1,148.61
334220	Avigilon	8.0C-H5A-DP1	8.0 MP (4K) WDR, LightCatcher, Day/Night, Pendant Dome, 4.9-8mm f/1.8 P-iris lens, Next-Generation Analytics. Must use with a H4A-MT-W	\$ 1,390.00	\$ 1,064.38
334220	Avigilon	8.0C-H5A-DP1-IR	8.0 MP (4K) WDR, LightCatcher, Day/Night, Pendant Dome, 4.9-8mm f/1.8 P-iris lens, Integrated IR, Next-Generation Analytics. Must use wit	\$ 1,440.00	\$ 1,102.67
334220	Avigilon	8.0-H4A-D1-B	4K UHD (8.0 Megapixel), Day/Night, Indoor Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	\$ 1,300.00	\$ 995.47

334220	Avigilon	8.0-H4A-D1-IR-B	4K UHD (8.0 Megapixel), Indoor Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR Self-Learning Video Analytics	\$ 1,350.00	\$ 1,033.75
334220	Avigilon	8.0-H4A-DC1-B	4K UHD (8.0 Megapixel), Day/Night, In-Ceiling Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	\$ 1,350.00	\$ 1,033.75
334220	Avigilon	8.0-H4A-DO1-B	4K UHD (8.0 Megapixel), Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	\$ 1,450.00	\$ 1,110.33
334220	Avigilon	8.0-H4A-DO1-IR-B	4K UHD (8.0 Megapixel), Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics	\$ 1,500.00	\$ 1,148.61
334220	Avigilon	8.0-H4A-DP1-B	4K UHD (8.0 Megapixel), Day/Night, Pendant Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WAL	\$ 1,390.00	\$ 1,064.38
334290L	Avigilon	AC-ALL-READ-APTIQ-OSDP-KEYPD-MTK15-485	Schlage (formerly aptiQ™) Multi-Technology Keypad - Single Gang Reader - OSDP (Allegion Part Number: MTK15-485)	\$ 447.00	\$ 342.29
334290L	Avigilon	AC-ALL-READ-APTIQ-OSDP-MULL-MT11-485	Schlage (formerly aptiQ™) Multi-Technology – Mullion Reader - OSDP (Allegion Part Number: MT11-485)	\$ 278.00	\$ 212.88
334290L	Avigilon	AC-ALL-READ-APTIQ-OSDP-SNG-MT15-485	Schlage (formerly aptiQ™) Multi-Technology - Single Gang Reader - OSDP (Allegion Part Number: MT15-485)	\$ 279.00	\$ 213.64
334290L	Avigilon	AC-ALL-READ-APTIQ-WIEGAND-MTMSK15	Schlage (formerly aptiQ™) Multi-Technology with Magnetic Stripe and Keypad - Single Gang Reader - Wiegand (Allegion Part Number: MTM	\$ 679.00	\$ 519.94
334290L	Avigilon	AC-APP-ENT2-WARR-EXTEND-1YR	1 Year Extended Warranty for Access Control Manager Enterprise Appliance	\$ 640.00	\$ 490.08
334290L	Avigilon	AC-APP-ENT2-WARR-EXTEND-2YR	2 Year Extended Warranty for Access Control Manager Enterprise Appliance	\$ 1,280.00	\$ 980.15
334290L	Avigilon	AC-APP-ENT-PLUS-WARR-EXTEND-1YR	1 Year Extended Warranty for Access Control Manager Enterprise Plus Appliance	\$ 755.00	\$ 578.14
334290L	Avigilon	AC-APP-ENT-PLUS-WARR-EXTEND-2YR	2 Year Extended Warranty for Access Control Manager Enterprise Plus Appliance	\$ 1,515.00	\$ 1,160.10
334290L	Avigilon	AC-APP-PRO-WARR-EXTEND-1YR	1 Year Extended Warranty for Access Control Manager Professional Appliance	\$ 225.00	\$ 172.29

334290L	Avigilon	AC-APP-PRO-WARR-EXTEND-2YR	2 Year Extended Warranty for Access Control Manager Professional Appliance	\$ 450.00	\$ 344.58
334220	Avigilon	ACC7-COR	ACC 7 Core Edition camera license	\$ 85.00	\$ 65.09
334220	Avigilon	ACC7-COR-TO-ENT-UPG	ACC 7 Core to Enterprise Edition Upgrade license	\$ 225.00	\$ 172.29
334220	Avigilon	ACC7-COR-TO-STD-UPG	ACC 7 Core to Standard Edition Upgrade license	\$ 105.00	\$ 80.40
334220	Avigilon	ACC7-ENT	ACC 7 Enterprise Edition camera license	\$ 290.00	\$ 222.07
334220	Avigilon	ACC7-ENT-FO	ACC 7 Enterprise Edition camera failover license	\$ 45.00	\$ 34.46
334220	Avigilon	ACC7-ENT-VER-UPG	ACC 5 or ACC 6 to ACC 7 Enterprise Edition Version Upgrade license	\$ 30.00	\$ 22.97
334220	Avigilon	ACC7-LPR	ACC 7 LPR lane license	\$ 3,200.00	\$ 2,450.38
334220	Avigilon	ACC7-MEDIA	ACC 7 media	\$ 20.00	\$ 15.31
334220	Avigilon	ACC7-POS-STR	ACC 7 POS Transaction SW license for recording a stream of transaction details. Compatible with Enterprise and Standard Edition Only.	\$ 225.00	\$ 172.29
334220	Avigilon	ACC7-STD	ACC 7 Standard Edition camera license	\$ 165.00	\$ 126.35
334220	Avigilon	ACC7-STD-TO-ENT-UPG	ACC 7 Standard to Enterprise Edition Upgrade license	\$ 175.00	\$ 134.01
334220	Avigilon	ACC7-STD-VER-UPG	ACC 5 or ACC 6 to ACC 7 Standard Edition Version Upgrade license	\$ 15.00	\$ 11.49
334290L	Avigilon	AC-HID-CARD-3000PG1MN	iCLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCH, NO SLOT, Minimum Order 100 (HID Part Number: 3000PG1MN)	\$ 6.50	\$ 4.98
334290L	Avigilon	AC-HID-CARD-ADMIN-SEC9X-CRD-0-005J	Configuration card used to adjust CSN output settings from 32 bit MSB to 56 bit LSB on iCLASS Standard, SE and SEOS readers. (HID #: SE	\$ 36.80	\$ 28.18
334290L	Avigilon	AC-HID-CARD-DUOPROXII-CL	DuoProx II Graphics Quality PVC, Proximity Access Card, w/ Magnetic Stripe (HID # 1336LGGMN)	\$ 6.83	\$ 5.23
334290L	Avigilon	AC-HID-CARD-ICLASS-2000	iCLASS Contactless Smart Card, 2k bit with 2 application areas	\$ 4.83	\$ 3.70
334290L	Avigilon	AC-HID-CARD-ICLASS-2002	iCLASS Contactless Smart Card, 16k bit with 16 application areas	\$ 8.75	\$ 6.70
334290L	Avigilon	AC-HID-CARD-ICLASS-2004	iCLASS Contactless Smart Card, 32k bit with 16k/16 + 16k/1 application areas	\$ 9.12	\$ 6.98
334290L	Avigilon	AC-HID-CARD-ICLASS-2050	iCLASS Key II Contactless Smart Key 2k bit with 2 application areas	\$ 6.28	\$ 4.81
334290L	Avigilon	AC-HID-CARD-ICLASS-2080	iCLASS Clamshell Contactless Smart Card, 2k bit with 2 application areas	\$ 3.22	\$ 2.47

334290L	Avigilon	AC-HID-CARD-ICLASS-2100	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/ MAG, MATCHING#, Minimum Order 100, (HID Part Number: 2100PG1MN)	\$ 7.00	\$ 5.36
334290L	Avigilon	AC-HID-CARD-ICLASS-3000PGGMV	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS, MATCH, VERT SLOT, Minimum Order 100 (HID Part Number: 3000PGGMV)	\$ 5.15	\$ 3.94
334290L	Avigilon	AC-HID-CARD-ICLASS-PROX-2120BG1MNN	iCLASS + Prox Contactless Smart Card, 2k bits with 2 application areas, plain white with gloss finish on front, plain white with magnetic str	\$ 12.92	\$ 9.89
334290L	Avigilon	AC-HID-CARD-ICLASS-PROX-2120BGGMNM	iCLASS + Prox Contactless Smart Card, 2k bits with 2 application areas, plain white with gloss finish, no slot punch (HID #: 2120BGGMNM)	\$ 11.58	\$ 8.87
334290L	Avigilon	AC-HID-CARD-ICLASS-PROX-2120BGGMVM	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING, VERT SLOT, MATCH 125K #	\$ 11.58	\$ 8.87
334290L	Avigilon	AC-HID-CARD-ICLASS-SE-3000	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas	\$ 4.83	\$ 3.70
334290L	Avigilon	AC-HID-CARD-ICLASS-SE-3000-AVG	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Avigilon University 1000, Avigilon logo on back, Minimum Order 100, packaged in box of 100 (HID# IOD-CG-06482) (CARD iClass SE 2kbit, Avigilon logo)	\$ 5.08	\$ 3.89
334290L	Avigilon	AC-HID-CARD-ICLASS-SE-3000-AVG-NL	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Without Avigilon logo, Order quantity must be in boxes	\$ 5.59	\$ 4.28
334290L	Avigilon	AC-HID-CARD-ICLASS-SE-3002	iCLASS SE Contactless Smart Card, 16k bit with 16 application areas	\$ 8.75	\$ 6.70
334290L	Avigilon	AC-HID-CARD-ICLASS-SE-3004	iCLASS SE Contactless Smart Card, 32k bit with 16k/16 + 16k/1 application areas	\$ 9.12	\$ 6.98
334290L	Avigilon	AC-HID-CARD-ICLASS-SE-UHF-6011TGGANA	ISO CARD COMPOSITE UHF/ICLASS 16K, PROG, WHITE, LASER MATCHING, 860-960 MHz	\$ 10.71	\$ 8.20
334290L	Avigilon	AC-HID-CARD-ICLASS-SE-UHF-6011TGGNNN-001	ISO CARD COMPOSITE UHF/ICLASS 16K, PROG, WHITE, NO #, NO SALES ORDER, 860-960 MHz	\$ 10.71	\$ 8.20
334290L	Avigilon	AC-HID-CARD-ICLASS-SE-UHF-6013TGGANN	ISO CARD COMPOSITE UHF/ICLASS 32K, PROG, WHITE, UHF LASER MATCHING, 860-960 MHz Application areas 16k/2+16k/1	\$ 10.71	\$ 8.20

334290L	Avigilon	AC-HID-CARD-ICLASS-SE-UHF-6014SGGANN	ISO CARD COMPOSITE UHF/ICLASS 32K, PROG, WHITE, UHF LASER MATCHING, 860-960 MHz Application areas 16k/16+16k/1	\$ 10.71	\$ 8.20
334290L	Avigilon	AC-HID-CARD-ICLASS-UHF-600TGGAN	ISO CARD COMPOSITE UHF, PROG, WHITE, LASER MATCHING, 860-960 MHz	\$ 8.95	\$ 6.85
334290L	Avigilon	ACHIDCARDICLSEOSICLASS PROX52060PHNGGMNNN	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 2K, PROX, PROG SEOS, PROG STD ICLASS, NO PROX PROG, F-GLOSS, B-GLOSS, MATCH SEOS, NO ICLASS, NO PROX, NO SLOT	\$ 12.00	\$ 9.19
334290L	Avigilon	AC-HID-CARD-ISOPROXII-GRPH	ISOProx II Graphics Quality PVC, Proximity Access Card (HID #1386LGGMN)	\$ 6.17	\$ 4.73
334290L	Avigilon	AC-HID-CARD-MOB-ADMIN-SEC9X-CRD-MADD	Configuration card which enables the use of the Mobile Configuration App used to adjust Bluetooth range settings on Mobile-Enabled Reade	\$ 39.30	\$ 30.10
334290L	Avigilon	AC-HID-CARD-MOB-SEC9X-CRD-E-MKYD	Configuration Card Reader, Management Crad, Seos keys and configuration	\$ 35.56	\$ 27.23
334290L	Avigilon	AC-HID-CARD-PROXCARDII-CL	ProxCard II Proximity Access Card (Clam Shell) (HID # 1326LMSMV)	\$ 3.04	\$ 2.33
334290L	Avigilon	AC-HID-CARD-SEOS-5005PGGMN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM	\$ 8.96	\$ 6.86
334290L	Avigilon	AC-HID-CARD-SEOS-5005PGGSN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, SEQ. #. ICLASS #, NO SLOT	\$ 8.96	\$ 6.86
334290L	Avigilon	AC-HID-CARD-SEOS-5006PG1MN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS OS LOADED, PROG., F-GLOSS, B-GLOSS, W/MAG, MATCHING ICLASS #, NO SLOT	\$ 5.62	\$ 4.30
334290L	Avigilon	AC-HID-CARD-SEOS-5006PGGMN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM	\$ 4.40	\$ 3.37
334290L	Avigilon	AC-HID-CARD-SEOS-5006PGGMNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM, 10 PACK	\$ 4.62	\$ 3.54
334290L	Avigilon	AC-HID-CARD-SEOS-5006PGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, LAM	\$ 4.40	\$ 3.37

334290L	Avigilon	AC-HID-CARD-SEOS-5006PGGSN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, SEQ. ICLASS #, NO SLOT	\$ 4.40	\$ 3.37
334290L	Avigilon	AC-HID-CARD-SEOS-5006VGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS LOADED, ER PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT	\$ 4.40	\$ 3.37
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5105PGGN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #	\$ 12.09	\$ 9.26
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5105RG1MNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS #, NO SLOT, MATCH. PROX #, LAM	\$ 13.31	\$ 10.20
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5105RG1MNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS #, NO SLOT, MATCH. PROX #	\$ 13.31	\$ 10.20
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5105RG1NNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS/PROX F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, MATCH. PROX #, LAM	\$ 13.31	\$ 10.20
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGMNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, MATCH. PROX #	\$ 12.09	\$ 9.26
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGMNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, NO PROX #	\$ 12.09	\$ 9.26
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGNS	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, SEQ. PROX #	\$ 12.09	\$ 9.26
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5105RGGSN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, SEQ. ICLASS #, NO SLOT, NO PROX #	\$ 12.09	\$ 9.26
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5105VGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD, 16/KG PROX ER PROG, F-GLOSS, B-GLOSS, NO. ICLASS #, NO SLOT, NO PROX #	\$ 12.09	\$ 9.26
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5106PG1MNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS , F - GLOSS, B - GLOSS W/MAG, MATCHING ICLASS #, NO SLOT, NO PROX #, LAM	\$ 10.69	\$ 8.18

334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5106PGGMNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS,NON PROGRAM PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO PROX #	\$ 9.47	\$ 7.25
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5106PGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS,NON PROGRAM PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #	\$ 9.47	\$ 7.25
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5106RG1MNM	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #, LAM	\$ 10.69	\$ 8.18
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5106RG1MNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS #, NO SLOT, NO PROX #, LAM	\$ 10.69	\$ 8.18
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5106RG1NNM	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, MATCHING PROX #, LAM	\$ 10.69	\$ 8.18
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5106RG1NNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, NO PROX #, LAM	\$ 10.69	\$ 8.18
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5106RGGMNM	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS #, NO SLOT, MATCH PROX #	\$ 9.47	\$ 7.25
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5106RGGMNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS #, NO SLOT, NO PROX #	\$ 9.47	\$ 7.25
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5106RGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, ICLASS SIO PROGRAMMED, PROX HID FORMAT, F-GLOSS, B-GLOSS, NO ICLASS #, NO PROX #, NO SLOT, LAM	\$ 9.47	\$ 7.25
334290L	Avigilon	AC-HID-CARD-SEOS-ICLASS-PROX-5106VGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, SEOS LOADED, ER PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO PROX #, NO SLOT	\$ 9.47	\$ 7.25

334290L	Avigilon	AC-HID-CORP1K-MC-1000	SERVICE FEE: CORPORATE 1000 CARD FORMAT	\$ 0.34	\$ 0.26
334290L	Avigilon	AC-HID-FOB-ICLASS-3250PNNMN-AVG	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, MATCH ICLASS #, Available with Avigilon format, Stock Item, Order quantity	\$ 6.70	\$ 5.13
334290L	Avigilon	AC-HID-FOB-PROXKEYIII-CL	ProxKey III Proximity Access Keyfob (HID# 1346LNSMN)	\$ 6.67	\$ 5.11
334290L	Avigilon	AC-HID-LSP-ACMEC-KIT16	Access Control Manager Embedded Controller, Sixteen (16) Door, Unassembled Kit, Includes one (1) AC-HID-ACMEC Access Control Manager Embedded Controller, Eight (8) AC-HID-VERTX-V100 HID VertX V100 Reader Interface Modules, One (1) AC-LSP-16DR-HID-LCK LifeSafety Power Sixteen (16) Door HID Dual Voltage Integrated Power System, Sixteen (16) AC-HID-READ-ICLASS-SE-R10-AVG HID iCLASS SE R10 Card Readers, Avigilon Logo, One-Hundred (100) AC-HID-CARD-ICLASS-SE-3000-AVG iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Avigilon University 1000, Avigilon logo on back, packaged in box of 100, 49 lbs.	\$ 9,027.00	\$ 6,912.36
334290L	Avigilon	AC-HID-LSP-ACMEC-KIT4	Access Control Manager Embedded Controller, Four (4) Door, Unassembled Kit, Includes one (1) AC-HID-ACMEC Access Control Manager Embedded Controller, Two (2) AC-HID-VERTX-V100 HID VertX V100 Reader Interface Modules, One (1) AC-LSP-4DR-HID-LCK LifeSafety Power Four (4) Door HID Dual Voltage Integrated Power System, Four (4) AC-HID-READ-ICLASS-SE-R10-AVG HID iCLASS SE R10 Card Readers, Avigilon Logo, One-Hundred (100) AC-HID-CARD-ICLASS-SE-3000-AVG iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Avigilon University 1000, Avigilon logo on back, packaged in box of 100, 26 lbs.	\$ 3,831.00	\$ 2,933.56

334290L	Avigilon	AC-HID-LSP-ACMEC-KIT8	Access Control Manager Embedded Controller, Eight (8) Door, Unassembled Kit, Includes one (1) AC-HID-ACMEC Access Control Manager Embedded Controller, Four (4) AC-HID-VERTX-V100 HID VertX V100 Reader Interface Modules, One (1) AC-LSP-8DR-HID-LCK LifeSafety Power Eight (8) Door HID Dual Voltage Integrated Power System, Eight (8) AC-HID-READ-ICLASS-SE-R10-AVG HID iCLASS SE R10 Card Readers, Avigilon Logo, One-Hundred (100) AC-HID-CARD-ICLASS-SE-3000-AVG iCLASS SE Contactless Smart Card, 2k bit with 2 application areas, Avigilon Format, Avigilon University 1000, Avigilon logo on back, packaged in box of 100, 39 lbs.	\$ 5,697.00	\$ 4,362.44
334290L	Avigilon	AC-ING-CARD-APTIQ- XF8420	aptiQ Smart Card 2K byte/16k bit Clamshell	\$ 5.17	\$ 3.96
334290L	Avigilon	AC-ING-CARD-APTIQ- XF8440	aptiQ Smart Card 4K byte/32k bit Clamshell	\$ 5.82	\$ 4.45
334290L	Avigilon	AC-ING-CARD-APTIQ- XF8480	aptiQ Smart Card 8K byte/64k bit Clamshell	\$ 7.13	\$ 5.46
334290L	Avigilon	AC-ING-CARD-APTIQ- XF8520M1	aptiQ Smart Card 2K byte/16k bit with Magnetic Stripe ISO Glossy White	\$ 6.12	\$ 4.69
334290L	Avigilon	AC-ING-CARD-APTIQ- XF8540	aptiQ Smart Card 4K byte/32k bit ISO Glossy White	\$ 6.26	\$ 4.80
334290L	Avigilon	AC-ING-CARD-APTIQ- XF8540M1	aptiQ Smart Card 4K byte/32k bit with Magnetic Stripe ISO Glossy White	\$ 6.77	\$ 5.19
334290L	Avigilon	AC-ING-CARD-APTIQ- XF8580	aptiQ Smart Card 8K byte/64k bit ISO Glossy White	\$ 7.57	\$ 5.79
334290L	Avigilon	AC-ING-CARD-APTIQ- XF8580M1	Schlage (formerly aptiQ™) Smart Card 8K byte/64k bit with Magnetic Stripe ISO Glossy White (Allegion Part Number: XF8580M1)	\$ 8.87	\$ 6.79
334290L	Avigilon	AC-ING-CARD-APTIQ- XF8720	Schlage (formerly Schlage (formerly aptiQ™)™) Smart Card 2K byte/16k bit PVC Patch (Allegion Part Number: XF8720)	\$ 5.61	\$ 4.29
334290L	Avigilon	AC-ING-CARD-APTIQ- XF8740	Schlage (formerly Schlage (formerly aptiQ™)™) Smart Card 4K byte/32k bit PVC Patch (Allegion Part Number: XF8740)	\$ 6.34	\$ 4.86
334290L	Avigilon	AC-ING-CARD-APTIQ- XF8780	Schlage (formerly Schlage (formerly aptiQ™)™) Smart Card 8K byte/64k bit PVC Patch (Allegion Part Number: XF8780)	\$ 7.65	\$ 5.85

334290L	Avigilon	AC-ING-CARD-APTIQ- XF8920	Proximity and Schlage (formerly aptiQ™) Smart Card Combo 2K byte/16k bit ISO Glossy White (Allegion Part Number: XF8920)	\$ 9.02	\$ 6.91
334290L	Avigilon	AC-ING-CARD-APTIQ- XF8940	Proximity and Schlage (formerly aptiQ™) Smart Card Combo 4K byte/32k bit ISO Glossy White (Allegion Part Number: XF8940)	\$ 9.82	\$ 7.52
334290L	Avigilon	AC-ING-CARD-APTIQ- XF8980	Proximity and Schlage (formerly aptiQ™) Smart Card Combo 8K byte/64k bit ISO Glossy White (Allegion Part Number: XF8980)	\$ 11.36	\$ 8.70
334290L	Avigilon	AC-ING-CARD-APTIQ- XF9520	MIFARE Smart Card 2.5 k bit ISO Glossy White	\$ 4.30	\$ 3.29
334290L	Avigilon	AC-ING-CARD-APTIQ- XF9520MS	MIFARE Smart Card 2.5 k bit with magnetic stripe ISO Glossy White	\$ 4.30	\$ 3.29
334290L	Avigilon	AC-ING-CARD-APTIQ- XF9551MS	MIFARE Contactless ISO Glossy Smart Card 1k byte/8k bit & mag stripe	\$ 5.17	\$ 3.96
334290L	Avigilon	AC-ING-CARD-APTIQ- XF9558	MIFARE Contactless Smart Card 4k byte/32k bit ISO Glossy White	\$ 7.13	\$ 5.46
334290L	Avigilon	AC-ING-CARD-APTIQ- XF9558MS	MIFARE Contactless ISO Glossy Smart Card 4k byte/32k bit and mag stripe	\$ 7.13	\$ 5.46
334290L	Avigilon	AC-ING-CARD-APTIQ- XF9651	MIFARE Smart 1k bit (minimum order is 50) Keytag	\$ 5.39	\$ 4.13
334290L	Avigilon	AC-ING-CARD-APTIQ- XF9751	MIFARE Smart Cards 1k byte/8k bit PVC Patch (Allegion Part Number: XF9751)	\$ 5.31	\$ 4.07
334290L	Avigilon	AC-ING-CARD-APTIQ- XF9758	MIFARE Smart Cards 4k byte/32k bit PVC Patch (Allegion Part Number: XF9758)	\$ 8.00	\$ 6.13
334290L	Avigilon	AC-ING-CARD-APTIQ- XF9951	Proximity and Contactless Smart Card Combo ISO Glossy White 1k byte/8k bit Card (Allegion Part Number: XF9951)	\$ 7.14	\$ 5.47
334290L	Avigilon	AC-ING-CARD-APTIQ- XF9958	Proximity and Contactless Smart Card Combo ISO Glossy White 4k byte/32k bit (Allegion Part Number: XF9958)	\$ 8.45	\$ 6.47
334290L	Avigilon	AC-ING-FOB-APTIQ-XF7610	Proximity Keyfob (minimum order is 50)	\$ 4.30	\$ 3.29
334290L	Avigilon	AC-ING-READ-APTIQ- KEYPD-MTK15	aptiQ Multi-Technology Keypad - Single Gang Reader	\$ 394.00	\$ 301.70

334290L	Avigilon	AC-LSP-D8P	The D8P (8 Out) Power Distribution Module provides 8 auxiliary power outputs, each one individually protected by a solid state circuit breaker (D8P) rated at 2.5A each. Each output is programmable to either of the two voltages available when used in a dual voltage power system, or to the continuous output or the resettable output of the power supply when used in a single voltage system.	\$ 40.00	\$ 30.63
334290L	Avigilon	AC-LSP-E4M	8 Door Mercury enclosure with removable backplate Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 24 lb. Size: 20" x 24" x 4.5"	\$ 360.00	\$ 275.67
334290L	Avigilon	AC-LSP-E4M1	16 Door Mercury enclosure with door mount & removable backplate. Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 26 lb. Size: 20" x 24" x 4.5"	\$ 510.00	\$ 390.53
334290L	Avigilon	AC-LSP-E4V	8 Door HID VertX enclosure with removable backplate *** Accomodates single voltage only *** Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 24 lb. Size: 20" x 24" x 4.5"	\$ 360.00	\$ 275.67
334290L	Avigilon	AC-LSP-E4V1	8 - 16 Door HID VertX enclosure with door mount & removable backplate *** Accomodates single or dual voltage *** Battery space for 12V or 24V, 8Ah batteries is available within the cabinet. Comes with door lock and two (2) keys. Weight: 75 lb. Size: 20" x 24" x 4.5"	\$ 575.00	\$ 440.30

334290L	Avigilon	AC-LSP-FPO150	150W-12/24VDC PS, Backplate, Standoffs, & E4M size cabinet kit: The FlexPower AC-LSP-FPO150 (FPO150-2D8E4M1) is an offline switchmode power supply battery charger system. The unit is user selectable for 12 or 24VDC. Providing two independent outputs, the first output provides continuous output power for system use and the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Also providing 16 auxiliary power distributed outputs, the unit has provisions for mounting a variety of Mercury boards in the cabinet proper (E4M) and cabinet door (EM1). The unit is configured in painted, steel, locking enclosure with tamper switch and integral battery space. Size: 20" x 24" x 4.5", Weight: 21 lb.	\$ 757.00	\$ 579.67
334290L	Avigilon	AC-LSP-FPO150/150-16DR-DV	16 Door Access/Dual Voltage 300W PS/C, 12VDC@12A and 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$ 943.00	\$ 722.10
334290L	Avigilon	AC-LSP-FPO150/250-2D8P2M8NL4E4M1	Power supply board 150W, 12A/12V or 6A/24V Power supply board 250W, 20A/12V or 10A/24V 16 auxiliary DC outputs class 2 power	\$ 1,610.00	\$ 1,232.85

334290L	Avigilon	AC-LSP-FPO150/250-2D8P2M8NL4E6M1	Power supply board 150W, 12A/12V or 6A/24V Power supply board 250W, 20A/12V or 10A/24V 16 auxiliary DC outputs class 2 power	\$ 2,035.00	\$ 1,558.29
334290L	Avigilon	AC-LSP-FPO150/250-2D8P2M8NL4E8M2	Power supply board 150W, 12A/12V or 6A/24V Power supply board 250W, 20A/12V or 10A/24V 16 auxiliary DC outputs class 2 power	\$ 2,185.00	\$ 1,673.15
334290L	Avigilon	AC-LSP-FPO150-8DR-DV	8 Door Access/Dual Voltage 150W PS/C ,12VDC@4A and 24VDC@4A System Features: One battery set supports all voltages, microprocessor battery charging, 80Ah charge capability, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$ 597.00	\$ 457.15

334290L	Avigilon	AC-LSP-FPO150-8DR-SV	8 Door Access/Single Voltage 150W PS/C , 12VDC@12A or 24VDC@6A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$ 537.00	\$ 411.20
334290L	Avigilon	AC-LSP-FPO150-B100D8PM8NL4E4M	Power supply board 150W, 12A/12V or 6A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited out	\$ 1,075.00	\$ 823.17
334290L	Avigilon	AC-LSP-FPO150-B100D8PM8NL4E6M	Power supply board 150W, 4A/12V or 4A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited out	\$ 1,440.00	\$ 1,102.67
334290L	Avigilon	AC-LSP-FPO150-PS	The FPO150 150W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.	\$ 285.00	\$ 218.24

334290L	Avigilon	AC-LSP-FPO250	<p>The FPO250 250W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.</p>	\$ 355.00	\$ 271.84
334290L	Avigilon	AC-LSP-FPO250/250-16DR-DV	<p>16 Door Access/Dual Voltage 500W PS/C, 12VDC@20A and 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification</p>	\$ 1,058.00	\$ 810.16

334290L	Avigilon	AC-LSP-FPO250-16DR-SV	<p>16 Door Access/Single Voltage 250W PS/C, 12VDC@20A or 24VDC@10A System Features: 80Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, sixteen 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), sixteen opto isolated, NO/NC, access control inputs, sixteen relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure, 20" X 24" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification</p>	\$ 787.00	\$ 602.64
334290L	Avigilon	AC-LSP-FPO75	<p>The FPO75 75W Power Supply Board is a high efficiency, off-line switchmode power supply-battery charger designed as a general purpose power supply to provide uninterrupted power for locks, auxiliary equipment and access controllers. Capable of providing two power outputs and featuring user selectability for 12 or 24 VDC, the unit provides multiple outputs, fire alarm interface, AC fault reporting, system faultreporting, form 'C' fault relay contacts and a host of features and functions designed to support the access control industry.</p>	\$ 170.00	\$ 130.18

334290L	Avigilon	AC-LSP-FPO75/75-8DR-DV	8 Door Access/Dual Voltage 150W PS/C , 12VDC@6A and 24VDC@3A System Features: 40Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, eight 12 or 24VDC auxiliary outputs fused at 3A (Class 2 power limited version also available), fire alarm input (FAI), eight opto isolated, NO/NC, access control inputs, eight relay lock control outputs, programmable for either 12 or 24VDC, failsafe or failsecure, and FAI, fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 16" X 20" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$ 563.00	\$ 431.11
334290L	Avigilon	AC-LSP-FPO75-4DR-SV	4 Door Access/Single Voltage 75W PS/C, 12VDC@4A or 24VDC@2A System Features: 40Ah charge capability, microprocessor battery charging, charger software algorithm minimizes effects of deep battery discharge, continuous and switched DC outputs, fire alarm input (FAI), four opto isolated, NO/NC, access control inputs, four relay lock control outputs, failsafe or failsecure, and FAI – each output fused for 3A (Class 2 power limited version also available). Fault detection reporting with delay, system can be web-managed (w/ NetLink module), 120V/230VAC, locking enclosure: 12" X 14" X 4.5", ten year warranty, US/Canada agency listed for access, security, fire, CCTV, mass notification	\$ 337.00	\$ 258.06
334290L	Avigilon	AC-LSP-FPO75-B100M8NL4E2M	Power supply board 75W, 6A/12V or 3A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output	\$ 870.00	\$ 666.20

334290L	Avigilon	AC-LSP-FPO75-E1M	75W-12/24VDC PS, Backplate, Standoffs, & E1 size cabinet kit: The FlexPower FPO75-E1M is an offline switchmode power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 12" x 14" x 4.5", Weight: 9 lb.	\$ 372.00	\$ 284.86
334290L	Avigilon	AC-LSP-FPO75-E2M	75W-12/24VDC PS, Backplate, Standoffs & E2 size cabinet kit: The FlexPower FPO75-E2M is an offline switchmode 75 watt power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 16" x 20" x 4.5", Weight: 13 lb.	\$ 450.00	\$ 344.58
334290L	Avigilon	AC-LSP-NL2	The NL2 Network Communication Module communicates and controls power status over a local or wide area network to Access Control Manager (ACM). Provides two SPI ports for connection of one or two power supplies to enable monitoring, reporting and control of the power system. Enables remote testing of one battery set (12 or 24VDC). Recommended for use with single voltage systems or dual voltage systems using B100 12V module.	\$ 220.00	\$ 168.46

334290L	Avigilon	AC-LSP-NL4	The NL4 Network Communication Module communicates and controls power status over a local or wide area network to Access Control Manager (ACM). Provides four SPI ports for connection of one or two power supplies to enable monitoring, reporting and control of the power system. Enables remote testing of two battery sets (12 and 24VDC). Recommended for use with dual voltage systems requiring independent FPO power supplies (i.e. sixteen door dual voltage systems).	\$ 330.00	\$ 252.70
334290L	Avigilon	AC-LSP-PS-MCLASS-E5M	E5 enclosure size 8.5W x 11H x 3D with Mercury/LNL hole mount pattern Fits up to Mercury 1501 or Mr51e Controllers	\$ 115.00	\$ 88.06
334290L	Avigilon	AC-LSP-RACK-MOUNT-MERC-RGM75B-C4PZ	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC 12 & 24VDC: 4DR Mercury rack mount, 4 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm	\$ 989.00	\$ 757.32
334290L	Avigilon	AC-LSP-RACK-MOUNT-MERC-RGM75B-M8PN	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC 12 & 24VDC: 4DR Mercury rack mount, 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system	\$ 1,349.00	\$ 1,032.99
334290L	Avigilon	AC-LSP-RACK-MOUNT-MERC-RGM75B-M8PNZ	75W 12V/2A and 24V/2A UL listed Dual Voltage 12 & 24VDC 12 & 24VDC: 4DR Mercury rack mount, 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm	\$ 1,438.00	\$ 1,101.14

334290L	Avigilon	AC-LSP-RACK-MOUNT-MERC-RGM75-D8PZ	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, 12/24V 8 class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm	\$ 872.00	\$ 667.73
334290L	Avigilon	AC-LSP-RACK-MOUNT-MERC-RGM75-M8PNZ	75W 12V/6A or 24V/3A UL listed 4DR Mercury rack mount, networked 12/24V 8 managed class 2 power limited outputs fused at 2.5A/ea. Fits (2) MR52 sized Mercury controllers, Standard 2U EIA, 19" rack mount chassis, UL/CUL listed system / z wire mgmt cable arm	\$ 1,382.00	\$ 1,058.26
334290L	Avigilon	AC-LSP-RM-BAT-RBE	RBE rackmount battery enclosure for 7-8Ah batteries, Standard 2U EIA, 19" rack mount chassis	\$ 367.00	\$ 281.03
334290L	Avigilon	AC-LSP-WALL-MOUNT-FPO150-B100C8D8E2M	Power supply board 150W, 12A/12V or 6A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output 8 relay lock control outputs fused at 3A per output 8 auxiliary DC outputs fused at 3A per output Enclosure, Size 18. (16W x 20H x 4.5D) with Mercury backplate (Non-stock item)	\$ 629.00	\$ 481.65
334290L	Avigilon	AC-LSP-WALL-MOUNT-FPO150-B100C8D8NL2E2M	Power supply board 150W, 12A/12V or 6A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output 8 relay lock control outputs fused at 3A per output 8 auxiliary DC outputs fused at 3A per output Network communication module 2nd Gen. Enclosure, Size 18. (16W x 20H x 4.5D) with Mercury/Lenel backplate (Non-stock item)	\$ 833.00	\$ 637.86
334290L	Avigilon	AC-LSP-WALL-MOUNT-FPO150-B100C8D8NL2E4M	Power supply board 150W, 12A/12V or 6A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output 8 relay lock control outputs fused at 3A per output 8 auxiliary DC outputs fused at 3A per output Network communication module 2nd Gen. Enclosure, Size 24. (20W x 24H x 4.5D) with Mercury backplate (Non-stock item)	\$ 911.00	\$ 697.59

334290L	Avigilon	ACLSPWALLMOUNTFPO25 OB1002C82D8NL2E8M	Power supply board 250W, 20A/12V or 10A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output 16 relay lock control outputs fused at 3A per output 16 auxiliary DC outputs fused at 3A per output Network communication module 2nd Gen. Enclosure, (30W x 36H x 4.5D) with Mercury backplate (Non-stock item)	\$ 1,662.00	\$ 1,272.66
334290L	Avigilon	AC-LSP-WALL-MOUNT- FPO75-B100C4D8NL2E2M	Power supply board 75W, 6A/12V or 3A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output 4 relay lock control outputs fused at 3A per output 8 auxiliary DC outputs fused at 3A per output Network communication module 2nd Gen. Enclosure, Size 18. (16W x 20H x 4.5D) with Mercury backplate (Non-stock item)	\$ 727.00	\$ 556.70
334290L	Avigilon	AC-LSP-WALL-MOUNT- FPO75-B100C4D8NL2E4M	Power supply board 75W, 6A/12V or 3A/24V Secondary voltage power supply, 5-18V adjustable @ 4A max, class 2 power limited output 4 relay lock control outputs fused at 3A per output 8 auxiliary DC outputs fused at 3A per output Network communication module 2nd Gen. Enclosure, Size 24. (20W x 24H x 4.5D) with Mercury backplate (Non-stock item)	\$ 802.00	\$ 614.13
334290L	Avigilon	AC-LSP-WIRED-FPO150- B100C82D8PE6M/P8-A	Eight Door Mercury Panduit ProWire Unified Power wall mount Power supply board 150W, 4A/24V Secondary voltage module, 4A/12V c	\$ 1,705.00	\$ 1,305.59
334290L	Avigilon	AC-MER-CON-MR16OUT	16 Relay Output Control Module (Mercury MR16OUT)	\$ 717.00	\$ 549.04
334290L	Avigilon	AC-MER-CONT-LP1501	Intelligent Controller, Linux Based with 1 door, 2 inputs and 2 outputs, PoE+ Support, expandable up to 17 doors. (Mercury Part #: LP1501)	\$ 680.00	\$ 520.71
334290L	Avigilon	AC-MER-CONT-LP1502	Intelligent Controller, Linux Based with 2 doors, 8 inputs and 4 outputs, expandable up to 64 doors. (Mercury Part #: LP1502)	\$ 1,280.00	\$ 980.15
334290L	Avigilon	AC-MER-CONT-LP2500	Intelligent Controller, Linux Based, expandable up to 64 doors. (Mercury Part #: LP2500)	\$ 1,880.00	\$ 1,439.60

334290L	Avigilon	AC-MER-RIM-MR62E	Reader Interface Module with 2 doors, 4 inputs and 4 outputs, PoE+ Support. (Mercury Part #: MR62e)	\$ 800.00	\$ 612.59
334220	Avigilon	H4AMH-AD-IRIL1	Optional IR illuminator ring, up to 30m (100ft), for use with H4AMH-DO-COVR1.	\$ 330.00	\$ 252.70
334220	Avigilon	HD-NVR2-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR2	\$ 2,798.00	\$ 2,142.55
334220	Avigilon	HD-NVR3-PRM-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR3-PRM	\$ 4,195.00	\$ 3,212.29
334220	Avigilon	HD-NVR3-STD-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR3-STD	\$ 4,195.00	\$ 3,212.29
334220	Avigilon	HD-NVR3-VAL-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR3-VAL	\$ 1,955.00	\$ 1,497.03
334220	Avigilon	HD-NVR3-VAL-WARR-EXTEND-2YR-G2	2 Year Extended Warranty for HD-NVR3-VAL, Gen 2	\$ 1,670.00	\$ 1,278.79
334220	Avigilon	HD-NVR4-PRM-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR4-PRM	\$ 4,195.00	\$ 3,212.29
334220	Avigilon	HD-NVR4-STD-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR4-STD	\$ 2,795.00	\$ 2,140.25
334220	Avigilon	HD-NVR-KYD-WARR-1YR	1 Year Keep Your Drive Warranty - All NVR Server Models	\$ 335.00	\$ 256.52
334220	Avigilon	HD-NVR-KYD-WARR-2YR	2 Year Keep Your Drive Warranty - All NVR Server Models	\$ 500.00	\$ 382.87
334220	Avigilon	HD-NVR-KYD-WARR-3YR	3 Year Keep Your Drive Warranty - All NVR Server Models	\$ 665.00	\$ 509.22
334220	Avigilon	HD-NVR-KYD-WARR-4YR	4 Year Keep Your Drive Warranty - All NVR Server Models	\$ 835.00	\$ 639.40
334220	Avigilon	HD-NVR-KYD-WARR-5YR	5 Year Keep Your Drive Warranty - All NVR Server Models	\$ 1,000.00	\$ 765.74
334220	Avigilon	HD-NVR-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR	\$ 3,708.00	\$ 2,839.38
334220	Avigilon	HD-NVRWS3-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVRWS3	\$ 716.00	\$ 548.27
334220	Avigilon	HD-NVRWS-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVRWS	\$ 716.00	\$ 548.27
334220	Avigilon	HD-RMWS-2MN-WARR-EXTEND-2YR	2 Year Extended Warranty for 2MN-HD-RMWS	\$ 716.00	\$ 548.27
334220	Avigilon	HD-RMWS3-2MN-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-RMWS3-2MN	\$ 716.00	\$ 548.27
334220	Avigilon	HD-RMWS3-4MN-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-RMWS3-4MN	\$ 650.00	\$ 497.73
334220	Avigilon	HD-RMWS4-4MN-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-RMWS4-4MN	\$ 650.00	\$ 497.73
334220	Avigilon	HD-RMWS-4MN-WARR-EXTEND-2YR	2 Year Extended Warranty for 4MN-HD-RMWS	\$ 650.00	\$ 497.73
334220	Avigilon	12C-H4A-4MH-360	4x 3 MP, WDR, LightCatcher, 2.8mm, Camera Only	\$ 1,905.00	\$ 1,458.74
334220	Avigilon	15C-H4A-3MH-180	3x 5 MP, WDR, LightCatcher, 4mm, Camera Only	\$ 1,800.00	\$ 1,378.34

334220	Avigilon	15C-H4A-3MH-270	3x 5 MP, WDR, LightCatcher, 2.8mm, Camera Only	\$ 1,800.00	\$ 1,378.34
334220	Avigilon	20C-H4A-4MH-360	4x 5 MP, WDR, LightCatcher, 2.8mm, Camera Only	\$ 2,100.00	\$ 1,608.06
334220	Avigilon	24C-H4A-3MH-180	3x 8 MP, WDR, LightCatcher, 5.2mm, Camera Only	\$ 2,100.00	\$ 1,608.06
334220	Avigilon	24C-H4A-3MH-270	3x 8 MP, WDR,LightCatcher, 4mm, Camera Only	\$ 2,100.00	\$ 1,608.06
334220	Avigilon	3.0C-H4VI-RO1-IR	3.0 MP, H4 Video Intercom, WDR, LightCatcher, Day/Night, 1.83mm f/2.4, Integrated IR, Recessed Mount	\$ 1,150.00	\$ 880.60
334220	Avigilon	3.0C-HD-LP-B1	Box camera, 3.0 MP, 4.7-84.6mm f/1.6 lens, with visible light blocker	\$ 880.00	\$ 673.85
334220	Avigilon	32C-H4A-4MH-360	4x 8 MP, WDR, LightCatcher, 4mm, Camera Only	\$ 2,400.00	\$ 1,837.78
334220	Avigilon	9C-H4A-3MH-180	3x 3 MP, WDR, LightCatcher, 4mm, Camera Only	\$ 1,655.00	\$ 1,267.30
334220	Avigilon	9C-H4A-3MH-270	3x 3 MP, WDR, LightCatcher, 2.8mm, Camera Only	\$ 1,655.00	\$ 1,267.30
334220	Avigilon	ACC5-4TO5-COR-UPG	ACC 5 upgrade license for one ACC 4 Core server	\$ 95.00	\$ 72.75
334220	Avigilon	ACC5-4TO5-ENT-UPG	ACC 5 upgrade license for one ACC 4 Enterprise server	\$ 335.00	\$ 256.52
334220	Avigilon	ACC5-4TO5-STD-UPG	ACC 5 upgrade license for one ACC 4 Standard server	\$ 185.00	\$ 141.66
334220	Avigilon	ACC6-AMAG-SMTRY	Amag Symmetry Integration Module for a site. Enables event and video integration between Amag Symmetry and an Avigilon Control Center site.	\$ 2,500.00	\$ 1,914.36
334220	Avigilon	ACC6-GLGR-CMND	Gallagher (Formerly Cardax) Integration Module for a site. Enables bi-directional event and video integration between Gallagher Command Center and an Avigilon Control Center site.	\$ 2,500.00	\$ 1,914.36
334220	Avigilon	ACC6-HRSH-VLCTY	Hirsch Velocity Integration Module for a site. Enables alarm integration from Hirsch Velocity to an Avigilon Control Center site.	\$ 2,500.00	\$ 1,914.36
334220	Avigilon	ACC6-INTX-FORCE	Interlogix Forcefield Integration Module for a site. Enables video and event integration to Interlogix Forcefield from an Avigilon Control Center site.	\$ 2,500.00	\$ 1,914.36
334220	Avigilon	ACC6-JAQS-INTCM	Jacques Integration Module for a site. Enables bi-directional event integration between Jacques VoIP Voice Communication System and an Avigilon Control Center site.	\$ 2,500.00	\$ 1,914.36

334220	Avigilon	ACC6-LENL-ONGRD	OAAP Certified Lenel OnGuard Integration Module for a site. Enables event and video integration between Lenel OnGuard and an Avigilon Control Center site.	\$ 2,500.00	\$ 1,914.36
334290L	Avigilon	ACC6-PXTN-NET2	Paxton Net2 Integration Module for a site. Enables event and video integration between Paxton Net2 and an Avigilon Control Center site.	\$ 2,500.00	\$ 1,914.36
334290L	Avigilon	ACC6-S2-NETBX	S2 NetBox Integration Module for a site. Enables video integration between S2 NetBox and an Avigilon Control Center site.	\$ 2,500.00	\$ 1,914.36
334290L	Avigilon	ACC6-STFN-ALPHA	Stentofon AlphaCom Integration Module for a site. Enables bi-directional event integration between Stentofon AlphaCom and an Avigilon Con	\$ 2,500.00	\$ 1,914.36
334220	Avigilon	APD-S1-D	Avigilon Presence Detector with Ceiling Mount	\$ 850.00	\$ 650.88
334220	Avigilon	DOME-CVR-CLEAR	Replacement dome bubble for JPEG2000 Dome and JPEG2000 Panoramic cameras.	\$ 84.00	\$ 64.32
334220	Avigilon	DOME-IND-CEL	Indoor in-ceiling mount add-on adapter allows the camera to be ceiling mounted with only the external clear bubble showing.	\$ 95.00	\$ 72.75
334220	Avigilon	DOME-INDE-PLT	Indoor electrical box mounting plate add-on, allows mounting with side cable access and mounting to a 4S electrical box.	\$ 18.00	\$ 13.78
334220	Avigilon	DOME-OD-BASE	Outdoor mounting base add-on, creates an IP66 seal and allows conduit connection and pipe mounting.	\$ 23.00	\$ 17.61
334220	Avigilon	DOME-OD-PEND	Indoor/Outdoor pendant mount, creates an IP66 sealed enclosure for connection to industry standard pendant wall brackets.	\$ 23.00	\$ 17.61
334220	Avigilon	ENC-4P-H264	4-Port H.264 Analog Video Encoder with 4 audio support	\$ 345.00	\$ 264.18
334220	Avigilon	H3-DC-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for in-ceiling domes.	\$ 40.00	\$ 30.63
334220	Avigilon	H3-D-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for indoor domes.	\$ 40.00	\$ 30.63

334220	Avigilon	H3-DC-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for in-ceiling domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	\$ 40.00	\$ 30.63
334220	Avigilon	H3-DOP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for outdoor and pendant domes.	\$ 60.00	\$ 45.94
334220	Avigilon	H3-DOP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for outdoor and pendant domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.	\$ 60.00	\$ 45.94
334220	Avigilon	H3-D-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for indoor domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.	\$ 40.00	\$ 30.63
334220	Avigilon	H4A-DO-CLER1	Replacement clear transparent cover for H4A outdoor dome camera. Includes dome bubble and grey camera cover.	\$ 60.00	\$ 45.94
334220	Avigilon	H4-BO-DEMO1	Replacement H4 HD Bullet or H4 Thermal configuration port cover with a female 1/4-20 screw mount for use with tripod head for demo pur	\$ 5.00	\$ 3.83
334220	Avigilon	H4VI-ACCS-KIT1	Replacement installation accessories for H4VI. Includes terminal block plugs and screws.	\$ 20.00	\$ 15.31
334220	Avigilon	H4VI-AC-RELY1	Safety Relay for H4 Video Intercom	\$ 120.00	\$ 91.89
334220	Avigilon	H4VI-MT-SURF1	Surface mount adapter for H4 Video Intercom	\$ 225.00	\$ 172.29
334220	Avigilon	IDRAC8-ENT-UPG	IDRAC 8 Enterprise Upgrade for NVR3	\$ 670.00	\$ 513.05
334220	Avigilon	IDRAC9-ENT-UPG	IDRAC 9 Enterprise Upgrade for NVR4/AIA	\$ 670.00	\$ 513.05
334220	Avigilon	PTZMH-ACCS-CABL1	Replacement cable accessory and adapter kit for H4 PTZ Pendant mount cameras. Includes waterproof RJ45 connector, M8 2-pin male cable and M12 12-pin female cable.	\$ 50.00	\$ 38.29

334290L	Avigilon	AC-RO-SMALL-ENC	6.5W x 6.5W x 3D small size enclosure suitable for 1 x Mercury EP1501 or 1 x Mercury MR51e , IP67 rated, Includes removable non-metall	\$ 75.00	\$ 57.43
334220	Avigilon	ACC-USB-JOY-PRO	Fully configured Professional USB Surveillance joystick for full control of Avigilon Control Center including shuttle playback control and digital and conventional PTZ.	\$ 945.00	\$ 723.63
334220	Avigilon	ES-HD-CWS	Standard Format Enclosure for cameras with 12VDC/24VDC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	\$ 330.00	\$ 252.70
334220	Avigilon	ES-HD-CWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VDC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).	\$ 500.00	\$ 382.87
334220	Avigilon	ES-HD-HS-XL	Extra Large Format Enclosure for Avigilon HD IP Professional Cameras with 24 VAC Triple fan assisted heater. Maximum combined camera and lens length is 20" (51.9 cm).	\$ 1,705.00	\$ 1,305.59
334220	Avigilon	ES-HD-HWS	Standard Format Enclosure for cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	\$ 225.00	\$ 172.29
334220	Avigilon	ES-HD-HWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).	\$ 415.00	\$ 317.78
334220	Avigilon	ES-HD-HWS-SM	Standard Format Enclosure for Avigilon HD H.264 IP Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	\$ 150.00	\$ 114.86
334220	Avigilon	ES-HD-IPM	Optional PoE+ power module. Powers full camera enclosure features & camera with a single Ethernet connection. Compatible with ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG	\$ 235.00	\$ 179.95

334220	Avigilon	ES-HD-LP-HS	Standard format enclosure with heater, sunshield and PoE passthrough for a camera. PoE+ powers the camera enclosure and camera use	\$ 650.00	\$ 497.73
334220	Avigilon	ES-HD-MNT-ARM	Ceiling arm mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 115.00	\$ 88.06
334220	Avigilon	ES-HD-MNT-CORNER	Corner mount adapter for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 65.00	\$ 49.77
334220	Avigilon	ES-HD-MNT-PAR	Pedestal and ceiling mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG	\$ 110.00	\$ 84.23
334220	Avigilon	ES-HD-MNT-PLATE	Reinforcing wall mount adapter for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 40.00	\$ 30.63
334220	Avigilon	ES-HD-MNT-POLE-LG	Large pole mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 160.00	\$ 122.52
334220	Avigilon	ES-HD-MNT-POLE-MD	Medium pole mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG. Additional mounting point if used with ES-HD-MNT-PLATE.	\$ 190.00	\$ 145.49
334220	Avigilon	ES-HD-MNT-POLE-SM	Small dual pole mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	\$ 75.00	\$ 57.43
334220	Avigilon	ES-HD-MNT-WBLA	Ball joint mount for ES-HD-HS-XL	\$ 810.00	\$ 620.25
334220	Avigilon	LEF10040045CA2	Canon, 100-400mm, f/4.5-f/5.6, Auto-Iris, Vari Focal	\$ 4,375.00	\$ 3,350.13
334220	Avigilon	LEF163528CA2	Canon, 16-35mm, f/2.8L, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Highest image	\$ 4,855.00	\$ 3,717.68
334220	Avigilon	LEF20028CA	Canon, 200mm, f/2.8, Auto-Iris	\$ 1,920.00	\$ 1,470.23
334220	Avigilon	LEF2414CA	Canon, 24mm, f/1.4, Auto-Iris	\$ 3,540.00	\$ 2,710.73
334220	Avigilon	LEF247028TA2	Tamron 24-70, f/2.8, Gen 2, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Highest image quality available, vari-focal	\$ 2,249.00	\$ 1,722.16
334220	Avigilon	LEF3514SI	Sigma, 35mm, f/1.4, Auto-Iris Recommended for 4K-7K H4PRO-B Highest image quality available, excellent in low light	\$ 2,075.00	\$ 1,588.92
334220	Avigilon	LEF5012CA	Canon, 50mm, f/1.2, Auto-Iris	\$ 3,332.00	\$ 2,551.46
334220	Avigilon	LEF5014CA	Canon, 50mm, f/1.4, Auto-Iris	\$ 834.00	\$ 638.63

334220	Avigilon	LEF7020028CA	Canon, 70-200mm, f/2.8, Auto-Iris, Vari Focal	\$ 2,709.00	\$ 2,074.40
334220	Avigilon	LEF8512CA	Canon, 85mm, f/1.2, Auto-Iris	\$ 4,105.00	\$ 3,143.38
334220	Avigilon	LEFS183518SI	Sigma, 18-35mm, f/1.8, Auto-Iris, Vari Focal	\$ 1,660.00	\$ 1,271.13
334220	Avigilon	LEFS3014SI	Sigma, 30mm, f/1.4, Auto-Iris	\$ 1,035.00	\$ 792.54
334290L	Avigilon	AC-HID-ACMEC	Avigilon Access Control Manager Embedded Controller (with plastic enclosure back plate & cover), Browser Based ACM Controller, Up To 16 Doors, 2000 Cardholders, 10 Operators (two Concurrent), 25,000 Transactions, 8 Subpanel Support, Schedules, Holidays, Access Groups, Weigh 1 lb. (HID 71000BEP0N01C-AVGE)	\$ 1,259.00	\$ 964.07
334290L	Avigilon	ACHIDREADICLASSEMOB OSDP900NMPNEKEA005	iClass SE R10 Mobile Enabled Reader black Mini-Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, OSDP, Pigtail	\$ 203.00	\$ 155.45
334290L	Avigilon	ACHIDREADICLASSEMOB OSDP900NMPTEKEA005	iClass SE R10 Mobile Enabled Reader Black Mini-Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, OSDP, Terminal Strip	\$ 203.00	\$ 155.45
334290L	Avigilon	ACHIDREADICLASSEMOB OSDP910NMPNEKEA005	iClass SE R15 Mobile Enabled Reader black Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, OSDP, Pigtail	\$ 323.00	\$ 247.34
334290L	Avigilon	ACHIDREADICLASSEMOB OSDP910NMPTEKEA005	iClass SE R15 Mobile Enabled Reader black Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, OSDP, Terminal Strip	\$ 323.00	\$ 247.34
334290L	Avigilon	ACHIDREADICLASSEMOB OSDP920NMPNEKEA005	iClass SE R40 Mobile Enabled Reader Black Wallswitch Mounting 13.56 MHz credential compatibility, Bluetooth smart, OSDP, Pigtail	\$ 323.00	\$ 247.34
334290L	Avigilon	ACHIDREADICLASSEMOB OSDP920NMPTEKEA005	iClass SE R40 Mobile Enabled Reader Black Wallswitch Mounting 13.56 MHz credential compatibility, Bluetooth smart, OSDP, Terminal Strip	\$ 323.00	\$ 247.34
334290L	Avigilon	ACHIDREADICLASSEMOB WG900BNNEKE20000	iClass SE R10 Mobile ready Reader black Mini-Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, Wiegand, Pigtail	\$ 203.00	\$ 155.45
334290L	Avigilon	ACHIDREADICLASSEMOB WG900BNNEKE0000	iClass SE R10 Mobile enabled Reader black Mini-Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, Wiegand, Pigtail	\$ 203.00	\$ 155.45

334290L	Avigilon	ACHIDREADICLASSEMOMB WG900NBNTEK20000	iClass SE R10 Mobile ready Reader black Mini-Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, Wiegand, Terminal Strip	\$ 203.00	\$ 155.45
334290L	Avigilon	ACHIDREADICLASSEMOMB WG900NMNNEKEA001	iClass SE R10 Mobile Enabled Reader black Mini-Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, Wiegand, Pigtail	\$ 203.00	\$ 155.45
334290L	Avigilon	ACHIDREADICLASSEMOMB WG900NMNTEKEA001	iClass SE R10 Mobile Enabled Reader Black Mini-Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, Wiegand, Terminal Strip	\$ 203.00	\$ 155.45
334290L	Avigilon	ACHIDREADICLASSEMOMB WG910NMNNEKEA001	iClass SE R15 Mobile Enabled Reader black Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, Wiegand, Pigtail	\$ 323.00	\$ 247.34
334290L	Avigilon	ACHIDREADICLASSEMOMB WG910NMNTEKEA001	iClass SE R15 Mobile Enabled Reader black Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, Wiegand, Terminal Strip	\$ 323.00	\$ 247.34
334290L	Avigilon	ACHIDREADICLASSEMOMB WG920NBNNEK20000	iClass SE R40 Mobile ready Reader black Mini-Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, Wiegand, Pigtail	\$ 323.00	\$ 247.34
334290L	Avigilon	ACHIDREADICLASSEMOMB WG920NBNNEKE0000	iClass SE R40 Mobile enabled Reader black Mini-Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, Wiegand, Pigtail	\$ 323.00	\$ 247.34
334290L	Avigilon	ACHIDREADICLASSEMOMB WG920NBNTEK20000	iClass SE R40 Mobile ready Reader black Mini-Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, Wiegand, Terminal Strip	\$ 323.00	\$ 247.34
334290L	Avigilon	ACHIDREADICLASSEMOMB WG920NBNTEKE0000	iClass SE R40 Mobile enabled Reader black Mini-Mulion Mounting 13.56 MHz credential compatibility, Bluetooth smart, Wiegand, Terminal Strip	\$ 323.00	\$ 247.34
334290L	Avigilon	ACHIDREADICLASSEMOMB WG920NMNNEKEA001	iClass SE R40 Mobile Enabled Reader Black Wallswitch Mounting 13.56 MHz credential compatibility, Bluetooth smart, Wiegand, Pigtail	\$ 323.00	\$ 247.34
334290L	Avigilon	ACHIDREADICLASSEMOMB WG920NMNTEKEA001	iClass SE R40 Mobile Enabled Reader Black Wallswitch Mounting 13.56 MHz credential compatibility, Bluetooth smart, Wiegand, Terminal Strip	\$ 323.00	\$ 247.34

334290L	Avigilon	AC-HID-READ-ICLASS-SE-R10	iCLASS SE R10 Contactless Smart Card Reader, Mini-Mullion, No Prox	\$ 125.00	\$ 95.72
334290L	Avigilon	AC-HID-READ-ICLASS-SE-R10-AVG	iCLASS SE R10 Contactless Smart Card Reader, Mini-Mullion, No Prox (READER iCLASS SE R10 Avigilon logo)	\$ 125.00	\$ 95.72
334290L	Avigilon	AC-HID-READ-ICLASS-SE-R15	iCLASS SE R15 Contactless Smart Card Reader, Mini-Mullion, No Prox	\$ 245.00	\$ 187.61
334290L	Avigilon	AC-HID-READ-ICLASS-SE-R40	iCLASS SE R40 Contactless Smart Card Reader, Wall Switch, No Prox	\$ 245.00	\$ 187.61
334290L	Avigilon	AC-HID-READ-ICLASS-SE-RP10	iCLASS SE RP10 Contactless Smart Card Reader, Mini-Mullion, STD Prox	\$ 163.00	\$ 124.82
334290L	Avigilon	AC-HID-READ-ICLASS-SE-RP15	iCLASS SE RP15 Contactless Smart Card Reader, Mini-Mullion, STD Prox	\$ 283.00	\$ 216.71
334290L	Avigilon	AC-HID-READ-ICLASS-SE-RP40	iCLASS SE RP40 Contactless Smart Card Reader, Wall Switch, STD Prox	\$ 283.00	\$ 216.71
334290L	Avigilon	AC-HID-READ-MCLASS-WIEG-900PTNNEKE0000	R10 Mini-mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DE	\$ 180.00	\$ 137.83
334290L	Avigilon	AC-HID-READ-MCLASS-WIEG-910PTNNEKE0000	R15 Mullion reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO), MIFARE DESFir	\$ 285.00	\$ 218.24
334290L	Avigilon	AC-HID-READ-MCLASS-WIEG-920PTNNEKE0000	R40 Standard wall switch reader; Wiegand; HID Prox, AWID and EM4102 (32 bits); iCLASS Seos, SE, SR, Standard; MIFARE Classic (SIO),	\$ 285.00	\$ 218.24
334290L	Avigilon	AC-ING-DISK-APTIQ-XF7010	Proximity Sticky Disk (35 mm Disk) (minimum order is 50)	\$ 3.95	\$ 3.02
334290L	Avigilon	AC-ING-READ-APTIQ-MINI-SM10	aptiQ 13.56 MHz Smart - Mini Mullion Reader	\$ 117.00	\$ 89.59
334290L	Avigilon	AC-ING-READ-XCEEDID-PROX-C	XceedID - 125 kHz Proximity - Mini Mullion Crème Reader	\$ 117.00	\$ 89.59
334290L	Avigilon	AC-LSP-OSE-16DR-MER	16 Door Mercury Over Sized Enclosure (OSE) with door mount & removable backplate. Enclosure holds a total of 10 boards - 8 mercury panels and two (2) I/O modules, 6 placed in the main box and 4 on the door. This enclosure has two D8P auxillary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 77 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed.	\$ 1,278.00	\$ 978.62

334290L	Avigilon	AC-LSP-OSE-16DR-MER-IO	16 Door Dual Voltage Mercury Over Sized Enclosure (OSE) with door mount & removable backplate. 150W power supply for system power and 250W power supply for lock power. Enclosure holds a total of 10 boards - 8 mercury panels and two (2) I/O modules, 6 placed in the main box and 4 on the door. Enclosure has two C8 lock control modules for 16 distributed lock outputs and two D8P auxillary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 77 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed.	\$ 1,367.00	\$ 1,046.77
334290L	Avigilon	AC-LSP-OSE-16DR-MER-LCK	16 Door Mercury Over Sized Enclosure (OSE) with removable backplate. Enclosure holds a total of 8 mercury panel boards and two D8P auxillary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 75 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed.	\$ 1,689.00	\$ 1,293.34
334290L	Avigilon	AC-LSP-OSE-16DR-MER-LCK-FAI	16 Door Dual Voltage Mercury Over Sized Enclosure (OSE) with removable backplate. 150W power supply for system power and 250W p	\$ 1,500.00	\$ 1,148.61

334290L	Avigilon	AC-LSP-OSE-16DR-MER-LCK-IO	16 Door Dual Voltage Mercury Over Sized Enclosure (OSE) with removable backplate. 150W power supply for system power and 250W power supply for lock power. Enclosure holds a total of 8 Mercury boards, two C8 lock control modules for 16 distributed lock outputs and two D8P auxillary distribution modules for 16 class II power limited outputs. Battery space for 12V or 24V, 8Ah batteries is available. Enclosure comes standard with installed AC on/off switch, a low battery disconnect module and dual door lock key sets. Enclosure weight: 75 lb. Size: 36" x 30" x 4.5". CE approved. UL/CUL listed with Mercury panels installed.	\$ 1,780.00	\$ 1,363.02
334290L	Avigilon	AC-PRO-KIT16	Access Control Manager Professional Sixteen (16) Door Unassembled Kit, includes:	\$ 14,870.00	\$ 11,386.60
334290L	Avigilon	AC-PRO-KIT4	Access Control Manager Professional Four (4) Door Unassembled Kit, includes:	\$ 5,960.00	\$ 4,563.83
334290L	Avigilon	AC-PRO-KIT8	Access Control Manager Professional Eight (8) Door Unassembled Kit, includes:	\$ 8,820.00	\$ 6,753.85
334290L	Avigilon	AC-SCH-BATTERY-8B-626	AD-400 Eight (8) battery conversion kit in grey (Allegion Schlage Part #: 8B-626).	\$ 84.00	\$ 64.32
334290L	Avigilon	AC-SCH-COM300L-643E	Communication Module Kit for AD-300 Classroom/Storeroom (70) function. Compatible with Cylindrical, Mortise, Mortise with deadbolt, 993 e	\$ 282.00	\$ 215.94
334220	Avigilon	HD-NVR3-PRM-2NDCPU	2nd CPU + Heatsink, 2x 8GB RAM, NVR3 PRM	\$ 2,070.00	\$ 1,585.09
334220	Avigilon	HD-NVR3-PRM-2NDPS-AU	Power Supply, Hot-Swappable, NVR3 PRM, AU power cord	\$ 465.00	\$ 356.07
334220	Avigilon	HD-NVR3-PRM-2NDPS-NA	Power Supply, Hot-Swappable, NVR3 PRM, NA power cord	\$ 465.00	\$ 356.07
334220	Avigilon	HD-NVR3-PRM-2NDPS-UK	Power Supply, Hot-Swappable, NVR3 PRM, UK power cord	\$ 465.00	\$ 356.07
334220	Avigilon	HD-NVR3-STD-2NDCPU	2nd CPU + Heatsink, 2x 8GB RAM, NVR3 STD	\$ 1,845.00	\$ 1,412.80
334220	Avigilon	HD-NVR3-STD-2NDPS-AU	Power Supply, Hot-Swappable, NVR3 STD, AU power cord	\$ 465.00	\$ 356.07

334220	Avigilon	HD-NVR3-STD-2NDPS-NA	Power Supply, Hot-Swappable, NVR3 STD, NA power cord	\$ 465.00	\$ 356.07
334220	Avigilon	HD-NVR3-STD-2NDPS-UK	Power Supply, Hot-Swappable, NVR3 STD, UK power cord	\$ 465.00	\$ 356.07
334220	Avigilon	HD-NVR3-VAL-2NDPS-AU	Power Supply, Hot-Swappable, NVR3 VAL, AU power cord	\$ 410.00	\$ 313.95
334220	Avigilon	HD-NVR3-VAL-2NDPS-NA	Power Supply, Hot-Swappable, NVR3 VAL, NA power cord	\$ 410.00	\$ 313.95
334220	Avigilon	HD-NVR3-VAL-2NDPS-UK	Power Supply, Hot-Swappable, NVR3 VAL, UK power cord	\$ 410.00	\$ 313.95
334220	Avigilon	HD-NVR4-PRM-192TB-NA	HD NVR4 PRM 192TB 2U Rack Mnt, Windows Server 2016	\$ 71,500.00	\$ 53,196.72
334220	Avigilon	HD-NVR4-PRM-2NDCPU	2nd CPU + Heatsink, 2x 16GB RAM, NVR4 PRM	\$ 3,000.00	\$ 2,297.23
334220	Avigilon	HD-NVR4-PRM-2NDPS-AU	Power Supply, Hot-Swappable, NVR4 PRM, AU power cord	\$ 465.00	\$ 356.07
334220	Avigilon	HD-NVR4-PRM-2NDPS-NA	Power Supply, Hot-Swappable, NVR4 PRM, NA power cord	\$ 465.00	\$ 356.07
334220	Avigilon	HD-NVR4-PRM-2NDPS-UK	Power Supply, Hot-Swappable, NVR4 PRM, UK power cord	\$ 465.00	\$ 356.07
334220	Avigilon	HD-NVR4-STD-2NDCPU	2nd CPU + Heatsink, 2x 8GB RAM, NVR4 STD	\$ 1,845.00	\$ 1,412.80
334220	Avigilon	HD-NVR4-STD-2NDPS-AU	Power Supply, Hot-Swappable, NVR4 STD, AU power cord	\$ 465.00	\$ 356.07
334220	Avigilon	HD-NVR4-STD-2NDPS-NA	Power Supply, Hot-Swappable, NVR4 STD, NA power cord	\$ 465.00	\$ 356.07
334220	Avigilon	HD-NVR4-STD-2NDPS-UK	Power Supply, Hot-Swappable, NVR4 STD, UK power cord	\$ 465.00	\$ 356.07
334220	Avigilon	HD-NVR-ANK2-1	Analytics Kit for Appearance Search and Face Recognition, NVR4 Value or any NVR3 models	\$ 980.00	\$ 750.43
334220	Avigilon	M1300	Monitor, 19", LCD, 1.3 Megapixel, 5:4 Standard Aspect Ratio	\$ 325.00	\$ 248.87
334220	Avigilon	VMA-AIA-2NDPS-AU	Replacement, hot-swappable power supply, for AU	\$ 465.00	\$ 356.07
334220	Avigilon	VMA-AIA-2NDPS-NA	Replacement, hot-swappable power supply, for NA	\$ 465.00	\$ 356.07
334220	Avigilon	VMA-AIA-2NDPS-UK	Replacement, hot-swappable power supply, for UK	\$ 465.00	\$ 356.07
334290L	Avigilon	AC-ALL-SCH-HHD-KIT-USB	Handheld Device Kit (USB devices ONLY:AD-Series and CO-Series). Includes Handheld Device pre-loaded with SUS Application, HHD-USB Cable. Used to initialize, manage, and test AD-Series and CO-Series devices.	\$ 841.00	\$ 643.99
334220	Avigilon	1.0C-H4IRPTZ-DP45-WP	1MP H4 IR PTZ with Wiper 45X, Self-learning analytics, IK10, IP66, 250m IR	\$ 3,250.00	\$ 2,488.66

334220	Avigilon	2.0C-H4IRPTZ-DP30-WP	2MP H4 IR PTZ, with Wiper 30X, Self-learning analytics, IK10, IP66, 250m IR	\$ 3,525.00	\$ 2,699.24
334290L	Avigilon	AC-ING-CARD-APTIQ- XF7410	Proximity Card Clamshell	\$ 2.44	\$ 1.86
334290L	Avigilon	AC-ING-CARD-APTIQ- XF7510	Proximity Card ISO Glossy White	\$ 4.19	\$ 3.20
334290L	Avigilon	AC-MER-CON-MR16IN	16 Zone Input Monitor Module (with 2 relays) (Mercury MR16IN)	\$ 717.00	\$ 549.04
334290L	Avigilon	AC-MER-CON-MR50	Reader Interface Module - (1 reader: mag or wiegand, 2 inputs, 2 relays) (Mercury MR50)	\$ 325.00	\$ 248.87
334220	Avigilon	H4F-ACCS-KIT1	Replacement installation accessories for H4F camera. Includes accessories kit, Aux IO cable, and torx screw driver.	\$ 30.00	\$ 22.97
334220	Avigilon	H4F-AC-DESI1	Desiccant packs for use with H4F cameras, contains qty 5. individually packaged dessicant packs	\$ 10.00	\$ 7.66
334220	Avigilon	H4F-DO-CVER1	Replacement top cover assembly for H4F camera. Includes dome bubble, IR board, mic and grey camera cover.	\$ 160.00	\$ 122.52
334220	Avigilon	H4F-MT-NPTA1	NPT adapter for use with H4F cameras	\$ 60.00	\$ 45.94
334220	Avigilon	IRPTZ-ACCS-CABL1	Replacement power and I/O cable for H4 IR PTZ.	\$ 28.00	\$ 21.44
334220	Avigilon	LEF8518CA	Canon, 85mm, f/1.8, Auto-Iris	\$ 960.00	\$ 735.11
334220	Avigilon	ES-HD-IR-IP6	IR illuminator, PoE+, Outdoor, included lens option for 60°, 35°, or 10° horizontal coverage. Included mounting adapter to ES-HD-LP-HS.	\$ 670.00	\$ 513.05
334220	Avigilon	ACC-MIC	Omni-directional, low impedance, electret condenser microphone with built-in preamp for producing line level output. It is housed in a high impact ABS dome designed for ceiling or wall mounting. Normal pick-up pattern is approximately 15' from the microphone location, all directions, or within 30' diameter circle. No wiring or plug is provided with the microphone, Avigilon HD Dome Cameras and Analog Encoders with Audio use a 3.5mm plug.	\$ 292.00	\$ 223.60
334220	Avigilon	ACC-SDK-DEV	Grants access to the Avigilon SDK Developer's Portal, and the Avigilon Control Center SDK.	\$ 3,500.00	\$ 2,680.10
334220	Avigilon	ACC-SPLIT	POE Splitter for Camera Installation, extracts 12V DC from a POE input for powering a camera during focusing	\$ 53.00	\$ 40.58

334220	Avigilon	ACC-USB-JOY	Programmable USB Surveillance Joystick for controlling digital and conventional PTZ within Avigilon Control Center	\$ 625.00	\$ 478.59
334290L	Avigilon	AC-HID-TAG-MICROPROX-ADH	MICROPROX TAG, PROG, GRAY, MATCH # (HID # 1391LGSMN)	\$ 4.50	\$ 3.45
334290L	Avigilon	AC-ING-CARD-APTIQ-XF7510MS	Proximity and Magnetic Stripe Card ISO Glossy White	\$ 4.66	\$ 3.57
334290L	Avigilon	AC-ING-CARD-APTIQ-XF8520	aptiQ Smart Card 2K byte/16k bit ISO Glossy White	\$ 5.61	\$ 4.29
334290L	Avigilon	AC-ING-CARD-APTIQ-XF9420	MIFARE Smart Card 2.5k bit Clamshell	\$ 3.13	\$ 2.40
334290L	Avigilon	AC-ING-CARD-APTIQ-XF9551	MIFARE Contactless Smart Card 1k byte/8k bit ISO Glossy White	\$ 5.17	\$ 3.96
334290L	Avigilon	AC-ING-READ-APTIQ-MULL-MT11	aptiQ Multi-Technology – Mullion Reader	\$ 241.00	\$ 184.54
334290L	Avigilon	AC-ING-READ-APTIQ-SNG-MT15	aptiQ Multi-Technology - Single Gang Reader	\$ 241.00	\$ 184.54
334290L	Avigilon	AC-LSP-16DR-HID	Sixteen Door HID Single Voltage Integrated Power System supporting one AC-HID-VERTEX-V1000 with eight AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 150 watt 12V/12A power supply-battery charger. The power supply is pre-wired to sixteen Class 2, Power Limited (CL2PL) outputs (two D8P Boards) delivering a regulated independent power connection to each HID VertX EVO board and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.	\$ 755.00	\$ 578.14

334290L	Avigilon	AC-LSP-16DR-HID-LCK	<p>Sixteen Door HID Dual Voltage Integrated Power System supporting one AC-HID-VERTEX-V1000 with eight AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). The advantage of a dual voltage power supply is the ability to power HID boards and door locks. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws. System includes one 75 watt 12V/6A pre-wired to sixteen Class 2, Power Limited (CL2PL) outputs (two D8P Boards) delivering regulated independent power connection to each HID VertX EVO board and one 250 watt 24V/10A power supply-battery chargers pre-wired to sixteen fused output (two C8 Boards) for independent relay lock power. Both power supplies features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Cabinet size: 20" x 24" x 4.5" with door lock and two (2) keys. Weight 26 lb.</p>	\$ 1,060.00	\$ 811.69
---------	----------	---------------------	--	-------------	-----------

334290L	Avigilon	AC-LSP-16DR-MER	<p>Sixteen Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with Seven AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 150 watt 12V/12A or 24V/6A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.</p>	\$ 720.00	\$ 551.34
---------	----------	-----------------	---	-----------	-----------

334290L	Avigilon	AC-LSP-16DR-MER-LCK	<p>Sixteen Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with seven AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power Mercury boards and door locks. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws. System includes one 150 watt 12V/12A pre-wired to sixteen Class 2, Power Limited (CL2PL) outputs (two D8P Boards) delivering regulated independent power connection to each Mercury board and one 250 watt 24V/10A power supply-battery chargers pre-wired to sixteen fused output (two C8 Boards) for independent relay lock power. Both power supplies features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Cabinet size: 20" x 24" x 4.5" with door lock and two (2) keys. Weight 26 lb.</p>	\$ 1,110.00	\$ 849.97
---------	----------	---------------------	---	-------------	-----------

334290L	Avigilon	AC-LSP-2DR-HID	<p>Two Door HID Single Voltage Integrated Power System supporting one AC-HID-VERTX-V2000 (HID VertX EVO hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to HID VertX EVO board and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 12" x 14" x 4.5" with door lock, tamper switch and two (2) keys. Weight 14 lb.</p>	\$ 370.00	\$ 283.32
---------	----------	----------------	--	-----------	-----------

334290L	Avigilon	AC-LSP-2DR-HID-LCK	<p>Two Door HID Dual Voltage Integrated Power System supporting one AC-HID-VERTX-V2000 (HID VertX EVO hardware sold separately). The advantage of a dual voltage power supply is the ability to power both HID board and door locks from the same supply. Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to four Class 2, Power Limited (CL2PL) outputs (C4P Board) delivering a regulated independent power connection to HID VertX EVO board and lock power control. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 12" x 14" x 4.5" with door lock and two (2) keys. Weight 14 lb.</p>	\$ 450.00	\$ 344.58
---------	----------	--------------------	---	-----------	-----------

334290L	Avigilon	AC-LSP-2DR-MER	<p>Two Door Mercury Single Voltage Integrated Power System supporting two AC-MER-CONT-1DR or one AC-MER-CONT-2DR (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet (unless using two AC-MER-CONT-1DR). Cabinet size: 12" x 14" x 4.5" with door lock, tamper switch and two (2) keys. Weight 14 lb.</p>	\$ 370.00	\$ 283.32
---------	----------	----------------	--	-----------	-----------

334290L	Avigilon	AC-LSP-2DR-MER-LCK	<p>Two Door Mercury Dual Voltage Integrated Power System supporting two AC-MER-CONT-1DR or one AC-MER-CONT-2DR (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to four Class 2, Power Limited (CL2PL) outputs (C4P Board) delivering a regulated independent power connection to each Mercury board and lock power and control. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet (unless using two AC-MER-CONT-1DR). Cabinet size: 12" x 14" x 4.5" with door lock and two (2) keys. Weight 14 lb.</p>	\$ 450.00	\$ 344.58
---------	----------	--------------------	--	-----------	-----------

334290L	Avigilon	AC-LSP-4DR-HID	<p>Four Door HID Single Voltage Integrated Power System supporting two AC-HID-VERTX-V2000 or one AC-HID-VERTX-V1000 with two AC-HID-VERTX-V100 (HID VertX EVO hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each HID VertX EVO board and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock, tamper switch and two (2) keys. Weight 19 lb.</p>	\$ 400.00	\$ 306.30
---------	----------	----------------	---	-----------	-----------

334290L	Avigilon	AC-LSP-4DR-HID-LCK	<p>Four Door HID Dual Voltage Integrated Power System supporting two AC-HID-VERTEX-V2000 or one AC-HID-VERTEX-V1000 with two AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). The advantage of a dual voltage power supply is the ability to power both HID boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller mounting screws, and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each HID VertX EVO board and four fused output (C4 Board) for independent relay lock power control. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock and two (2) keys. Weight 19 lb.</p>	\$ 515.00	\$ 394.36
---------	----------	--------------------	---	-----------	-----------

334290L	Avigilon	AC-LSP-4DR-MER	<p>Four Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with one AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock, tamper switch and two (2) keys. Weight 19 lb.</p>	\$ 400.00	\$ 306.30
---------	----------	----------------	--	-----------	-----------

334290L	Avigilon	AC-LSP-4DR-MER-LCK	<p>Four Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with one AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/2A and 24V/2A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each Mercury board and four fused output (C4 Board) for independent relay lock power. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 16" x 20" x 4.5" with door lock and two (2) keys. Weight 19 lb.</p>	\$ 515.00	\$ 394.36
---------	----------	--------------------	--	-----------	-----------

334290L	Avigilon	AC-LSP-8DR-HID	<p>Eight Door HID Single Voltage Integrated Power System supporting one AC-HID-VERTEX-V1000 with four AC-HID-VERTEX-V100 (HID VertX EVO hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller mounting screws and a 75 watt 12V/6A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each HID VertX EVO board and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.</p>	\$ 475.00	\$ 363.73
---------	----------	----------------	---	-----------	-----------

334290L	Avigilon	AC-LSP-8DR-HID-LCK	<p>Eight Door HID Dual Voltage Integrated Power System supporting one AC-HID-VERTX-V1000 with four AC-HID-VERTX-V100 (HID VertX EVO hardware sold separately). The advantage of a dual voltage power supply is the ability to power both HID boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller mounting screws, and a 150 watt 12V/4A and 24V/4A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each HID VertX EVO board and eight fused output (C8 Board) for independent relay lock power control. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock and two (2) keys. Weight 25 lb.</p>	\$ 830.00	\$ 635.57
---------	----------	--------------------	--	-----------	-----------

334290L	Avigilon	AC-LSP-8DR-MER	<p>Eight Door Mercury Single Voltage Integrated Power System supporting one AC-MER-CONT-2DR with three AC-MER-CON-MR52 (Mercury hardware sold separately). Includes painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 75 watt 12V/6A or 24V/3A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to Mercury boards and auxiliary equipment. The power supply features dual outputs, form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock, tamper switch and two (2) keys. Weight 25 lb.</p>	\$ 475.00	\$ 363.73
---------	----------	----------------	---	-----------	-----------

334290L	Avigilon	AC-LSP-8DR-MER-LCK	<p>Eight Door Mercury Dual Voltage Integrated Power System supporting one AC-MER-CONT-2DR with three AC-MER-CON-MR52 (Mercury hardware sold separately). The advantage of a dual voltage power supply is the ability to power both Mercury boards and door locks from the same supply. Includes a painted steel enclosure, removable pre drilled back plate, controller standoffs and mounting screws and a 150 watt 12V/4A and 24V/4A power supply-battery charger. The power supply is pre-wired to eight Class 2, Power Limited (CL2PL) outputs (D8P Board) delivering a regulated independent power connection to each Mercury board and eight fused output (C8 Board) for independent relay lock power. The power supply features dual outputs (12 & 24volts DC), form 'C' fault relay contacts, a fire alarm input and network interface (interface module sold separately) to enable monitoring, reporting and control of the power system from Access Control Manager (ACM) link. Battery space for two 12V, 8Ah batteries is available in cabinet. Cabinet size: 20" x 24" x 4.5" with door lock and two (2) keys. Weight 25 lb.</p>	\$ 700.00	\$ 536.02
334290L	Avigilon	AC-LSP-B100	<p>The B100 Secondary Voltage Module provides a means to easily and economically add an additional voltage to any power system. Primary power for the B100 is derived from an main FPO power supply and the B100 steps the FPO voltage down to the user defined range (typically 12VDC). B100 delivers up to 4A maximum current at 12VDC.</p>	\$ 60.00	\$ 45.94

334290L	Avigilon	AC-LSP-FPO75-2E2M	One (1) 75W-12/24VDC PS, Backplate, Standoffs; & two (2) E2M size cabinets kit: The FlexPower FPO75-2E2M is an offline switchmode 75 watt power supply-battery charger specifically designed for the lifesafety industry. Capable of providing two power outputs, user selectable for 12 or 24 VDC, the unit is configured in a painted-steel, locking enclosure with tamper switch and integral battery space. One output provides continuous output power for system use, the second is programmable for either fail-safe or fail-secure operation, activated when the fire alarm disconnect is initiated. Size: 16" x 20" x 4.5", Weight: 13 lb.	\$ 665.00	\$ 509.22
334220	Avigilon	16C-H5PRO-B	5K (16 MP) H5 Pro Camera. Lens and housing not included.	\$ 7,650.00	\$ 5,756.11
334220	Avigilon	2.0C-H5EX-A0-BO1	Explosion protected bullet camera; 2.0MP (1080p); 30x; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; wiper; 3/4" NPT and 4m armored cable; T5. Built to order; orders are non-cancellable and non-returnable.	\$ 9,768.00	\$ 6,480.65
334220	Avigilon	2.0C-H5EX-A2-BO1	Explosion protected bullet camera; 2.0MP (1080p); 30x; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; wiper; 3/4" NPT and 4m armored cable; T6. Built to order; orders are non-cancellable and non-returnable.	\$ 9,768.00	\$ 6,480.65
334220	Avigilon	2.0C-H5EX-B0-BO1	Explosion protected bullet camera; 2.0MP (1080p); 30x; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; wiper; 3/4" NPT and 10m armored cable; T5. Built to order; orders are non-cancellable and non-returnable.	\$ 10,489.00	\$ 6,984.07
334220	Avigilon	2.0C-H5EX-B2-BO1	Explosion protected bullet camera; 2.0MP (1080p); 30x; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; wiper; 3/4" NPT and 10m armored cable; T6. Built to order; orders are non-cancellable and non-returnable.	\$ 10,489.00	\$ 6,984.07

334220	Avigilon	2.0C-H5EX-F1-BO1	Explosion protected bullet camera; 2.0MP (1080p); 30x; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; wiper; 3/4" NPT and 4m tail cable; T5. Built to order; orders are non-cancellable and non-returnable.	\$ 10,200.00	\$ 6,207.58
334220	Avigilon	2.0C-H5EX-F3-BO1	Explosion protected bullet camera; 2.0MP (1080p); 30x; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; wiper; 3/4" NPT and 4m tail cable; T6. Built to order; orders are non-cancellable and non-returnable.	\$ 10,200.00	\$ 6,207.58
334220	Avigilon	2.0C-H5EX-G1-BO1	Explosion protected bullet camera; 2.0MP (1080p); 30x; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; wiper; 3/4" NPT and 10m tail cable; T5. Built to order; orders are non-cancellable and non-returnable.	\$ 11,002.00	\$ 6,662.32
334220	Avigilon	2.0C-H5EX-G3-BO1	Explosion protected bullet camera; 2.0MP (1080p); 30x; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; wiper; 3/4" NPT and 10m tail cable; T6. Built to order; orders are non-cancellable and non-returnable.	\$ 11,002.00	\$ 6,662.32
334220	Avigilon	2.0C-H5EXPTZ-A0-BO30	Explosion protected PTZ camera; 2.0MP (1080p); 30x; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; wiper; 230VAC power input. Built to order; orders are non-cancellable and non-returnable.	\$ 28,560.00	\$ 13,543.79
334220	Avigilon	2.0C-H5EXPTZ-B0-BO30	Explosion protected PTZ camera; 2.0MP (1080p); 30x; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; wiper; 24VAC power input. Built to order; orders are non-cancellable and non-returnable.	\$ 28,560.00	\$ 13,543.79
334220	Avigilon	2.0C-H5EXPTZ-C0-BO30	Explosion protected PTZ camera; 2.0MP (1080p); 30x; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; wiper; 120VAC power input. Built to order; orders are non-cancellable and non-returnable.	\$ 28,560.00	\$ 13,543.79

334220	Avigilon	26C-H5PRO-B	6.25K (26 MP) H5 Pro Camera. Lens and housing not included.	\$ 9,180.00	\$ 6,498.07
334220	Avigilon	40C-H5PRO-B	8K (40 MP) H5 Pro Camera. Lens and housing not included.	\$ 11,220.00	\$ 8,442.30
334220	Avigilon	6.0C-H5EX-B0-CO1	Explosion protected compact bullet camera; 6.0MP; 4.9-8mm f/1.8 P-iris lens; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; bracket included; 4m armored cable. Built to order; orders are non-cancellable and non-returnable.	\$ 6,347.00	\$ 4,847.41
334220	Avigilon	6.0C-H5EX-C0-CO1	Explosion protected compact bullet camera; 6.0MP; 4.9-8mm f/1.8 P-iris lens; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; bracket included; 10m armored cable. Built to order; orders are non-cancellable and non-returnable.	\$ 6,873.00	\$ 5,206.27
334220	Avigilon	61C-H5PRO-B	10K (61 MP) H5 Pro Camera. Lens and housing not included.	\$ 15,300.00	\$ 11,512.23
334290L	Avigilon	AC-APP-1024R-ENT-PLUS-6	Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 1024 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 1024 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 1024 to 2048 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	\$ 45,900.00	\$ 33,858.01

334290L	Avigilon	AC-APP-128R-ENT2-6	<p>Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 128 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 128 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 128 to 400 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 250K identities and 150M stored events and twenty (20) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment</p>	\$ 9,690.00	\$ 7,147.80
334290L	Avigilon	AC-APP-16R-ENT-PLUS-6	<p>Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 16 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 16 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 16 to 2048 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment</p>	\$ 12,069.66	\$ 8,903.15

334290L	Avigilon	AC-APP-2048R-ENT-PLUS-6	<p>Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 2048 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 2048 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity cannot be expanded Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment</p>	\$ 58,140.00	\$ 42,886.80
334290L	Avigilon	AC-APP-256R-ENT2-6	<p>Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 256 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 256 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 256 to 400 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 250K identities and 150M stored events and twenty (20) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment</p>	\$ 16,489.32	\$ 12,163.29

334290L	Avigilon	AC-APP-256R-ENT-PLUS-6	<p>Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 256 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 256 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 256 to 2048 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment</p>	\$ 21,420.00	\$ 15,800.40
334290L	Avigilon	AC-APP-512R-ENT-PLUS-6	<p>Access Control Manager Enterprise Plus 6 – Web-Based PACS Plus Appliance for 512 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 512 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 512 to 2048 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment</p>	\$ 33,660.00	\$ 24,829.20

334290L	Avigilon	AC-APP-64R-ENT2-6	Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 64 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 64 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 64 to 400 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 250K identities and 150M stored events and twenty (20) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	\$ 6,289.32	\$ 4,721.80
334290L	Avigilon	AC-HID-EL-SOS-K12	Sex offender screening service per year per system Special bundle package for K-12 schools only (HID # EL-SOS-K12)(HID Part Number: EL-SOS-K12)	\$ 681.00	\$ 442.62
334290L	Avigilon	AC-HID-PIVCLASS-OMNPR-SW-18-00	PIVCLASS MOBILE REGISTRATION ENGINE; AVIGILON ACM; DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 13,068.24	\$ 9,639.75
334290L	Avigilon	AC-HID-PIVCLASS-PVC-CM	PIVCLASS CERTIFICATE MANAGER; 1 LICENSE/PACS; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 15,708.00	\$ 11,388.39

334290L	Avigilon	AC-HID-PIVCLASS-PVC-CM-REDNT	PIVCLASS CERTIFICATE MANAGER; 1 LICENSE/PACS REDUNDANT; DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 7,854.00	\$ 5,793.48
334290L	Avigilon	AC-HID-PIVCLASS-PVC-DTAIMP-18-00	PIVCLASS DATA IMPORT; AVIGILON ACM; DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 6,551.46	\$ 4,899.30
334290L	Avigilon	AC-HID-PIVCLASS-PVC-IDPUB1000	PIVCLASS ID PUBLISHER 1000; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 16,283.28	\$ 12,011.32
334290L	Avigilon	AC-HID-PIVCLASS-PVC-IDPUB1000-REDNT	REDUNDANT PIVCLASS ID PUBLISHER 1000; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 8,141.64	\$ 6,005.66
334290L	Avigilon	AC-HID-PIVCLASS-PVC-IDPUB500	PIVCLASS ID PUBLISHER 500; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 8,065.14	\$ 5,949.23
334290L	Avigilon	AC-HID-PIVCLASS-PVC-IDPUBUNL	PIVCLASS ID PUBLISHER UNL; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 27,152.40	\$ 20,028.89

334290L	Avigilon	AC-HID-PIVCLASS-PVC-IDPUBUNL-REDNT	REDUNDANT PIVCLASS ID PUBLISHER UNL; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 13,576.20	\$ 10,014.44
334290L	Avigilon	AC-HID-PIVCLASS-PVC-MPX-CNSL	PIVCLASS MULTIPACS CONSOLE; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 15,702.90	\$ 11,583.20
334290L	Avigilon	AC-HID-PIVCLASS-PVC-MPX-CNSL-REDNT	REDUNDANT PIVCLASS MULTIPACS CONSOLE; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 7,850.94	\$ 5,791.23
334290L	Avigilon	AC-HID-PIVCLASS-PVC-MPX-CNX-18-00	PIVCLASS MULTIPACS CONNECTOR; AVIGILON ACM; DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 10,184.70	\$ 7,512.71
334290L	Avigilon	AC-HID-PIVCLASS-PVC-MPX-CNX-REDNT	REDUNDANT PIVCLASS MULTIPACS CONNECTOR; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 5,092.86	\$ 3,892.04
334290L	Avigilon	AC-HID-PIVCLASS-PVCP-D/S-18-00	PIVCLASS REGISTRATION ENGINE; AVIGILON ACM; DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 13,068.24	\$ 9,639.75

334290L	Avigilon	AC-HID-PIVCLASS-PVCP-D/S-CPLG-18-00	PIVCLASS PACS PLUGIN CHANGE; AVIGILON ACM; DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 7,630.62	\$ 5,628.70
334290L	Avigilon	AC-SW-1024R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 1024 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 1024 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 1024 to 2048 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included	\$ 35,700.00	\$ 26,334.01

334290L	Avigilon	AC-SW-128R-VM-6-P	<p>Access Control Manager Virtual 6 - Web-Based PACS Virtual for 128 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 128 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 128 to 2048 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included</p>	\$ 8,499.66	\$ 6,269.75
334290L	Avigilon	AC-SW-2048R-VM-6-P	<p>Access Control Manager Virtual 6 - Web-Based PACS Virtual for 2048 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 2048 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity cannot be expanded Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included</p>	\$ 54,399.66	\$ 40,127.75

334290L	Avigilon	AC-SW-256R-VM-6-P	<p>Access Control Manager Virtual 6 - Web-Based PACS Virtual for 256 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 256 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 256 to 2048 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included</p>	\$ 15,300.00	\$ 11,286.01
334290L	Avigilon	AC-SW-512R-VM-6-P	<p>Access Control Manager Virtual 6 - Web-Based PACS Virtual for 512 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 512 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 512 to 2048 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included</p>	\$ 28,900.68	\$ 21,318.51

334290L	Avigilon	AC-SW-64R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 64 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 64 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 64 to 2048 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included	\$ 5,100.00	\$ 3,897.09
334290L	Avigilon	AC-SW-LIC-AF-6-P	Access Control Manager 6 Hot Standby - Auto Failover Software License (per Appliance) includes AC-SW-LIC-REP-6-P; Requires duplicate licensing for failover appliance	\$ 5,100.00	\$ 3,897.09
334220	Avigilon	AINVR-STD-24TB-NA	AI NVR Standard; 24TB; NA	\$ 16,320.00	\$ 12,279.71
334220	Avigilon	AINVR-STD-32TB-NA	AI NVR Standard; 32TB; NA	\$ 17,850.00	\$ 13,430.93
334220	Avigilon	AINVR-STD-48TB-NA	AI NVR Standard; 48TB; NA	\$ 24,990.00	\$ 18,803.31
334220	Avigilon	AINVR-VAL-12TB-NA	AI NVR Value; 12TB; NA	\$ 6,630.00	\$ 5,041.34
334220	Avigilon	AVA-EXP1-263TB-5YR	Video Archive Expansion Unit; 263TB; 5YR Support	\$ 72,726.00	\$ 54,721.46
334220	Avigilon	AVA-EXP1-526TB-5YR	Video Archive Expansion Unit; 526TB; 5YR Support	\$ 114,546.00	\$ 86,188.22
334220	Avigilon	AVA-EXP1-789TB-5YR	Video Archive Expansion Unit; 789TB; 5YR Support	\$ 145,860.00	\$109,749.92
334220	Avigilon	AVA-HED1-225TB	Video Archive Head Unit; 225TB; 3YR Support	\$ 73,440.00	\$ 55,258.70
334220	Avigilon	AVA-HED1-225TB-5YR	Video Archive Head Unit; 225TB; 5YR Support	\$ 84,558.00	\$ 63,624.25
334220	Avigilon	AVA-HED1-488TB-5YR	Video Archive Head Unit; 488TB; 5YR Support	\$ 141,066.00	\$106,142.75
334220	Avigilon	AVA-HED1-751TB-5YR	Video Archive Head Unit; 751TB; 5YR Support	\$ 168,300.00	\$126,634.52
334220	Avigilon	AVA-WARR-EXTEND-1YR	1 Year Warranty Extension for Avigilon Video Archive	\$ 6,804.00	\$ 5,159.80
334220	Avigilon	AVA-WARR-EXTEND-2YR	2 Year Warranty Extension for Avigilon Video Archive	\$ 13,607.00	\$ 10,238.36

334220	Avigilon	HD-NVR4-PRM-192TB-AU	NVR4 Premium 192TB; 2U Rack Mount; Windows Server 2016; AU	\$ 72,930.00	\$ 55,471.03
334220	Avigilon	NVR4-HDDS-PACK-32TB	Storage Expansion Pack to add 32TB of effective storage to NVR4-STD-32TB or NVR4-STD-16TB	\$ 9,333.00	\$ 7,022.46
334220	Avigilon	NVR4-VAL-16TB-NA	NVR4 Value 16TB; 1U Rack Mount; Windows 10; NA	\$ 6,885.00	\$ 5,214.70
334220	Avigilon	NVR4-VAL-24TB-NA	NVR4 Value 24TB; 1U Rack Mount; Windows 10; NA	\$ 10,251.00	\$ 7,713.19
334220	Avigilon	NVR4-WKS-8TB-NA	NVR4 Workstation 8TB; Widnows 10; NA	\$ 2,724.00	\$ 1,822.94
334220	Avigilon	NVR4-WKS-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR4-WKS or RM5-WKS	\$ 392.70	\$ 182.03
334220	Avigilon	NVR4X-PRM-128TB-NA	NVR4X Premium 128TB 2U Rack Mnt; Windows Server 2016; NA	\$ 48,450.00	\$ 36,455.39
334220	Avigilon	NVR4X-PRM-157TB-NA	NVR4X Premium 157TB 2U Rack Mnt; Windows Server 2016; NA	\$ 59,500.00	\$ 44,769.78
334220	Avigilon	NVR4X-PRM-192TB-NA	NVR4X Premium 192TB 2U Rack Mnt; Windows Server 2016; NA	\$ 72,930.00	\$ 54,874.95
334220	Avigilon	NVR4X-PRM-217TB-NA	NVR4X Premium 217TB 2U Rack Mnt; Windows Server 2016; NA	\$ 82,263.00	\$ 61,897.42
334220	Avigilon	NVR4X-PRM-64TB-NA	NVR4X Premium 64TB 2U Rack Mnt; Windows Server 2016; NA	\$ 31,620.00	\$ 23,791.94
334220	Avigilon	NVR4X-PRM-96TB-NA	NVR4X Premium 96TB 2U Rack Mnt; Windows Server 2016; NA	\$ 36,720.00	\$ 22,785.24
334220	Avigilon	NVR4X-PRM-FIPS-128TB-NA	NVR4X Premium - FIPS Series; 128TB; Windows Server 2016; NA. These units have a 6 week lead time from the time the order is placed. Avigilon is currently only selling "-NA" models; please add a note on the PO to request additional power cords (EU; AU; UK) if needed.	\$ 50,873.00	\$ 38,278.54
334220	Avigilon	NVR4X-PRM-FIPS-157TB-NA	NVR4X Premium - FIPS Series; 157TB; Windows Server 2016; NA. These units have a 6 week lead time from the time the order is placed. Avigilon is currently only selling "-NA" models; please add a note on the PO to request additional power cords (EU; AU; UK) if needed.	\$ 62,475.00	\$ 46,086.54
334220	Avigilon	NVR4X-PRM-FIPS-64TB-NA	NVR4X Premium - FIPS Series; 64TB; Windows Server 2016; NA. These units have a 6 week lead time from the time the order is placed. Avigilon is currently only selling "-NA" models; please add a note on the PO to request additional power cords (EU; AU; UK) if needed.	\$ 33,201.00	\$ 24,981.54

334220	Avigilon	NVR4X-PRM-FIPS-96TB-NA	NVR4X Premium - FIPS Series; 96TB; Windows Server 2016; NA. These units have a 6 week lead time from the time the order is placed. Avigilon is currently only selling "-NA" models; please add a note on the PO to request additional power cords (EU; AU; UK) if needed.	\$ 38,556.00	\$ 29,010.82
334220	Avigilon	NVR4X-STD-16TB-NA	NVR4X Standard 16TB 2U Rack Mnt; Windows 10; NA	\$ 13,388.00	\$ 10,073.58
334220	Avigilon	NVR4X-STD-16TB-S16-NA	NVR4X Standard 16TB 2U Rack Mnt; Windows Server 2016; NA	\$ 15,428.00	\$ 11,608.54
334220	Avigilon	NVR4X-STD-24TB-NA	NVR4X Standard 24TB 2U Rack Mnt; Windows 10; NA	\$ 15,372.00	\$ 11,566.40
334220	Avigilon	NVR4X-STD-24TB-S16-NA	NVR4X Standard 24TB 2U Rack Mnt; Windows Server 2016; NA	\$ 17,412.00	\$ 13,101.36
334220	Avigilon	NVR4X-STD-32TB-NA	NVR4X Standard 32TB 2U Rack Mnt; Windows 10; NA	\$ 16,749.00	\$ 12,602.50
334220	Avigilon	NVR4X-STD-32TB-S16-NA	NVR4X Standard 32TB 2U Rack Mnt; Windows Server 2016; NA	\$ 19,131.00	\$ 14,394.80
334220	Avigilon	NVR4X-STD-48TB-NA	NVR4X Standard 48TB 2U Rack Mnt; Windows 10; NA	\$ 23,919.00	\$ 17,997.45
334220	Avigilon	NVR4X-STD-48TB-S16-NA	NVR4X Standard 48TB 2U Rack Mnt; Windows Server 2016; NA	\$ 25,460.00	\$ 19,156.95
334220	Avigilon	PRO-ACC-ONSITE-TRN	PRO-ACC-ONSITE-TRN	\$ 300.00	\$ 145.20
334220	Avigilon	VMA-AIA1-CG1-NA	AI Appliance with 10 channels of analytics and a North American power cord.	\$ 7,497.00	\$ 5,640.99
334220	Avigilon	VMA-RPA-RGD-8P4	ES 8-Port Rugged Appliance with 4TB; power supply sold separately	\$ 7,140.00	\$ 5,386.54
334220	Avigilon	10.0C-H5DH-D1-IR	2x 5MP H5A Dual Head Camera. Indoor camera with built-in IR. Next-Generation analytics.	\$ 1,500.00	\$ 1,148.61
334220	Avigilon	12.0W-H5A-FE-DC1	12.0 MP; Fisheye In-ceiling Camera; Day/Night; WDR; 1.6mm f/2.0; Next-Generation Analytics	\$ 1,130.00	\$ 865.29
334220	Avigilon	12.0W-H5A-FE-DO1	12.0 MP; Fisheye Dome Camera; Day/Night; WDR; 1.6mm f/2.0; Next-Generation Analytics	\$ 1,100.00	\$ 842.32
334220	Avigilon	12.0W-H5A-FE-DO1-IR	12.0 MP; Fisheye Dome Camera; Day/Night; WDR; 1.6mm f/2.0; Next-Generation Analytics; Integrated IR	\$ 1,150.00	\$ 880.60
334220	Avigilon	2.0C-H5A-PTZ-DC36	H5A; 2MP 36x In-Ceiling PTZ Dome	\$ 2,438.00	\$ 1,866.88
334220	Avigilon	2.0C-H5A-PTZ-DP36	H5A; 2MP 36x Pendant PTZ Dome	\$ 2,714.00	\$ 2,078.23
334220	Avigilon	2.0C-H5M-DO1-IR	2.0 MP WDR; LightCatcher; Day/Night; Outdoor Dome; 2.8mm f/1.2; IR	\$ 408.00	\$ 312.42

334220	Avigilon	3.0C-H4A-25G-B1-B	3.0 Megapixel WDR; LightCatcher; Day/Night; 4.7-84.6mm f/1.6 lens; Self-Learning Video Analytics; 256GB Built-in SSD	\$ 2,000.00	\$ 1,531.49
334220	Avigilon	3.0C-H5A-CR1-IR	H5A; Corner; CRS; 3.0 MP WDR; 3-9mm;IR	\$ 1,224.00	\$ 937.27
334220	Avigilon	3.0C-H5A-CR1-IR-SS	H5A; Corner; SS; 3.0 MP WDR; 3-9mm; IR	\$ 1,479.00	\$ 1,132.53
334220	Avigilon	320SH4ATHC-WARR-EXTEND-1YR	Extended Warranty for QVGA H4 Thermal cameras; 1 year extension	\$ 409.02	\$ 313.21
334220	Avigilon	320SH4ATHC-WARR-EXTEND-2YR	Extended Warranty for QVGA H4 Thermal cameras; 2 years extension	\$ 817.02	\$ 625.63
334220	Avigilon	4.0C-H5A-PTZ-DC36	H5A; 4MP 36x In-Ceiling PTZ Dome	\$ 3,012.00	\$ 2,306.42
334220	Avigilon	4.0C-H5A-PTZ-DP36	H5A; 4MP 36x Pendant PTZ Dome	\$ 3,012.00	\$ 2,306.42
334220	Avigilon	5.0C-H5A-CR1-IR	H5A; Corner; CRS; 5.0 MP WDR; 3-9mm;IR	\$ 1,632.00	\$ 1,249.69
334220	Avigilon	5.0C-H5A-CR1-IR-SS	H5A; Corner; SS; 5.0 MP WDR; 3-9mm; IR	\$ 1,887.00	\$ 1,444.96
334220	Avigilon	5.0C-H5M-DO1-IR	5.0 MP WDR; LightCatcher; Day/Night; Outdoor Dome; 2.8mm f/1.2; IR	\$ 408.00	\$ 312.42
334220	Avigilon	6.0C-H5DH-D1-IR	2x 3MP H5A Dual Head Camera. Indoor camera with built-in IR	\$ 1,300.00	\$ 995.47
334220	Avigilon	6.0C-H5EX-A0-CO1	Explosion protected compact bullet camera; 6.0MP; 4.9-8mm f/1.8 P-iris lens; WDR; Next Generation Analytics; LightCatcher; AISI 316L stainless steel; bracket included; no cable. Built to order; orders are non-cancellable and non-returnable.	\$ 5,610.00	\$ 4,295.82
334220	Avigilon	640SH4ATHC-WARR-EXTEND-1YR	Extended Warranty for VGA H4 Thermal cameras; 1 year extension	\$ 733.38	\$ 561.58
334220	Avigilon	640SH4ATHC-WARR-EXTEND-2YR	Extended Warranty for VGA H4 Thermal cameras; 2 years extension	\$ 1,467.00	\$ 1,123.35
334220	Avigilon	640SH4ATHD-WARR-EXTEND-1YR	Extended Warranty for H4 Thermal ETD cameras; 1 year extension	\$ 395.76	\$ 303.05
334220	Avigilon	640SH4ATHD-WARR-EXTEND-2YR	Extended Warranty for H4 Thermal ETD cameras; 2 year extension	\$ 791.52	\$ 606.11
334220	Avigilon	8.0C-H5A-FE-DC1	8.0 MP; H5A Fisheye In-ceiling Camera; LightCatcher; Day/Night; WDR; 1.41mm f/2.0; Next-Generation Analytics	\$ 755.00	\$ 578.14
334220	Avigilon	8.0C-H5A-FE-DO1	8.0 MP; H5A Fisheye Dome Camera; LightCatcher; Day/Night; WDR; 1.41mm f/2.0; Next-Generation Analytics	\$ 725.00	\$ 555.16
334220	Avigilon	8.0C-H5A-FE-DO1-IR	8.0 MP; H5A Fisheye Dome Camera; LightCatcher; Day/Night; WDR; 1.41mm f/2.0; Next-Generation Analytics; Integrated IR	\$ 775.00	\$ 593.45

334220	Avigilon	8.0C-H5A-PTZ-DC36	H5A; 8MP 36x In-Ceiling PTZ Dome	\$ 3,565.00	\$ 2,729.87
334220	Avigilon	8.0C-H5A-PTZ-DP36	H5A; 8MP 36x Pendant PTZ Dome	\$ 3,565.00	\$ 2,729.87
334220	Avigilon	8C-H5PRO-B	4K (8 MP) H5 Pro Camera. Lens and housing not included.	\$ 3,060.00	\$ 2,343.17
334290L	Avigilon	AC-ALL-SCH-COM400P-626	Schlage COM400P Communication Module Kit; Satin chrome	\$ 336.27	\$ 257.50
334290L	Avigilon	AC-ALL-SCH-COM400P-643E	Schlage COM400P Communication Module Kit; Aged bronze	\$ 336.27	\$ 257.50
334290L	Avigilon	AC-ALL-SCH-FOB-5652T	Schlage 13.56 MHz smart credential; thin keyfob; MIFARE Plus SE; 2K byte/16Kbit; minimum order quantity: 50 (Allegion Part Number: 5652T)	\$ 6.69	\$ 5.12
334290L	Avigilon	AC-ALL-SCH-FOB-9651	Schlage 13.56 MHz smart credential; keyfob; MIFARE Classic; 1K byte/8Kbit; minimum order quantity: 50 (Allegion Part Number: 9651)	\$ 6.79	\$ 5.20
334290L	Avigilon	AC-ALL-SCH-FOB-9651T	Schlage 13.56 MHz smart credential; thin keyfob; MIFARE Classic; 1K byte/8Kbit; minimum order quantity: 50 (Allegion Part Number: 9651T)	\$ 7.00	\$ 5.36
334290L	Avigilon	AC-APP-16R-ENT2-6	Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 16 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 16 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 16 to 400 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 250K identities and 150M stored events and twenty (20) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	\$ 3,739.32	\$ 2,863.36

334290L	Avigilon	AC-APP-16R-PRO-6	<p>Access Control Manager Professional 6 – Web-Based PACS Professional Appliance for 16 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 16 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 16 to 32 readers with the purchase of one AC-SW-LIC-16RCU-6-P 16 Reader Count Software License Supports up to 32 controllers; 75K identities; 75M stored transactions and ten (10) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment</p>	\$ 1,700.34	\$ 1,302.03
334290L	Avigilon	AC-APP-32R-ENT2-6	<p>Access Control Manager Enterprise 6 – Web-Based PACS Enterprise Appliance for 32 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 32 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 32 to 400 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 250K identities and 150M stored events and twenty (20) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment</p>	\$ 4,588.98	\$ 3,513.97

334290L	Avigilon	AC-APP-32R-PRO-6	Access Control Manager Professional 6 – Web-Based PACS Professional Appliance for 32 Readers - includes: physical appliance embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 32 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity cannot be expanded Supports up to 32 controllers; 75K identities and 75M stored transactions and ten (10) simultaneous operators (via browser) Three (3) year appliance hardware warranty begins at date of shipment	\$ 2,550.00	\$ 1,952.64
334220	Avigilon	ACC6-AMAG-SMTRY-M	ACC6 Amag Symmetry Integ. +media	\$ 2,550.00	\$ 1,952.64
334220	Avigilon	ACC6-GLGR-CMNDC-M	ACC6 Gallagher CmdC Integ. +media	\$ 2,550.00	\$ 1,952.64
334220	Avigilon	ACC6-HRSH-VLCTY-M	ACC6 Hirsch Velocity Integ. +media	\$ 2,550.00	\$ 1,952.64
334220	Avigilon	ACC6-INTX-FORCE-M	ACC6 Interlogix Forcefield Integ. +media	\$ 2,550.00	\$ 1,952.64
334220	Avigilon	ACC6-JAQS-INTCM-M	ACC6 Jacques Intercom Integ. +media	\$ 2,550.00	\$ 1,952.64
334220	Avigilon	ACC6-LENL-ONGRD-M	ACC6 Lenel OnGuard Integ. +media	\$ 2,550.00	\$ 1,952.64
334220	Avigilon	ACC6-PXTN-NET2-M	ACC6 Paxton Net2 Integ. +media	\$ 2,550.00	\$ 1,952.64
334220	Avigilon	ACC6-S2-NETBX-M	ACC6 S2 Netbox Integ. +media	\$ 2,550.00	\$ 1,952.64
334220	Avigilon	ACC6-STFN-ALPHA-M	ACC6 Stentofon Intercom Integ. +media	\$ 2,550.00	\$ 1,952.64
334220	Avigilon	ACC6-SWHS-CCURE-M	ACC6 SWHS CCure 9000 Integ. +media	\$ 2,550.00	\$ 1,952.64
334220	Avigilon	ACC7-COR-P	ACC 7 Core camera channel; printed	\$ 86.70	\$ 66.39
334220	Avigilon	ACC7-COR-TO-ENT-UPG-P	ACC 7 CORE to ENT Edition UPG; printed	\$ 229.50	\$ 175.74
334220	Avigilon	ACC7-COR-TO-STD-UPG-P	ACC 7 CORE to STD Edition UPG; printed	\$ 107.10	\$ 82.02
334220	Avigilon	ACC7-ENT-FO-P	ACC 7 ENT failover channel; printed	\$ 45.90	\$ 35.14
334220	Avigilon	ACC7-ENT-P	ACC 7 Enterprise camera channel; printed	\$ 295.80	\$ 226.51
334220	Avigilon	ACC7-ENT-VER-UPG-P	ACC 5 or 6 to ACC 7 ENT VER UPG; printed	\$ 30.60	\$ 23.44
334220	Avigilon	ACC7-FACE	ACC7 Face channel	\$ 1,530.00	\$ 1,171.59
334220	Avigilon	ACC7-FACE-10C	ACC7 Face channel 10 pack	\$ 5,100.00	\$ 3,905.29
334220	Avigilon	ACC7-FACE-10C-P	ACC7 Face channel 10 pack; printed	\$ 5,100.00	\$ 3,905.29
334220	Avigilon	ACC7-FACE-P	ACC7 Face channel; printed	\$ 1,530.00	\$ 1,171.59
334220	Avigilon	ACC7-LPR-P	ACC 7 LPR lane; printed	\$ 3,264.00	\$ 2,499.39
334220	Avigilon	ACC7-POS-STR-P	ACC 7 Point of Sale stream; printed	\$ 229.50	\$ 175.74

334220	Avigilon	ACC7-RADIO-ALERT	ACC7 Radio Alert	\$ 1,530.00	\$ 1,171.59
334220	Avigilon	ACC7-RADIO-ALERT-P	ACC7 Radio Alert; printed	\$ 1,530.00	\$ 1,171.59
334220	Avigilon	ACC7-STD-P	ACC 7 Standard camera channel; printed	\$ 168.30	\$ 128.88
334220	Avigilon	ACC7-STD-TO-ENT-UPG-P	ACC 7 STD to ENT Edition UPG; printed	\$ 178.50	\$ 136.69
334220	Avigilon	ACC7-STD-VER-UPG-P	ACC 5 or 6 to ACC 7 STD VER UPG; printed	\$ 15.30	\$ 11.72
334220	Avigilon	ACC7-VAC	ACC7 Video Analytics channel	\$ 306.00	\$ 234.32
334220	Avigilon	ACC7-VAC-P	ACC7 Video Analytics channel; printed	\$ 306.00	\$ 234.32
334290L	Avigilon	AC-FP-CARD-CONEKT-CSK-2	CONEKT™ High-security key fob-style tag	\$ 7.91	\$ 6.06
334290L	Avigilon	AC-FP-CARD-CONEKT-CSM-2P	CONEKT™ High-security ISO-style composite card	\$ 6.94	\$ 5.31
334290L	Avigilon	AC-FP-CARD-CSM-2S	CONEKT™ Credential High-security ISO-style composite card with HiCo (27500e) magnetic stripe	\$ 7.14	\$ 5.47
334290L	Avigilon	AC-FP-CONEKT-CMC-2-25	CONEKT Credentials; 2.4-GHz Mobile supporting BLE-enabled smartphones; 25 Pack with QR Code	\$ 180.54	\$ 138.25
334290L	Avigilon	AC-FP-FOB-CSC-2	CONEKT™ Credential High-security clamshell-style card	\$ 6.89	\$ 5.28
334290L	Avigilon	AC-FP-MOB-CMC-2	CONEKT™ Credential 2.4-GHz Mobile credential supporting BLE-enabled smartphones	\$ 7.24	\$ 5.54
334290L	Avigilon	AC-FP-READ-CSR-35L-OSDP	CONEKT OSDP; Long Range; Mullien and Single-gang Mount; Mobile-Ready Contactless Smartcard Readers (2.4-GHz/13.56-MHz) — MIFARE® DESFire® EV1 and EV2 Support	\$ 420.24	\$ 321.79
334290L	Avigilon	AC-FP-READ-CSR-35L-WG	CONEKT Wiegand; Long Range; Mullien and Single-gang Mount; Mobile-Ready Contactless Smartcard Readers (2.4-GHz/13.56-MHz) — MIFARE® DESFire® EV1 and EV2 Support	\$ 298.86	\$ 228.85
334290L	Avigilon	AC-FP-READ-DELTA3-CSN	Delta3 Contactless Smartcard Reader - With a compact design the model Delta3 may be mounted to metal door or window frames; and other flat surfaces (Stock Item) (Farpointe Data Part Number: Delta3 CSN)	\$ 147.90	\$ 113.25

334290L	Avigilon	AC-FP-READ-DELTA5.3-CSN	Delta5.3 Contactless Smartcard Reader - With distinctive contemporary styling the model Delta5.3 lends itself to mounting to a standard European-sized (60 mm) wall switch box; and other flat surfaces.(Farpointe Data Part Number: Delta5.3 CSN)	\$ 163.20	\$ 124.97
334290L	Avigilon	AC-FP-READ-DELTA5-CSN	Delta5 Contactless Smartcard Reader - With a thin profile the model Delta5 may be mounted to a standard North American single-gang wall switch box; and other flat surfaces (Stock Item) (Farpointe Data Part Number: Delta5 CSN)	\$ 163.20	\$ 124.97
334290L	Avigilon	AC-HID-CARD-2122BGGMNN	COMPOSITE ICLASS/PROX; 16K/16; PROG; F-GLOSS; F-GLOSS; MATCHING ICLASS#; NO SLOT; NO PROX#	\$ 13.45	\$ 10.30
334290L	Avigilon	AC-HID-CARD-SEOS-5006PGCMN-AVG	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K; PROG; F-GLOSS; B-AVIGILON; MATCHING #; NO SLOT; CUSTOM AVIGILON PACKAGING-SHRINK WRAP IN LOTS OF 50; PACK 100/BOX; LAM; AVIGILON LOGO; (AVIGILON FORMAT- NO PROGRAMMING INFORMATION REQUIRED)(MOQ 100)(HID - 5006PGCMN)	\$ 6.63	\$ 5.08
334290L	Avigilon	AC-HID-CARD-SEOS-5006PGGMN-AVG	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K; PROG; F-GLOSS; B-GLOSS; MATCHING #; NO SLOT; CUSTOM AVIGILON PACKAGING-SHRINK WRAP IN LOTS OF 50; PACK 100/BOX; LAM; (AVIGILON FORMAT- NO PROGRAMMING INFORMATION REQUIRED)(MOQ 100)(HID - 5006PGGMN) No Logo	\$ 6.63	\$ 5.08
334290L	Avigilon	AC-HID-EL-SS-PASSPORT	EL-SS-PASSPORT SnapShell Passport Scanner (COO: Isreal) (HID # EL-SS-PASSPORT)	\$ 1,821.43	\$ 1,394.75
334290L	Avigilon	AC-HID-EL-SS-R2	EL-SS Snapshell License Card Scanner (COO: Isreal) (HID # EL-SS-R2)	\$ 1,810.50	\$ 1,386.38
334290L	Avigilon	AC-HID-FOB-SEOS-5266PNNA-AVG	SEOS KEY FOB 8K; PROG SEOS; F-BLACK W/HID ARTWORK; B-BLACK; LASER MATCH SEOS #; (AVIGILON FORMAT - NO PROGRAMMING INFORMATION REQUIRED)(MOQ 100)(HID - 5266PNNA)	\$ 6.63	\$ 5.08

334290L	Avigilon	AC-HID-MCLASS-SE-PROX-OSDP-900PTPNEK00387	RDR; RP10; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS; 485HDX; PIG; BLK; STD-1; A/V OFF; OSDP V1; OPN COL; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; UART OFF; WIEG OFF (HID Part #: 900PTPNEK00387)	\$ 214.20	\$ 164.02
334290L	Avigilon	AC-HID-MCLASS-SE-PROX-OSDP-900PTPTEK00387	RDR; RP10; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS; 485HDX; TERM; BLK; STD-1; A/V OFF; OSDP V1; OPN COL; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; UART OFF; WIEG OFF (HID Part #: 900PTPTEK00387)	\$ 214.20	\$ 164.02
334290L	Avigilon	AC-HID-MCLASS-SE-PROX-OSDP-910PTPNEK00387	RDR; RP15; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS; 485HDX; PIG; BLK; STD-1; A/V OFF; OSDP V1; OPN COL; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; UART OFF; WIEG OFF (HID Part #: 910PTPNEK00387)	\$ 321.30	\$ 246.04
334290L	Avigilon	AC-HID-MCLASS-SE-PROX-OSDP-920PTPNEK00387	RDR; RP40; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS; 485HDX; PIG; BLK; STD-1; A/V OFF; OSDP V1; OPN COL; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; UART OFF; WIEG OFF (HID Part #: 920PTPNEK00387)	\$ 321.30	\$ 246.04
334290L	Avigilon	AC-HID-MCLASS-SE-PROX-OSDP-920PTPTEK00387	RDR; RP40; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS; 485HDX; TERM; BLK; STD-1; A/V OFF; OSDP V1; OPN COL; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; UART OFF; WIEG OFF (HID Part #: 920PTPTEK00387)	\$ 321.30	\$ 246.04
334290L	Avigilon	AC-HID-MCLASS-SE-PROX-OSDP-921PTPTEK00385	RDR; RPK40; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS; 485HDX; TERM; BLK; STD-1; A/V OFF; OSDP V1; OPN COL; OSDP TAMP ENABLED; TEST KEY; POLL=75MS; CSN 32-BIT MSB; EM4102 32-BIT; KPF; ASCII; BFFRD 1 KEY; IPM OFF; UART OFF; WIEG OFF (HID Part #: 921PTPTEK00385)	\$ 530.40	\$ 406.15

334290L	Avigilon	AC-HID-MOB-MID-SUB-T100	HID Origo Mobile Identities - User licenses - initial and renewal. Number of user licenses (maximum number of concurrent users) valid for one year in an HID Origo account (linked to the Organization ID). Please provide the organization and credential access control data format information (Organization ID; Organization Name; MOB or ICE and format: facility/site code; card number range; etc.). Require automated onboarding form to be completed. (LINK to Automated Onboarding: https://managedservices.hidglobal.com/faces/maUserOnBoardingStart). Minimum Order Quantity: 20. (HID Part Number: MID-SUB-T100)	\$ 8.48	\$ 6.49
334290L	Avigilon	AC-HID-MOB-MID-SUB-T100-ADD-10-MONTH	HID Origo Mobile Identitiy user Account - User license - add-on order cost for 10 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID; Org Name; Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD10).	\$ 7.06	\$ 5.41
334290L	Avigilon	AC-HID-MOB-MID-SUB-T100-ADD-11-MONTH	HID Origo Mobile Identitiy user Account - User license - add-on order cost for 11 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID; Org Name; Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD11).	\$ 7.77	\$ 5.95

334290L	Avigilon	AC-HID-MOB-MID-SUB-T100-ADD-1-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 1 month. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID; Org Name; Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD1).	\$ 0.71	\$ 0.54
334290L	Avigilon	AC-HID-MOB-MID-SUB-T100-ADD-2-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 2 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID; Org Name; Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD2).	\$ 1.41	\$ 1.08
334290L	Avigilon	AC-HID-MOB-MID-SUB-T100-ADD-3-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 3 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID; Org Name; Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD3).	\$ 2.12	\$ 1.62
334290L	Avigilon	AC-HID-MOB-MID-SUB-T100-ADD-4-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 4 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID; Org Name; Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD4).	\$ 2.83	\$ 2.17

334290L	Avigilon	AC-HID-MOB-MID-SUB-T100-ADD-5-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 5 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID; Org Name; Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD5).	\$ 3.53	\$ 2.70
334290L	Avigilon	AC-HID-MOB-MID-SUB-T100-ADD-6-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 6 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID; Org Name; Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD6).	\$ 4.24	\$ 3.24
334290L	Avigilon	AC-HID-MOB-MID-SUB-T100-ADD-7-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 7 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID; Org Name; Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD7).	\$ 4.95	\$ 3.79
334290L	Avigilon	AC-HID-MOB-MID-SUB-T100-ADD-8-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 8 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID; Org Name; Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD8).	\$ 5.65	\$ 4.32

334290L	Avigilon	AC-HID-MOB-MID-SUB-T100-ADD-9-MONTH	HID Origo Mobile Identity user Account - User license - add-on order cost for 9 months. Number of user accounts (maximum number of concurrent users) valid till the end of the contract of an existing HID Origo account (linked to the Organization ID). Valid HID Org ID; Org Name; Contact ID and subscription start date required at time of order. Minimum Order Quantity: 20 (HID Part Number: MID-SUB-T100-ADD9).	\$ 6.36	\$ 4.87
334290L	Avigilon	AC-HID-MSO-1300E	MORPHOTRAK MSO 1300E; CODEBENCH SUPPLIER	\$ 601.80	\$ 460.83
334290L	Avigilon	AC-HID-PIVCLASS-00NHPTEK00088	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-6132AKL	SPACER ACC KIT; PIVCLASS RDR; BLK; ERGO ANGLE; LEFT	\$ 17.71	\$ 13.56
334290L	Avigilon	AC-HID-PIVCLASS-900NHPNEK00088	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHPNEK000UF	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; OSDP V2; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; A/V OFF; FIPS 200-BIT; IPM OFF; UART OFF; WIEG OFF	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHPNEK0032Q	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHPNEK00336	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHPNEKE032Q	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28

334290L	Avigilon	AC-HID-PIVCLASS-900NHPTEK000UF	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; OSDP V2; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; A/V OFF; FIPS 200-BIT; IPM OFF; UART OFF; WIEG OFF	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHPTEK0032Q	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHPTEK00336	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHPTEK00337	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEK0000C	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEK00018	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; MIF/DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEK0001T	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEK0001Y	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28

334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEK00032	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; RVRS BCD; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEK00038	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEK0005W	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEK00110	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEK0012W	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEK00220	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 128-BIT; FASCN + RMV OVRHD; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEK00226	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH GRN; BZR OFF; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEK0032Y	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; IPM OFF; UART ON; WIEG OFF	\$ 157.08	\$ 120.28

334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEK0037D	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEKE000C	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; ELITE KEYS; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRNEKE001T	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; ELITE KEYS; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRTEK0000C	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRTEK00018	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; MIF/DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRTEK0001T	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRTEK00038	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRTEK0003C	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28

334290L	Avigilon	AC-HID-PIVCLASS-900NHRTEK0032Y	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; IPM OFF; UART ON; WIEG OFF	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900NHRTEK000C	RDR; R10-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 157.08	\$ 120.28
334290L	Avigilon	AC-HID-PIVCLASS-900PHPNEK0003Y	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPNEK000HA	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPNEK000UH	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; OSDP V2; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; A/V OFF; FIPS 200-BIT; IPM OFF; UART OFF; WIEG OFF	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPNEK0032U	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPNEK00338	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPNEK00339	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84

334290L	Avigilon	AC-HID-PIVCLASS-900PHPNEKE003Y	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPNEKE00HA	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPNEKE032U	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPNEKE0338	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPNEKE0339	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPTEK0003Y	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPTEK000HA	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPTEK000UH	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; OSDP V2; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; A/V OFF; FIPS 200-BIT; IPM OFF; UART OFF; WIEG OFF	\$ 191.76	\$ 146.84

334290L	Avigilon	AC-HID-PIVCLASS-900PHPTEK0032U	RDR; RP10-H; PIVCLASS; SE E; LF STD;HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPTEK00338	RDR; RP10-H; PIVCLASS; SE E; LF STD;HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPTEK00339	RDR; RP10-H; PIVCLASS; SE E; LF STD;HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPTEKE003Y	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPTEKE00HA	RDR; RP10-H; PIVCLASS; SE E; LF STD;HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPTEKE032U	RDR; RP10-H; PIVCLASS; SE E; LF STD;HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPTEKE0338	RDR; RP10-H; PIVCLASS; SE E; LF STD;HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHPTEKE0339	RDR; RP10-H; PIVCLASS; SE E; LF STD;HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84

334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEK00004	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEK00005	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEK00006	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEK00007	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; IPM OFF; UART ON; WIEG OFF	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEK00016	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; MIF/DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEK0003U	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEK000HA	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEK000K2	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED ON; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 200 BIT; PROX FSK; IPM OFF; UART OFF; WIEG ON; CSTM SEOS LEDS	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEK0012K	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; RVRS BCD; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84

334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEK0037E	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEK00466	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; CSN SUPPRESSED; LED RED; FLSH GRN; BZR ON; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEKE0004	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEKE0005	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEKE0006	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEKE0007	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; IPM OFF; UART ON; WIEG OFF	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEKE00HA	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRNEKE037E	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEK00004	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84

334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEK00005	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEK00006	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEK00007	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; IPM OFF; UART ON; WIEG OFF	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEK00016	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEK000HA	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEK0037E	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEK00466	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; CSN SUPPRESSED; LED RED; FLSH GRN; BZR ON; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEK0059B	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPN COL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON; PATH NY NJ	\$ 191.76	\$ 146.84

334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEKE0004	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEKE0005	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEKE0006	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEKE0007	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; IPM OFF; UART ON; WIEG OFF	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEKE00HA	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; ELITE; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 128-BIT REVERSED; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-900PHRTEKE037E	RDR; RP10-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 191.76	\$ 146.84
334290L	Avigilon	AC-HID-PIVCLASS-91000BBNNN	PAM; PIVCLASS (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 2,306.22	\$ 1,765.97
334290L	Avigilon	AC-HID-PIVCLASS-91000BNNNN	PAM; PIVCLASS; CCA ONLY; NO ENCLOSURE (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 1,978.80	\$ 1,515.25

334290L	Avigilon	AC-HID-PIVCLASS-91000-MS	PAM Firmware Standard Maintenance & Support; STD M&S 8X5 M-F CST (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 49.59	\$ 37.97
334290L	Avigilon	AC-HID-PIVCLASS-920LHRNEK0001R	RDR; RP40-H; PIVCLASS; SE E; LF CST; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920LHRNEK0003Q	RDR; RP40-H; PIVCLASS; SE E; LF CST; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920LHRNEK0011P	RDR; RP40-H; PIVCLASS; SE E; LF CST; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; MIF/DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920NHPNEK00088	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHPNEK000MJ	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=50MS; FIPS 200-BIT; IPM OFF; UART ON; WIEG OFF	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHPNEK000P1	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; IPM OFF	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHPNEK0032Q	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05

334290L	Avigilon	AC-HID-PIVCLASS-920NHPNEK00336	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHPNEKE032Q	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHPTEK00088	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHPTEK000P1	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; IPM OFF	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHPTEK0032Q	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHPTEK00336	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK0000C	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK00018	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; MIF/DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK0001T	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05

334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK0001Y	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK00032	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; RVRS BCD; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK00038	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK0005W	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK0007J	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 26-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK00110	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK0012W	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK00220	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 128-BIT; FASCN + RMV OVRHD; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05

334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK0032Y	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; IPM OFF; UART ON; WIEG OFF	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK0037D	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; RVRS BCD; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK0043W	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; 14443A DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEK00578	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT;FASCN+RMV OVRHD+RMV PAR ; IPM OFF	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRNEKE000C	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; ELITE KEYS; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRTEK0000C	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRTEK00018	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; MIF/DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRTEK0001T	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05

334290L	Avigilon	AC-HID-PIVCLASS-920NHRTEK00038	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRTEK0003C	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRTEK0007J	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 26-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRTEK000H9	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRTEK000Q6	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; A/V OFF; OPT TAMP; OPEN COLL; FIPS 58-BIT AMAG; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRTEK00220	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 128-BIT; FASCN + RMV OVRHD; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRTEK0032Y	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; IPM OFF; UART ON; WIEG OFF	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920NHRTEK0037D	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 256.02	\$ 196.05

334290L	Avigilon	AC-HID-PIVCLASS-920NHRTEKE032Y	RDR; R40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; IPM OFF; UART ON; WIEG OFF	\$ 256.02	\$ 196.05
334290L	Avigilon	AC-HID-PIVCLASS-920PHPNEK0003Y	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHPNEK000P2	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; FIPS 200-BIT; IPM OFF	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHPNEK0032U	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHPNEK00338	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHPNEK00339	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHPTEK000HA	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHPTEK000P2	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; FIPS 200-BIT; IPM OFF	\$ 290.70	\$ 222.60

334290L	Avigilon	AC-HID-PIVCLASS-920PHPTEK0032U	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHPTEK00338	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHPTEK00339	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHPTEKE003Y	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHPTEKE032U	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK00004	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK00005	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK00006	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60

334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK00007	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; IPM OFF; UART ON; WIEG OFF	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK00016	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; MIF/DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK0003U	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK0004A	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK0004V	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK0006T	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK0008U	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK00097	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 26-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60

334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK000AA	RDR; RP40; PIVCLASS; SE E; LF CST; PROX GIC ONLY; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON; PROX PRIORITY	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK000CV	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF CSTM; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 200-BIT; OPT TAMP OPN COLL; IPM OFF; UART OFF; WIEG ON; CSTM /FIPS/CAK/MIGR; LF ENBLD; PATH NY NJ	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK000H4	RDR; RP40-H; PIVCLASS; SE E; LF CST; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TMP; OPEN COLL; FIPS-128-BIT; FASCN+RMVOVRHD+RMVPAR; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK000HA	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK000MR	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 75-BIT; PROX PRIORITY; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK0012K	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; RVRS BCD; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK00143	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK00157	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 14443A 32-BIT CSN; IPM OFF	\$ 290.70	\$ 222.60

334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK00203	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR OFF; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK0020A	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; C/D ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK00245	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; RVRS BCD; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK00365	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK0037E	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; RVRS BCD; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK0043V	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; 14443A MIF 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK00466	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF OFF; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK0046G	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK00479	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF CSTM; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 200-BIT; OPT TAMP OPN COLL; IPM OFF; UART OFF; WIEG ON; CSTM STD/SIO/SEOS/FIPS/CAK/MIGR; LF ENBLD; PATH NY NJ	\$ 290.70	\$ 222.60

334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEK0059A	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 58-BIT AMAG; IPM OFF; HID PROX ONLY; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRNEKE0005	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; ELITE KEYS; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEK00004	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEK00005	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEK00006	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEK00007	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; IPM OFF; UART ON; WIEG OFF	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEK00016	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; MIF/DES 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEK000GJ	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; UART; TERM; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60

334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEK000HA	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEK0037E	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEK0043V	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; UART; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; 14443A MIF 56-BIT CSN; IPM OFF	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEK00449	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; UART; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART ON; UART CSTM; WIEG OFF	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEK00466	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF OFF; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEK00477	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF OFF; 485FDX; TERM; BLK; STD-1 CSN SUPRESSED; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEKE0004	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEKE0005	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60

334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEKE0006	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEKE0007	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; IPM OFF; UART ON; WIEG OFF	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEKE00HA	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEKE037E	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-920PHRTEKE043V	RDR; RP40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; 14443A MIF 56-BIT CSN; IPM OFF; UART OFF; WIEG ON	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-PIVCLASS-921NHPNEK000HB	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPNEK000UG	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; OSDP V2; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 200-BIT; IPM OFF; UART OFF; WIEG OFF	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPNEK0019D	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHPNEK0032R	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPNEK0033E	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPNEK0033F	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPNEK0045J	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; 14443A DES 56 BIT;KPF; BFFRD 1 KEY;DOR COMPL;NO PAR;8-BIT MSG;IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPNEKE00HB	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPNEKE019D	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPNEKE032R	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHPNEKE033E	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPNEKE033F	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPTEK000HB	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPTEK000UG	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; OSDP V2; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 200-BIT; IPM OFF; UART OFF; WIEG OFF	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPTEK0019D	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPTEK0032R	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPTEK0033E	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHPTEK0033F	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPTEKE00HB	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPTEKE019D	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPTEKE032R	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPTEKE033E	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHPTEKE033F	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0000C	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK00039	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK00044	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0004K	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 56-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0004M	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK00062	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0006V	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 26-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0008P	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 TO 5 KEYS; PAR; USER ENTRD FC; 26-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK000HB	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK000Q7	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; A/V OFF; OPT TAMP; OPEN COLL; FIPS 58-BIT AMAG; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8 BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK000Y5	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; DOR COMPL; BFFRD 1 KEY; NO PAR; 8 BIT-MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0011H	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0011J	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; PAR; 6-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0011K	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; MIF/DES 56-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK00121	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 128-BIT; FASCN + RMV OVRHD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK00139	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0013W	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0016V	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0016Y	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 56-BIT CSN; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK00171	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; RVRS BCD; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK00246	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR OFF; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK00247	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK00248	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK00249	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0024J	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 TO 5 KEYS; PAR; USER ENTRD FC; 26-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0024K	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0033A	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; ASCII; XMIT CMPLT; IPM OFF; UART ON; WIEG OFF	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0037F	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0041J	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; MIF/DES 32-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0043Y	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; 14443A MIF 56-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0044A	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; 14443A DES 56-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0047B	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK0052J	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT; OPEN COLL; 200-BIT; 14443A 26-BIT CSN; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK00579	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT; FASCN+RMV OVRHD+RMV PAR ; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK00586	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 TO 5 KEYS; PAR; FC FIXED 96; 26-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEK00587	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 TO 5 KEYS; PAR; FC FIXED 96; 26-BIT MSG; IPM OFF; UART OFF; WEIG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEKE0039	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEKE0044	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEKE004M	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; ELITE KEYS; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEKE0062	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; ELITE KEYS; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEKE00HB	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEKE033A	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; ASCII; XMIT CMPLT; IPM OFF; UART ON; WIEG OFF	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRNEKE037F	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK00039	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK00044	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0004K	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 56-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0004M	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK00054	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; RVRS BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK00062	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0006Q	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0006V	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 26-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK00073	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0007E	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; RVRS BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0008P	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 TO 5 KEYS; PAR; USER ENTRD FC; 26-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK000HB	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK000NL	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 56-BIT MSB CSN; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK000Q7	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; A/V OFF; OPT TAMP; OPEN COLL; FIPS 58-BIT AMAG; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8 BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK000Y5	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; DOR COMPL; BFFRD 1 KEY; NO PAR; 8 BIT-MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0011G	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; 14443A 56-BIT CSN; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0011J	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; PAR; 6-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK00121	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 128-BIT; FASCN + RMV OVRHD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK00123	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; KPF; BFFRD 1 TO 5 KEYS; PAR; USER ENTRD FC; 26-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK00139	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0013W	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0013Y	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; 14443A 26-BIT CSN; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIE	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0016T	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED OFF; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0024A	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR OFF; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 4 KEYS; PAR; 18-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0024B	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0033A	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; ASCII; XMIT CMPLT; IPM OFF; UART ON; WIEG OFF	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0037F	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0043Y	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; 14443A MIF 56-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEK0044A	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; 14443A DES 56-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEKE0039	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEKE0044	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEKE004M	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11

334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEKE00HB	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEKE033A	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; ASCII; XMIT CMPLT; IPM OFF; UART ON; WIEG OFF	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921NHRTEKE037F	RDR; RK40-H; PIVCLASS; SE E; LF OFF; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 446.76	\$ 342.11
334290L	Avigilon	AC-HID-PIVCLASS-921PHPNEK0004R	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPNEK000HC	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPNEK000R2	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1 ; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 8-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPNEK000UE	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; OSDP V2; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 200-BIT; IPM OFF; UART OFF; WIEG OFF	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHPNEK0032N	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPNEK0033J	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPNEK0033K	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPNEKE004R	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPNEKE00HC	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPNEKE032N	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPNEKE033J	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHPNEKE033K	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPTEK0004R	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPTEK000HC	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPTEK000RY	RDR; RPK40-H; PIVCLASS; SE E; LF FSK ONLY; HF DIW/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON; SPAWAR	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPTEK000UE	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; OSDP V2; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 200-BIT; IPM OFF; UART OFF; WIEG OFF	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPTEK0032N	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPTEK0033J	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHPTEK0033K	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPTEKE004R	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPTEKE00HC	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPTEKE032N	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPTEKE033J	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHPTEKE033K	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0001U	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0002D	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0002G	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0002H	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0004V	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0004Y	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 TO 5 KEYS; PAR; USER ENTRD FC; 26-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0005D	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; MIF/DES 56-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0005P	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 TO 5 KEYS; PAR; USER ENTRD FC; 26-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0005T	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 TO 5 KEYS; PAR; USER ENTRD FC; 26-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00068	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0006F	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; RVRS BCD; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00078	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD1; LED RD; FLSH GR; BZR ON; OPT TAMP; OPN COL; FIPS 200BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8BIT MSG; IPM OFF; URT OFF; WIEG ON; WIEG GUARD TIME 150MS	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00079	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD1; LED RD; FLSH GN; BZR ON; OPT TAMP; OPN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; URT OFF; WIEG ON; WIEG GRD TIME 150MS	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0009V	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; LOCAL PIN VERIFY; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK000CU	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF CST; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TMP/OPN COL; FIPS200-BIT; KPF BFRD 1 KEY; DOR CMP; NOPAR; 8-BIT; IPM OFF; UART OFF; WIEG ON; CSTM /FIPS/CAK/MIGR;LFENBD;PATHNJ	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK000E7	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK;485FDX;PIG;BLK ;STD-1; LED RED;FLSH GRN;BZR ON;OPT TAMP; OC;CSN 32 BIT MSB;FIPS 75-BIT;BFFRD 1 KEY;DOR COMPL;NO PAR; 8-BIT;IPM OFF;UART ON;WIEG ON;PROX FSK PRIORITY	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK000EF	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK;485FDX;PIG; BLK;STD-1; LED RED;FLSH ON;BZR ON;OPT TAMP;OPN COL; FIPS 200-BIT;MIF/DES 56-BIT CSN;BFRD 1 KEY; DOR COMPL;NO PAR;8-BIT MSG;IPM OFF;UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK000FP	CFG PFL; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON; APB DISABLED	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK000FR	RDR;RPK40-H; PIVCLASS; SE E;LF STD;HF STD/SIO/SEOS/FIPS/CAK;485FDX;PIG; BLK;STD-1; LED RED;FLSH OFF;BZR ON;OPT TAMP;OC-IM ALIVE INVERTED; FIPS 75-BIT;KPF;BFFRD1 KEY;DOR COMPLNO PAR;8-BITMSG; IPM OFF;UART OFF;WIEG ON; IM ALIVE 30 SEC;MSG-AA	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK000H5	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TMP; OPEN COLL; FIPS-128-BIT; FASCN+RMVOVRHD+RMVVPAR; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK000HC	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK000JQ	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; CSN 34-BIT MSB; EM4102 32-BIT; FIPS 75-BIT; BFFRD 1 TO 5 KEYS; PAR; USER ENTRD FC; 26-BIT MSG; IPM; UART OFF; WEIG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK000K3	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED ON; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 200 BIT; PROX FSK; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON; CSTM SEOS LEDS	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK000PV	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 TO 5 KEYS; PAR; FC=17; 26-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK000Y6	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; DOR COMPL; BFFRD 1 KEY; NO PAR; 8 BIT-MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0010K	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF FIPS/CAK/MIGR; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS200-BIT; KPF BFRD 1 KEY; DOR CMP; NOPAR; 8-BIT; IPM OFF; UART OFF; WIEG ON; JFK	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0010N	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; RVRS BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0011B	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0011R	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 26-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00125	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00127	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0012D	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; 14443A 26-BIT CSN; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIE	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0013E	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR OFF; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0013F	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 TO 5 KEYS; PAR; USER ENTRD FC; 26-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0013G	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 4 KEYS; PAR; 18-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00145	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0015D	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR OFF; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0015H	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0020D	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; RVRS BCD; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0020R	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0020T	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; PAR; 6-BIT MSG; IPM OFF	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0020U	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; RVRS BCD; KPF; BFFRD 1 TO 5 KEYS; PAR; USER ENTRD FC; 26-BIT MSG; IPM OFF	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00210	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 TO 5 KEYS; PAR; USER ENTRD FC; 26-BIT MSG; IPM OFF	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0026H	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; ADD PAR; *=E; #=F; 6-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0026J	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; KPF; BFFRD 1 TO 5 KEYS; PAR; USER ENTRD FC; 26-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0026L	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; MIF/DES 56-BIT CSN; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIE	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0026M	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0026N	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 14443A 32-BIT CSN; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0026W	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR OFF; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0026Y	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00270	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 56-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00273	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00274	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0032W	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0033B	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; ASCII; XMIT CMPLT; IPM OFF; UART ON; WIEG OFF	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0037G	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; RVRS BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0043E	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH ON; BZR ON; OPT TAMP; OPN COL; FIPS 200-BIT; 14443A 56-BIT CSN; KPF; BFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0043G	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; MIF/DES 56-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0043T	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; 14443A MIF 56-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0043U	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; 14443A MIF 56-BIT CSN; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF;	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0044K	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; PAR; 8-BIT MSG; IPM OFF; UART OFF; WEIG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00467	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF OFF; 485FDX; PIG; BLK; STD-1; CSN SURPRESSED; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0046E	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; ; KPF; BFFRD 1 KEY; NO PAR; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0046F	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; ; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8 BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00470	RDR; RPK40-H; PIVCLASS; SE E; LF CST; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; FIPS 200 BIT; KPF; BFFRD 1 KEY; DOR; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON; FSK; ASK; PSK ENABL	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0047A	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF CST; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TMP/OPN COL; FIPS200-BIT; KPF BFRD 1 KEY; DOR CMP; NOPAR; 8-BIT; IPM OFF; UART OFF; WIEG ON; CST STD/SIO/SEOS/FIPS/CAK/MIGR; LFENBD; PATHNJ	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0050B	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF CST; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TMP/OPN COL; FIPS200-BIT; KPF BFRD 1 KEY; DOR CMP; NOPAR; 8-BIT; IPM OFF; UART OFF; WIEG ON; CST STD/SIO/SEOS/FIPS/CAK/MIGR; PATHNYNJ	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0051T	RDR; RPK40-H; PIVCLASS; SE E; LF CST; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT ; OC; FIPS 75-BIT; MIF/DES 56-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FSK PROX READ ONLY; IPM OFF; UART OFF	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0051V	RDR; RPK40-H; PIVCLASS; SE E; LF CST; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; FSK PROX READ ONLY; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0053Q	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; CSN 32-BIT MSB; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK0057D	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 128-BIT; FASCN+RMV OVRHD+RMV PAR ;KPF;BFFRD 1 KEY;DOR COMPL;NO PAR 8-BIT MSG;IPM OFF	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00588	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; KPF; BFFRD 1 TO 5 KEYS; PAR; FC FIXED 96; 26-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEK00589	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 TO 5 KEYS; PAR; FC FIXED 96; 26-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEKE002G	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEKE00HC	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEKE015H	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; ELITE KEYS; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEKE020R	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; ELITE KEYS; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 64-BIT; BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEKE026V	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; ELITE KEYS; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; RVRS BCD; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEKE032W	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEKE033B	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; ASCII; XMIT CMPLT; IPM OFF; UART ON; WIEG OFF	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRNEKE037G	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK0002D	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK0002G	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK000HC	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK000Y6	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; DOR COMPL; BFFRD 1 KEY; NO PAR; 8 BIT-MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK00127	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 40-BIT; BCD; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK0020R	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK0032W	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK0033B	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; ASCII; XMIT CMPLT; IPM OFF; UART ON; WIEG OFF	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK0037G	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK0043T	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; 14443A MIF 56-BIT CSN; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK0043U	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; 14443A MIF 56-BIT CSN; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK00467	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF OFF; 485FDX; TERM; BLK; STD-1; CSN SURPRESSED; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK00478	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF OFF; 485FDX; TERM; BLK; STD-1; CSN SURPRESSED; LED OFF; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEK0047A	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF CST; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TMP/OPN COL; FIPS200-BIT; KPF BFRD 1 KEY; DOR CMP; NOPAR; 8-BIT; IPM OFF; UART OFF; WIEG ON; CST STD/SIO/SEOS/FIPS/CAK/MIGR;LFENBD; PATHNJ	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEKE002G	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEKE00HC	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEKE020R	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEKE032W	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09

334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEKE033B	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; ASCII; XMIT CMPLT; IPM OFF; UART ON; WIEG OFF	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PHRTEKE037G	RDR; RPK40-H; PIVCLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 479.40	\$ 367.09
334290L	Avigilon	AC-HID-PIVCLASS-921PTNTEK0000B	RDR; RPK40; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; LED RED; FLSH GRN; BZR ON; KPF; ASCII; XMIT CMPLT PIN; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 450.84	\$ 345.23
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEK0000L	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; RF SUPPR; 485HDX; PIG; BLK; STD-1; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; FIPS 75-BIT; KPF; ASCII; BFFRD 1 KEY; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEK0000HD	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEK0000P3	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; KPF; ASCII; XMIT CMPLT; LCD 1F; IPM OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEK00032T	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71

334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEK0033L	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEK0033M	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; OSDP V2; OPEN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEK0033N	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEK0033P	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEK0036H	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEK200KR	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-2; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; FIPS 75-BIT; KPF; ASCII; BFFRD 1 KEY; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71

334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEKE000U	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEKE00HD	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEKE032T	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEKE033L	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY ; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEKE033M	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEKE033N	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71

334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEKE033P	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPNEKE036H	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEK0000L	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; RF SUPPR; 485HDX; TERM; BLK; STD-1; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; FIPS 75-BIT; KPF; ASCII; BFFRD 1 KEY; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEK0000U	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEK000HD	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEK000P3	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; KPF; ASCII; XMIT CMPLT; LCD 1F; IPM OFF	\$ 704.82	\$ 539.71

334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEK0032T	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEK0033L	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEK0033M	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEK0033N	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEK0033P	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEK0036H	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71

334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEK200KR	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-2; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; FIPS 75-BIT; KPF; ASCII; BFFRD 1 KEY; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEKE000U	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEKE00HD	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEKE032T	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEKE033L	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEKE033M	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 704.82	\$ 539.71

334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEKE033N	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEKE033P	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPPTEKE036H	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG O	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEK0000Q	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEK000HD	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEK000Y7	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; DOR COMPL; BFFRD 1 KEY; NO PAR; 8 BIT-MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71

334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEK0032V	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; ASCII; XMIT CMPLT; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEK00333	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEK00334	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEK0037H	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEK00435	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; 14443 56-BIT MIFARE; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEK0052K	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; DESFIRE MIFARE CSN 56 BIT LSB; KPF; ASCII; XMIT CMPLT; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 704.82	\$ 539.71

334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEK0057A	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEK0057K	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; DESFIRE MIFARE CSN 56 BIT MSB; KPF; ASCII; XMIT CMLPT; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEKE000Q	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; ELITE; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEKE00HD	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEKE032V	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; ASCII; XMIT CMLPT; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEKE0333	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71

334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEKE0334	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRNEKE037H	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEK0000Q	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEK000HD	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEK000Y7	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; DOR COMPL; BFFRD 1 KEY; NO PAR; 8 BIT-MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEK0032V	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; ASCII; XMIT CMLPT; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 704.82	\$ 539.71

334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEK00333	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEK00334	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEK0037H	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG O	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEK00381	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM;BLK; STD-1 WEIG; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 75-BIT; MIF/DES 56-BIT CSN; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEK005A9	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OC; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF;WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEKE000Q	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; ELITE; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71

334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEKE00HD	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEKE032V	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; ASCII; XMIT CMLPT; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEKE0333	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEKE0334	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923NPRTEKE037H	RDR; RKCL40-P; PIVCLASS; SE E; CONT LCD; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; IPM OFF; UART OFF; WIEG O	\$ 704.82	\$ 539.71
334290L	Avigilon	AC-HID-PIVCLASS-923PPNEK0000G	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 739.50	\$ 566.27

334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEK000HE	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEK000K5	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; FIPS 75-BIT; KPF; ASCII; BFFRD 1 KEY; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEK000P4	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; KPF; ASCII; XMIT CMPLT PIN; LCD 1F; IPM OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEK0032P	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEK0033Q	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEK0033R	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 739.50	\$ 566.27

334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEK0033T	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEK0033U	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEK0036J	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; LCD 1F; IPM OFF; UART OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEKE000G	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEKE00HE	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEKE032P	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27

334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEKE033Q	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEKE033R	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEKE033T	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEKE033U	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPNEKE036J	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; LCD 0F; IPM OFF; UART OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEK0000G	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; BFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 739.50	\$ 566.27

334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEK000HE	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEK000K5	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI;485HDX;TE RM; BLK;STD-1;A/V OFF;OSDP V2;OPT TAMP;OPEN COLL;OSDP TAMP ENBLD;TEST KEY;POLL=75MS;FIPS 75-BIT;KPF;ASCII;BFFRD 1 KEY;LCD 1F;IPM OFF;UART OFF;WIEG OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEK000P4	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; A/V OFF; OSDP V2; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEYS; POLL=75MS; KPF; ASCII; XMIT CMPLT PIN; LCD 1F; IPM OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEK000RW	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF FSK ONLY; HF DIW/FIPS/CAK; 485HDX; TERM; BLK; STD-1; LED RD; FLSH GN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG;FIPS 200-BIT;LCD 1F; IPM OF;URT OFF;WIEG ON;SPAWR	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEK0032P	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEK0033Q	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1;OSDP V2;OPN COL;OSDP TAMP ENBLD;TST KEYS;POLL=75MS;A/V OFF;KPF; ASCII; BFFRD 1 KEY;FIPS 75-BIT;LCD 1F;IPM OFF;UART OFF;WIEG OFF	\$ 739.50	\$ 566.27

334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEK0033R	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEK0033T	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEK0033U	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEK0036J	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEKE000G	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEKE00HE	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27

334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEKE032P	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEKE033Q	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEKE033R	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; OSDP V2; OPN COL; OSDP TAMP ENBLD; TST KEYS; POLL=75MS; A/V OFF; KPF; ASCII; BFFRD 1 KEY; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEKE033T	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEKE033U	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPPTEKE036J	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; LCD 0F; IPM OFF; UART OFF	\$ 739.50	\$ 566.27

334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK00008	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK00009	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK0000A	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK0000B	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; ASCII; XMIT CMLPT PIN; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK0000CC	RDR; RPKCL40-P;PIVCLASS; SE E; CONT LCD;LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485HDX; PIG;BLK; STD-1;LED RED;FLSH GRN;BZR ON;OPT;OPEN COLL; CSN 34-BIT MSB;FIPS 75-BIT;KPF;BFFRD 1 KEY;NO PAR;4-BIT MSG; LCD 1F; IPM OFF;UART OFF;WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK0000HE	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27

334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK000Y8	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; DOR COMPL; BFFRD 1 KEY; NO PAR; 8 BIT-MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK0037J	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; LCD OF; IPM OFF; UART OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK00427	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH OFF; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 40-BIT; BCD; LCD OF; IPM OFF; UART OFF; WIEG	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK0044M	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY-5; PAR; 26-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WEIG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK00474	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF 1 KEY DOR COMPL; NO PAR. 8 BIT; 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK0047L	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT; OPEN COLL; FIPS 200 BIT; KPF. BFFRD 1 KEY; NO PAR; 4 BIT MSG; IPM OFF; UART OFF; WIEG ON; WIEG PULSE; 52 USEC	\$ 739.50	\$ 566.27

334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK00519	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEK0057M	RDR; RPKCL40-P;PIVCLASS;SE E;CONT LCD;LF STD;HF STD/SIO/SEOS/FIPS/CAK/PKI;485FDX;PIG BLK;STD-1;LED RED;FLSH GRN;BZR ON; KPF; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; FIPS 128-BIT;FASCN+RMV OVRHD+RMV PAR; LCD 1F; IPM OFF;UART OFF;WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEKE0008	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEKE0009	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEKE000A	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEKE000B	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; ASCII; XMIT CMLPT PIN; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 739.50	\$ 566.27

334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEKE0044M	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; ELITE; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; BFFRD 1 KEY- 5 KEYS; PAR; 26 BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEKE00HE	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRNEKE037J	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; LCD 0F; IPM OFF; UART OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEK00008	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEK00009	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEK0000A	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27

334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEK0000B	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; ASCII; XMIT CMPLT PIN; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEK000HE	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEK000Y8	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; DOR COMPL; BFFRD 1 KEY; NO PAR; 8 BIT-MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEK0037J	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; LCD 0F; IPM OFF; UART OF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEK00382	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF BFFRD 1 KEY; NO PAR; 4 BIT MSG; FIPS 75 BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEK00426	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT; FIPS 75-BIT 56 CSN; LCD 0F; IPM OFF; UART OFF; WIE	\$ 739.50	\$ 566.27

334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEK00519	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; BFFRD 1 KEY; DOR COMPL; NO PAR; 8-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEKE0008	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 200-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEKE0009	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 75-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEKE000A	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEKE000B	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; ASCII; XMIT CMLPT PIN; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEKE000HE	RDR; RPKCL40-P; PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; ELITE; LED RED; FLSH GRN; BZR ON; FIPS 128-BIT REVERSED; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; LCD 1F; IPM OFF; UART OFF; WIEG ON	\$ 739.50	\$ 566.27

334290L	Avigilon	AC-HID-PIVCLASS-923PPRTEKE037J	RDR; RP40-H PIVCLASS; SE E; CONT LCD; LF STD; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; FIPS 64-BIT REVERSE BCD; LCD OF; IPM OFF; UART OF	\$ 739.50	\$ 566.27
334290L	Avigilon	AC-HID-PIVCLASS-924NPRNEK00504	RDR; RKCLB40-P; PIVCLASS; SE E; CONT LCD BIO; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; ASCII; XMIT CMLPT; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 1,194.42	\$ 914.62
334290L	Avigilon	AC-HID-PIVCLASS-924NPRNEKE0504	RDR; RKCLB40-P; PIVCLASS; SE E; CONT LCD BIO; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; PIG; BLK; ELITE KEYS; STD-1; LED RED; FLSH GRN; BZR ON; KPF; ASCII; XMIT CMLPT; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 1,194.42	\$ 914.62
334290L	Avigilon	AC-HID-PIVCLASS-924NPRTEK00504	RDR; RKCLB40-P; PIVCLASS; SE E; CONT LCD BIO; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; STD-1; LED RED; FLSH GRN; BZR ON; KPF; ASCII; XMIT CMLPT; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 1,194.42	\$ 914.62
334290L	Avigilon	AC-HID-PIVCLASS-924NPRTEKE0504	RDR; RKCLB40-P; PIVCLASS; SE E; CONT LCD BIO; LF OFF; HF STD/SIO/SEOS/FIPS/CAK/PKI; 485FDX; TERM; BLK; ELITE KEYS; STD-1; LED RED; FLSH GRN; BZR ON; KPF; ASCII; XMIT CMLPT; LCD 1F; IPM OFF; UART ON; WIEG OFF	\$ 1,194.42	\$ 914.62
334290L	Avigilon	AC-HID-PIVCLASS-B920NHRNEK0032Y	PIVCLASS BUNDLE; TWO R40-H PIVCLASS REV E PIGTAIL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM)	\$ 2,306.22	\$ 1,765.97
334290L	Avigilon	AC-HID-PIVCLASS-B920NHRTEK0032Y	PIVCLASS BUNDLE; TWO R40-H PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM); 032Y PIVCLASS CONFIG	\$ 2,306.22	\$ 1,765.97
334290L	Avigilon	AC-HID-PIVCLASS-B920PHRNEK00007	PIVCLASS BUNDLE; TWO RP40-H PIVCLASS REV E PIGTAIL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM); 0007 PIVCLASS CONFIG	\$ 2,394.96	\$ 1,833.92

334290L	Avigilon	AC-HID-PIVCLASS-B920PHRTEK00007	PIVCLASS BUNDLE; TWO RP40-H PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM); 0007 PIVCLASS CONFIG	\$ 2,394.96	\$ 1,833.92
334290L	Avigilon	AC-HID-PIVCLASS-B923NPRNEK0032V	PIVCLASS BUNDLE; TWO RKCL40-P PIVCLASS REV E PIGTAIL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM)	\$ 3,034.50	\$ 2,323.65
334290L	Avigilon	AC-HID-PIVCLASS-B923NPRTEK0032V	PIVCLASS BUNDLE; TWO RKCL40-P PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM); 032V PIVCLASS CONFIG	\$ 3,034.50	\$ 2,323.65
334290L	Avigilon	AC-HID-PIVCLASS-B923PPRNEK0000B	PIVCLASS BUNDLE; TWO RPKCL40-P PIVCLASS REV E PIGTAIL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM); 000B PIVCLASS CONFIG	\$ 3,124.26	\$ 2,392.38
334290L	Avigilon	AC-HID-PIVCLASS-B923PPRTEK0000B	PIVCLASS BUNDLE; TWO RPKCL40-P PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM); 000B PIVCLASS CONFIG	\$ 3,124.26	\$ 2,392.38
334290L	Avigilon	AC-HID-PIVCLASS-B924NPRNEK00504	PIVCLASS BUNDLE; TWO RKCLB40-P PIVCLASS REV E PIGTAIL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM)	\$ 3,922.92	\$ 3,003.95
334290L	Avigilon	AC-HID-PIVCLASS-B924NPRTEK00504	PIVCLASS BUNDLE; TWO RKCLB40-P PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM)	\$ 3,922.92	\$ 3,003.95
334290L	Avigilon	AC-HID-PIVCLASS-E91000-MS	EMBEDDED AUTHENTICATION CONTROLLER; STD M&S 8X5 M-F CST (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 53.13	\$ 40.69
334290L	Avigilon	AC-HID-PIVCLASS-E920NHPNEK000P1	PIVCLASS BUNDLE; EMBEDDED AUTHENTICATION MODULE & TWO R40-H PIGTAIL READERS; FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	\$ 1,007.76	\$ 771.69
334290L	Avigilon	AC-HID-PIVCLASS-E920NHPTEK000P1	PIVCLASS BUNDLE; EMBEDDED AUTHENTICATION MODULE & TWO R40-H TERMINAL READERS; FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	\$ 1,007.76	\$ 771.69

334290L	Avigilon	AC-HID-PIVCLASS-E920PHPNEK000P2	PIVCLASS BUNDLE; EMBEDDED AUTHENTICATION MODULE & TWO RP40-H PIGTAIL READERS; FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	\$ 1,072.02	\$ 820.90
334290L	Avigilon	AC-HID-PIVCLASS-E920PHPTEK000P2	PIVCLASS BUNDLE; EMBEDDED AUTHENTICATION MODULE & TWO RP40-H TERMINAL READERS; FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	\$ 1,072.02	\$ 820.90
334290L	Avigilon	AC-HID-PIVCLASS-E923NPPNEK000P3	PIVCLASS BUNDLE; EMBEDDED AUTHENTICATION MODULE & TWO RKCL40-P PIGTAIL READERS; FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	\$ 1,838.04	\$ 1,407.47
334290L	Avigilon	AC-HID-PIVCLASS-E923NPPTEK000P3	PIVCLASS BUNDLE; EMBEDDED AUTHENTICATION MODULE & TWO RKCL40-P TERMINAL READERS; FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	\$ 1,838.04	\$ 1,407.47
334290L	Avigilon	AC-HID-PIVCLASS-E923PPPNEK000P4	PIVCLASS BUNDLE; EMBEDDED AUTHENTICATION MODULE & TWO RPKCL40-P PIGTAIL READERS; FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	\$ 1,902.30	\$ 1,456.68
334290L	Avigilon	AC-HID-PIVCLASS-E923PPPTEK000P4	PIVCLASS BUNDLE; EMBEDDED AUTHENTICATION MODULE & TWO RPKCL40-P TERMINAL READERS; FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED	\$ 1,902.30	\$ 1,456.68
334290L	Avigilon	AC-HID-PIVCLASS-EA-LICENSE2	TWO (2) EMBEDDED AUTHENTICATION LICENSES (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 533.46	\$ 408.49
334290L	Avigilon	AC-HID-PIVCLASS-OMNP-MS	PIVCLASS MOBILE VALIDATOR; STD M&S 8X5 M-F CST (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 528.36	\$ 404.58

334290L	Avigilon	AC-HID-PIVCLASS-OMNPR-MS	PIVCLASS MOBILE REGISTRATION ENGINE; STD M&S 8X5 M-F CST (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 1,704.42	\$ 1,305.15
334290L	Avigilon	AC-HID-PIVCLASS-OMNP-SW	PIVCLASS MOBILE VALIDATOR; DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 4,045.32	\$ 3,097.67
334290L	Avigilon	AC-HID-PIVCLASS-PACS-SVC-18-00	PIVCLASS PACS SERVICE COMPONENT; AVIGILON ACM; DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 5.31	\$ 4.07
334290L	Avigilon	AC-HID-PIVCLASS-PVCAT-D	PIVCLASS VALIDATION WORKSTATION AUDIT TRAIL; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 1,576.92	\$ 1,207.52
334290L	Avigilon	AC-HID-PIVCLASS-PVCAT-D-MS	VALIDATION WORKSTATION AUDIT TRAIL; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 206.04	\$ 157.77
334290L	Avigilon	AC-HID-PIVCLASS-PVC-CM-MS	CERTIFICATE MANAGER; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 2,048.16	\$ 1,568.36

334290L	Avigilon	AC-HID-PIVCLASS-PVC-CM-REDNT-MS	CERTIFICATE MANAGER; STD M&S 8X5 M-F CST; REDUNDANT (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 1,024.08	\$ 784.18
334290L	Avigilon	AC-HID-PIVCLASS-PVC-D/S	PIVCLASS VALIDATION WORKSTATION & DOCUMENTATION; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 2,688.72	\$ 2,058.87
334290L	Avigilon	AC-HID-PIVCLASS-PVC-D/S-MS	VALIDATION WORKSTATION STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 350.88	\$ 268.69
334290L	Avigilon	AC-HID-PIVCLASS-PVC-DTAIMP-MS	PIVCLASS DATA IMPORT; STD M&S 8X5 M-F CST (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 854.76	\$ 654.53
334290L	Avigilon	AC-HID-PIVCLASS-PVC-DTAIMP-REDNT-18-00	PIVCLASS DATA IMPORT - REDUNDANT; AVIGILON ACM; DOWNLOAD (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 3,276.24	\$ 2,508.76
334290L	Avigilon	AC-HID-PIVCLASS-PVC-DTAIMP-REDNT-MS	PIVCLASS DATA IMPORT - REDUNDANT; STD M&S 8X5 M-F CST (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 427.38	\$ 327.26

334290L	Avigilon	AC-HID-PIVCLASS-PVC-FXRDR	PIVCLASS READER SERVICES; SW & DOC; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 266.22	\$ 203.86
334290L	Avigilon	AC-HID-PIVCLASS-PVC-FXRDR-MS	READER SERVICES; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 34.68	\$ 26.56
334290L	Avigilon	AC-HID-PIVCLASS-PVC-FXRDR-REDNT	REDUNDANT PIVCLASS READER SERVICES; SW & DOC; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 133.62	\$ 102.32
334290L	Avigilon	AC-HID-PIVCLASS-PVC-FXRDR-REDNT-MS	REDUNDANT READER SERVICES; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 17.54	\$ 13.43
334290L	Avigilon	AC-HID-PIVCLASS-PVC-IDPUB1000-MS	PIVCLASS ID PUBLISHER 1000; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 2,123.64	\$ 1,626.17
334290L	Avigilon	AC-HID-PIVCLASS-PVC-IDPUB1000-REDNT-MS	REDUNDANT PIVCLASS ID PUBLISHER 1000; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 1,061.82	\$ 813.08

334290L	Avigilon	AC-HID-PIVCLASS-PVC-IDPUB500-MS	PIVCLASS ID PUBLISHER 500; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 1,051.62	\$ 805.27
334290L	Avigilon	AC-HID-PIVCLASS-PVC-IDPUB500-REDNT	REDUNDANT PIVCLASS ID PUBLISHER 500; DOWNLOAD; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 4,032.06	\$ 3,087.53
334290L	Avigilon	AC-HID-PIVCLASS-PVC-IDPUB500-REDNT-MS	REDUNDANT PIVCLASS ID PUBLISHER 500; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 526.32	\$ 403.02
334290L	Avigilon	AC-HID-PIVCLASS-PVC-IDPUBUNL-MS	PIVCLASS ID PUBLISHER UNL; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 3,541.44	\$ 2,711.83
334290L	Avigilon	AC-HID-PIVCLASS-PVC-IDPUBUNL-REDNT-MS	REDUNDANT PIVCLASS ID PUBLISHER UNL; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 1,770.72	\$ 1,355.92
334290L	Avigilon	AC-HID-PIVCLASS-PVC-MPX-CNSL-MS	PIVCLASS MULTIPACS CONSOLE; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 2,048.16	\$ 1,568.36

334290L	Avigilon	AC-HID-PIVCLASS-PVC-MPX-CNSL-REDNT-MS	REDUNDANT PIVCLASS MULTIPACS CONSOLE; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 1,024.08	\$ 784.18
334290L	Avigilon	AC-HID-PIVCLASS-PVC-MPX-CN-MS	PIVCLASS MULTIPACS CONNECTOR; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 1,328.04	\$ 1,016.94
334290L	Avigilon	AC-HID-PIVCLASS-PVC-MPX-CN-REDNT-MS	REDUNDANT PIVCLASS MULTIPACS CONNECTOR; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 664.02	\$ 508.47
334290L	Avigilon	AC-HID-PIVCLASS-PVCP-D/S-MS	REGISTRATION ENGINE; STD M&S 8X5 M-F CST; CODEBENCH SUPPLIER (Requires pivCLASS Supplemental Ordering Information form with ALL orders found in the pivCLASS How To Order Guide https://www.hidglobal.com/documents/how-to-order)	\$ 1,704.42	\$ 1,305.15
334290L	Avigilon	AC-HID-READER-SIGNO-20KNKS-00-000000	Signo20K; Mullion w/Keypad; 13.56mHz & 125kHz; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 461.75	\$ 353.58
334290L	Avigilon	AC-HID-READER-SIGNO-20KNKS-01-000000	Signo20K; Mullion w/Keypad; Seos Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 395.66	\$ 302.97
334290L	Avigilon	AC-HID-READER-SIGNO-20KNKS-01-00001H	Signo20K; Mullion w/Keypad; Seos Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 395.66	\$ 302.97
334290L	Avigilon	AC-HID-READER-SIGNO-20KNKS-02-000000	Signo20K; Mullion w/Keypad; 13.56mHz Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 428.71	\$ 328.28
334290L	Avigilon	AC-HID-READER-SIGNO-20KNKS-02-0002BL	Signo20K; Mullion w/Keypad; 13.56mHz Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 428.71	\$ 328.28

334290L	Avigilon	AC-HID-READER-SIGNO-20KTKS-00-000000	Signo20K; Mullion w/Keypad; 13.56mHz &125kHz; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 461.75	\$ 353.58
334290L	Avigilon	AC-HID-READER-SIGNO-20KTKS-01-000000	Signo20K; Mullion w/Keypad; Seos Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 395.66	\$ 302.97
334290L	Avigilon	AC-HID-READER-SIGNO-20KTKS-01-00001H	Signo20K; Mullion w/Keypad; Seos Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 395.66	\$ 302.97
334290L	Avigilon	AC-HID-READER-SIGNO-20KTKS-02-000000	Signo20K; Mullion w/Keypad; 13.56mHz Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 428.71	\$ 328.28
334290L	Avigilon	AC-HID-READER-SIGNO-20KTKS-02-0002BL	Signo20K; Mullion w/Keypad; 13.56mHz Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 428.71	\$ 328.28
334290L	Avigilon	AC-HID-READER-SIGNO-20NKS-00-000000	Signo20; Mullion; 13.56mHz &125kHz; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 271.73	\$ 208.07
334290L	Avigilon	AC-HID-READER-SIGNO-20NKS-01-000000	Signo20; Mullion; Seos Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 205.63	\$ 157.46
334290L	Avigilon	AC-HID-READER-SIGNO-20NKS-01-00001H	Signo20; Mullion; Seos Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 205.63	\$ 157.46
334290L	Avigilon	AC-HID-READER-SIGNO-20NKS-02-000000	Signo20; Mullion; 13.56mHz Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 238.68	\$ 182.77
334290L	Avigilon	AC-HID-READER-SIGNO-20NKS-02-0002BL	Signo20; Mullion; 13.56mHz Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 238.68	\$ 182.77
334290L	Avigilon	AC-HID-READER-SIGNO-20TKS-00-000000	Signo20; Mullion; 13.56mHz &125kHz; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 271.73	\$ 208.07
334290L	Avigilon	AC-HID-READER-SIGNO-20TKS-01-000000	Signo20; Mullion; Seos Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 205.63	\$ 157.46
334290L	Avigilon	AC-HID-READER-SIGNO-20TKS-01-00001H	Signo20; Mullion; Seos Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 205.63	\$ 157.46
334290L	Avigilon	AC-HID-READER-SIGNO-20TKS-01-00001H-AVG	Signo20K; Mullion; Seos Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE; Avigilon Logo	\$ 205.63	\$ 157.46
334290L	Avigilon	AC-HID-READER-SIGNO-20TKS-02-000000	Signo20; Mullion; 13.56mHz Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 238.68	\$ 182.77
334290L	Avigilon	AC-HID-READER-SIGNO-20TKS-02-0002BL	Signo20; Mullion; 13.56mHz Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 238.68	\$ 182.77

334290L	Avigilon	AC-HID-READER-SIGNO-40KNKS-00-000000	Signo40K; Wall mount w/Keypad; 13.56mHz &125kHz; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 461.75	\$ 353.58
334290L	Avigilon	AC-HID-READER-SIGNO-40KNKS-01-000000	Signo40K; Wall mount w/Keypad; Seos Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 395.66	\$ 302.97
334290L	Avigilon	AC-HID-READER-SIGNO-40KNKS-01-00001H	Signo40K; Wall mount w/Keypad; Seos Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 395.66	\$ 302.97
334290L	Avigilon	AC-HID-READER-SIGNO-40KNKS-02-000000	Signo40K; Wall mount w/Keypad; 13.56mHz Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 428.71	\$ 328.28
334290L	Avigilon	AC-HID-READER-SIGNO-40KNKS-02-0002BL	Signo40K; Wall mount w/Keypad; 13.56mHz Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 428.71	\$ 328.28
334290L	Avigilon	AC-HID-READER-SIGNO-40KTKS-00-000000	Signo40K; Wall mount w/Keypad; 13.56mHz &125kHz; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 461.75	\$ 353.58
334290L	Avigilon	AC-HID-READER-SIGNO-40KTKS-01-000000	Signo40K; Wall mount w/Keypad; Seos Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 395.66	\$ 302.97
334290L	Avigilon	AC-HID-READER-SIGNO-40KTKS-01-00001H	Signo40K; Wall mount w/Keypad; Seos Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 395.66	\$ 302.97
334290L	Avigilon	AC-HID-READER-SIGNO-40KTKS-02-000000	Signo40K; Wall mount w/Keypad; 13.56mHz Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 428.71	\$ 328.28
334290L	Avigilon	AC-HID-READER-SIGNO-40KTKS-02-0002BL	Signo40K; Wall mount w/Keypad; 13.56mHz Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 428.71	\$ 328.28
334290L	Avigilon	AC-HID-READER-SIGNO-40NKS-00-000000	Signo40; Wall mount; 13.56mHz &125kHz; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 279.99	\$ 214.40
334290L	Avigilon	AC-HID-READER-SIGNO-40NKS-01-000000	Signo40; Wall mount; Seos Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 213.89	\$ 163.79
334290L	Avigilon	AC-HID-READER-SIGNO-40NKS-01-00001H	Signo40; Wall mount; Seos Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 213.89	\$ 163.79
334290L	Avigilon	AC-HID-READER-SIGNO-40NKS-02-000000	Signo40; Wall mount; 13.56mHz Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 246.94	\$ 189.09
334290L	Avigilon	AC-HID-READER-SIGNO-40NKS-02-0002BL	Signo40; Wall mount; 13.56mHz Profile ; OSDP/Wiegand; Pigtail; Mobile Ready; BLE	\$ 246.94	\$ 189.09
334290L	Avigilon	AC-HID-READER-SIGNO-40TKS-00-000000	Signo40; Wall mount; 13.56mHz &125kHz; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 279.99	\$ 214.40

334290L	Avigilon	AC-HID-READER-SIGNO-40TKS-01-000000	Signo40; Wall mount; Seos Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 213.89	\$ 163.79
334290L	Avigilon	AC-HID-READER-SIGNO-40TKS-01-00001H	Signo40; Wall mount; Seos Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 213.89	\$ 163.79
334290L	Avigilon	AC-HID-READER-SIGNO-40TKS-01-00001H-AVG	Signo40; Wall mount; Seos Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 213.89	\$ 163.79
334290L	Avigilon	AC-HID-READER-SIGNO-40TKS-02-000000	Signo40; Wall mount; 13.56mHz Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 246.94	\$ 189.09
334290L	Avigilon	AC-HID-READER-SIGNO-40TKS-02-0002BL	Signo40; Wall mount; 13.56mHz Profile ; OSDP/Wiegand; Terminal; Mobile Ready; BLE	\$ 246.94	\$ 189.09
334290L	Avigilon	AC-HID-READ-ICLASS-SE-MOB-OSDP-900NMPNEKMA005	RDR; R10; ICLASS; SE E; LF OFF; HF STD/SIO/SEOS/MA; OSDP; PIG; BLK; A/V OFF; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; MOBILE-READY (HID Part #: 900NMPNEKMA005)	\$ 224.40	\$ 171.83
334290L	Avigilon	AC-HID-READ-ICLASS-SE-MOB-OSDP-900NMPTEKMA005	RDR; R10; ICLASS; SE E; LF OFF; HF STD/SIO/SEOS/MA; OSDP; TERM; BLK; A/V OFF; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; MOBILE-READY (HID Part #: 900NMPTEKMA005)	\$ 224.40	\$ 171.83
334290L	Avigilon	AC-HID-READ-ICLASS-SE-MOB-OSDP-910NMPNEKMA005	RDR; R15; ICLASS; SE E; LF OFF; HF STD/SIO/SEOS/MA; OSDP; PIG; BLK; A/V OFF; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; MOBILE-READY (HID Part #: 910NMPNEKMA005)	\$ 331.50	\$ 253.84
334290L	Avigilon	AC-HID-READ-ICLASS-SE-MOB-OSDP-910NMPTEKMA005	RDR; R15; ICLASS; SE E; LF OFF; HF STD/SIO/SEOS/MA; OSDP; TERM; BLK; A/V OFF; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; MOBILE-READY (HID Part #: 910NMPTEKMA005)	\$ 331.50	\$ 253.84
334290L	Avigilon	AC-HID-READ-ICLASS-SE-MOB-OSDP-920NMPNEKMA005	RDR; R40; ICLASS; SE E; LF OFF; HF STD/SIO/SEOS/MA; OSDP; PIG; BLK; A/V OFF; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; MOBILE-READY (HID Part #: 920NMPNEKMA005)	\$ 331.50	\$ 253.84

334290L	Avigilon	AC-HID-READ-ICLASS-SE-MOB-OSDP-920NMPTEKMA005	RDR; R40; ICLASS; SE E; LF OFF; HF STD/SIO/SEOS/MA; OSDP; TERM; BLK; A/V OFF; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; MOBILE-READY (HID Part #: 920NMPTEKMA005)	\$ 331.50	\$ 253.84
334290L	Avigilon	AC-HID-READ-ICLASS-SE-MOB-WG-920NBNEKES077	R40 Standard wall switch reader; Wiegand; No Prox; iCLASS Seos; Mobile IDs via NFC and Bluetooth Smart; HID Elite and Mobile-Enabled; Pigtail; Non-standard configuration (HID Part #: 920NBNEKES077)	\$ 329.46	\$ 252.28
334290L	Avigilon	AC-HID-READ-ICLASS-SE-R40-WG-920NSNNEK20000	RDR; R40; ICLASS; SE E; LF OFF; HF SEOS; WIEG; PIG; BLK; STD-2; LED RED; FLSH GRN; BZR ON; VAR BIT OUTPUT PER SIO; IPM OFF; VEL ON	\$ 251.94	\$ 192.92
334290L	Avigilon	AC-HID-READ-ICLASS-SE-RK40-WG-921NSNNEK20000	RDR; RK40; ICLASS; SE E; LF OFF; HF SEOS; WIEG; PIG; BLK; STD-2; LED RED; FLSH GRN; BZR ON; VAR BIT OUTPUT PER SIO; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; VEL ON	\$ 460.02	\$ 352.26
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-OSDP-900PMPNEKMA007	RDR; RP10; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS/MA; 485HDX; A/V OFF; OSDP V1; PIG; BLK; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; UART OFF; WIEG OFF; MOBILE-READY (HID Part #: 900PMPNEKMA007)	\$ 260.10	\$ 199.17
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-OSDP-900PMPTEKMA007	RDR; RP10; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS/MA; OSDP; TERM; BLK; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; MOBILE-READY (HID Part #: 900PMPTEKMA007)	\$ 260.10	\$ 199.17
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-OSDP-910PMPNEKMA007	RDR; RP15; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS/MA; OSDP; PIG; BLK; A/V OFF; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; MOBILE-READY (HID Part #: 910PMPNEKMA007)	\$ 367.20	\$ 281.18

334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-OSDP-920PMPNEKMA007	RDR; RP40; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS/MA; OSDP; PIG; BLK; A/V OFF; OSDP V1; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; UART OFF; WIEG OFF; MOBILE READY (HID Part #: 920PMPNEKMA007)	\$ 367.20	\$ 281.18
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-OSDP-920PMPTEKMA007	RDR; RP40; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS/MA; OSDP; TERM; BLK; A/V OFF; OSDP V1; OPT TAMP; OPEN COLL; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; UART OFF; WIEG OFF; MOBILE READY (HID Part #: 920PMPTEKMA007)	\$ 367.20	\$ 281.18
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-OSDP-921PMPTEKMA008	RDR; RPK40; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS/MA; OSDP; TERM; BLK; A/V OFF; OSDP V1; OPT TAMP; OC; OSDP TAMP ENBLD; TEST KEY; POLL=75MS; CSN 32-BIT MSB; EM4102 32-BIT; KPF; ASCII; BFFRD 1 KEY; IPM OFF; UART OFF; WIEG OFF; MOBILE READY (HID Part #: 921PMPTEKMA008)	\$ 576.30	\$ 441.30
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-WG-900PBNNEK20000	RDR; RP10; MULTICLASS; SE E; LF FSK ONLY; HF SEOS; WIEG; PIG; BLK; STD-2; LED RED; FLSH GRN; BZR ON; VAR BIT OUTPUT PER SIO; IPM OFF; VEL ON; MOBILE READY (HID Part #: 900PBNNEK20000)	\$ 260.10	\$ 199.17
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-WG-900PBNTEK20000	RDR; RP10; MULTICLASS; SE E; LF FSK ONLY; HF SEOS; WIEG; TERM; BLK; STD-2; LED RED; FLSH GRN; BZR ON; VAR BIT OUTPUT PER SIO; IPM OFF; VEL ON; MOBILE READY (HID Part #: 900PBNTEK20000)	\$ 260.10	\$ 199.17
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-WG-900PMNNEKMA003	RDR; RP10; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS/MA; WIEG; PIG; BLK; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; MOBILE-READY (HID Part #: 900PMNNEKMA003)	\$ 260.10	\$ 199.17

334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-WG-900PMNTEKMA003	RDR; RP10; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS/MA; WIEG; TERM; BLK; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; MOBILE-READY (HID Part #: 900PMNTEKMA003)	\$ 260.10	\$ 199.17
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-WG-910PBNNEK20000	RDR; RP15; MULTICLASS; SE E; LF STD; HF SEOS/MA; WIEG; PIG; BLK; STD-2. LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; I'M ALIVE; VAR OUTPUT PER SIO; IPM OFF; VEL ON; MOBILE READY (HID Part #: 910PBNNEK20000)	\$ 367.20	\$ 281.18
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-WG-910PMNNEKMA003	RDR; RP15; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS/MA; WIEG; PIG; BLK; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; MOBILE-READY (HID Part #: 910PMNNEKMA003)	\$ 367.20	\$ 281.18
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-WG-920PBNNEK20000	RDR; RP40; MULTICLASS; SE E; LF FSK ONLY; HF SEOS; WIEG; PIG; BLK; STD-2; LED RED; FLSH GRN; BZR ON; VAR BIT OUTPUT PER SIO; IPM OFF; VEL ON; MOBILE READY (HID Part #: 920PBNNEK20000)	\$ 367.20	\$ 281.18
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-WG-920PBNTEK20000	RDR; RP40; MULTICLASS; SE E; LF FSK ONLY; HF SEOS; WIEG; TERM; BLK; STD-2; LED RED; FLSH GRN; BZR ON; VAR BIT OUTPUT PER SIO; IPM OFF; VEL ON; MOBILE READY (HID Part #: 920PBNTEK20000)	\$ 367.20	\$ 281.18
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-WG-920PMNNEKMA003	RDR; RP40; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS/MA; WIEG; PIG; BLK; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; MOBILE-READY (HID Part #: 920PMNNEKMA003)	\$ 367.20	\$ 281.18
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-WG-920PMNTEKMA003	RDR; RP40; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS/MA; WIEG; TERM; BLK; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; IPM OFF; MOBILE-READY (HID Part #: 920PMNTEKMA003)	\$ 367.20	\$ 281.18

334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-WG-921PBNTEK20000	RDR; RPK40; MULTICLASS; SE E; LF FSK ONLY; HF SEOS; WIEG; TERM; BLK; STD-2; LED RED; FLSH GRN; BZR ON; VAR BIT OUTPUT PER SIO; KPF; BFFRD 1 KEY; NO PAR; 4-BIT MSG; IPM OFF; VEL ON; MOBILE READY (HID Part #: 921PBNTEK20000)	\$ 576.30	\$ 441.30
334290L	Avigilon	AC-HID-READ-MCLASS-SE-MOB-WG-921PMNTEKMA004	RDR; RPK40; MULTICLASS; SE E; LF STD; HF STD/SIO/SEOS/MA; WIEG; TERM; BLK; LED RED; FLSH GRN; BZR ON; OPT TAMP; OPEN COLL; CSN 32-BIT MSB; EM4102 32-BIT; KPF; BUFFRD 1 KEY; NO PAR; 4 BIT MSG; IPM OFF; MOBILE READY (HID Part #: 921PMNTEKMA004)	\$ 576.30	\$ 441.30
334290L	Avigilon	AC-HID-READ-MCLASS-SE-PROX-WG-900PTNTEK00000	RDR; RP10; MULTICLASS; SE REV E; STD PROX; STD; WIEGAND; TERM; BLK; STD 1 SECURITY; LED RED; FLASH GRN; BZR ON; IPM OFF; 32 BIT (HID Part #: 900PTNTEK00000)	\$ 183.60	\$ 140.59
334290L	Avigilon	AC-HID-READ-MCLASS-SE-PROX-WG-910PTNTEK00000	RDR; RP15; MULTICLASS; SE REV E; STD PROX; STD; WIEGAND; TERM; BLK; STD 1 SECURITY; LED RED; FLASH GRN; BZR ON; IPM OFF; 32 BIT (HID Part #: 910PTNTEK00000)	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-READ-MCLASS-SE-PROX-WG-920PTNTEK00000	RDR; RP40; MULTICLASS; SE REV E; STD PROX; STD; WIEGAND; TERM; BLK; STD 1 SECURITY; LED RED; FLASH GRN; BZR ON; IPM OFF; 32 BIT (HID Part #: 920PTNTEK00000)	\$ 290.70	\$ 222.60
334290L	Avigilon	AC-HID-READ-MCLASS-SE-PROX-WG-921PTNTEK00000	RDR; RPK40; MULTICLASS; SE REV E; KPD; STD PROX; STD; WIEGAND; TERM; BLK; STD 1 SECURITY; LED RED; FLASH GRN; BZR ON; IPM OFF; KPF-4-BIT; 32 BIT (HID Part #: 921PTNTEK00000)	\$ 499.80	\$ 382.72
334290L	Avigilon	AC-HID-READ-OMNIKEY-R54270101	5427 CK standard omnikey USB Enrollment reader; iCLASS Seos®; HID Prox®; iCLASS SE®; MIFARE Classic® and MIFARE® DESFire® EV1; supports NFC (HID Part Number: R54270001)	\$ 295.80	\$ 226.51
334290L	Avigilon	AC-ING-READ-APTIQ-ENROLL-MT20	Schlage (formerly aptiQ™) MT20 Multi-technology enrollment reader with ENGAGE™ technology (Allegion Part Number: MT20)	\$ 517.67	\$ 396.40
334220	Avigilon	AC-LANYARD-05	Lanyard for Body-worn cameras	\$ 5.10	\$ 3.91

334290L	Avigilon	AC-LSP-CAMLOCKSET	Replacement Camlock and key (set of three) for LifeSafety Power enclosures; keyed alike (Lifesafety Power # Camlock Set)(LifeSafety Power Part Number: Camlock_Set)	\$ 20.40	\$ 15.62
334290L	Avigilon	AC-LSP-E1M	Backplate; Standoffs & E1M size cabinet kit: Size: 12" x 14" x 4.5"; Weight: 9 lb. (LifeSafety Power Part Number: E1M)	\$ 280.50	\$ 214.79
334290L	Avigilon	AC-LSP-E2-BS1	Locking battery enclosure with one 4" battery shelf. 20x16x4.5 enclosure with pre-installed lock set and tamper switch.	\$ 255.00	\$ 195.26
334290L	Avigilon	AC-LSP-E2M	Backplate; Standoffs & E2M size cabinet kit: Size: 16" x 20" x 4.5"; Weight: 13 lb. (LifeSafety Power Part Number: E2M)	\$ 315.18	\$ 241.35
334290L	Avigilon	AC-LSP-E4-3BS1	Locking battery enclosure with three 4" battery shelf. 24x20x4.5 enclosure with pre-installed lock set and tamper switch.	\$ 367.20	\$ 281.18
334290L	Avigilon	AC-LSP-WIRED-FPO150/250-2C83D8PE8M2/P16-A	Sixteen Door Mercury Panduit ProWire Unified Power wall mount Power supply board 150W; 12A/12V Power supply board 250W; 10A/24V 16 relay lock control outputs fused at 3A 16 auxiliary outputs power limited at 2.5A Enclosure size: 36" x 30" x 4.5" 73 lbs Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment; all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-2C83D8PE8M2/P16-A)	\$ 2,982.48	\$ 2,283.81

334290L	Avigilon	AC-LSP-WIRED-FPO150/250-2C83D8PE8M2/P16-C	<p>Sixteen Door Mercury Panduit ProWire Unified Power wall mount Power supply board 150W; 12A/12V Power supply board 250W; 10A/24V 16 relay lock control outputs fused at 3A 16 auxiliary outputs power limited at 2.5A Enclosure size: 36" x 30" x 4.5" 73 lbs Wired for all MR52s. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment; all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-2C83D8PE8M2/P16-C)</p>	\$ 2,982.48	\$ 2,283.81
334290L	Avigilon	AC-LSP-WIRED-FPO150/250-3D8P2M8NL4E8M2/P16-A	<p>Sixteen Door Mercury Panduit ProWire Unified Power wall mount Power supply board 150W; 12A/12V Power supply board 250W; 10A/24V 16 relay managed outputs fused at 3A 16 auxiliary outputs power limited at 2.5A Four port monitoring module Enclosure size: 36" x 30" x 4.5" 73 lbs Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment; all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-3D8P2M8NL4E8M2/P16-A)</p>	\$ 3,503.70	\$ 2,682.93

334290L	Avigilon	AC-LSP-WIRED-FPO150/250-3D8P2M8NL4E8M2/P16-C	<p>Sixteen Door Mercury Panduit ProWire Unified Power wall mount Power supply board 150W; 12A/12V Power supply board 250W; 10A/24V 16 relay managed outputs fused at 3A 16 auxiliary outputs power limited at 2.5A Four port monitoring module Enclosure size: 36" x 30" x 4.5" 73 lbs Wired for All MR52s. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment; all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150/250-3D8P2M8NL4E8M2/P16-C)</p>	\$ 3,503.70	\$ 2,682.93
334290L	Avigilon	AC-LSP-WIRED-FPO150-B1002D8PM8NL4E6M/P8-A	<p>Eight Door Mercury Panduit ProWire Unified Power wall mount Power supply board 150W; 4A/24V Secondary voltage module; 4A/12V class 2 power limited Eight relay managed outputs fused at 3A 8 auxiliary output power limited at 2.5A Four port monitoring module Enclosure size: 30" x 23" x 6.5" 47 lbs Wired for MR52/EP1502. NOTE: All ProWire Unified Power wall mounts are custom made to order. After 48 hours of Avigilon's order acknowledgment; all changes to an accepted purchase order will be subject to a Change Order charge of 30% of the net deliverable value. Returns and cancellations of an order or portion of an order that includes deliverables that have been manufactured and prepped for shipping will be applied with a 50% restocking fee. (Lifesafety Power Part #: FPO150-B1002D8PM8NL4E6M/P8-A)</p>	\$ 2,184.84	\$ 1,673.03

334290L	Avigilon	AC-MER-CON-MR52	Series 3 Two-Reader Interface Module: mag or wiegand; 8 inputs; 6 relays (Mercury Part Number: MR52-S3)	\$ 726.24	\$ 556.11
334290L	Avigilon	AC-MER-CONT-LP4502	Intelligent Controller; Linux Based with 2 doors; 8 inputs and 4 outputs; expandable up to 64 doors. (Mercury Part #: LP4502)	\$ 2,658.12	\$ 2,035.44
334290L	Avigilon	AC-SCH-COM400L-626	Wireless AD-400 Communication Kit Module Cover with Indicator	\$ 335.21	\$ 256.69
334290L	Avigilon	AC-SCH-READER-MTB11	Mobile Enabled Multi-Technology Reader – Mullion Mount - Dimensions: 5.91" x 1.72" x 0.81". Power required: 5-24 VDC - RS-485 capability included in standard product offering	\$ 347.94	\$ 266.43
334290L	Avigilon	AC-SCH-READER-MTB15	Mobile Enabled Multi-Technology Reader – Wall Mount - Dimensions: 5.1" x 3.25" x 0.76". Power required: 5-24 VDC - RS-485 capability included in standard product offering	\$ 347.94	\$ 266.43
334290L	Avigilon	AC-SCH-READER-MTKB15	Mobile Enabled Multi-Technology Reader – Wall Mount with Keypad - Dimensions: 5.1" x 3.25" x 0.76". Power required: 5-24 VDC - RS-485 capability included in standard product offering	\$ 559.04	\$ 428.08
334290L	Avigilon	AC-SCH-READ-MODULE-MT-626	AD-400 Multi-Technology reader module in grey (Allegion Part #: MT-626).	\$ 657.70	\$ 503.63
334290L	Avigilon	AC-SCH-READ-MODULE-SI-626	AD-400 Smart Technology iClass compatible reader module in grey (Allegion Part #: SI-626).	\$ 763.78	\$ 584.86
334290L	Avigilon	AC-SCH-READ-MODULE-SIK-626	AD-400 Smart Technology iClass compatible reader + keypad module in grey (Allegion Part #: SIK-626).	\$ 816.82	\$ 625.47

334290L	Avigilon	AC-SW-16R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 16 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 16 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 16 to 2048 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included	\$ 2,550.00	\$ 1,952.64
334290L	Avigilon	AC-SW-32R-VM-6-P	Access Control Manager Virtual 6 - Web-Based PACS Virtual for 32 Readers - includes: embedded 64 bit Linux OS & Open LDAP for configuration database Access Control Manager Security Management Software 32 Reader Count Software License One (1) ACM Verify ACC Video Integration Five (5) partitions Identities CSV export; recurring; one-time; long & short format Total reader capacity can be expanded from 32 to 2048 readers; in increments of 16; with the purchase of the desired quantity of AC-SW-LIC-16RCU-6-P; 16 Reader Count Software Licenses Supports up to 512 controllers 500K identities and 150M stored events and Fifty (50) simultaneous operators (via browser) VMware software is required and not included	\$ 3,399.66	\$ 2,603.26
334290L	Avigilon	AC-SW-LIC-16RCU-6-P	Additional 16 Doors Expansion Software Licenses for Avigilon Access Control Manager Professional; Enterprise; Enterprise Plus & Virtual	\$ 849.66	\$ 650.62

334290L	Avigilon	AC-SW-LIC-ACMEC-MIG-6-P	Access Control Manager 6 License for the migration and conversion of a single ACM Embedded Controller into an ACM Professional; Enterprise of Virtual system. One license is required for each ACM Embedded Controller to be migrated. License includes migration of Cardholders into Identities and conversion of the ACM EC into a HID VertX EVO V1000 controller. The ACM system does require the appropriate number of HID licensing (AC-SW-HID-RDR).	\$ 204.00	\$ 156.21
334290L	Avigilon	AC-SW-LIC-AVO-VER-16VS-6-P	Access Control Manager 6 (ACM) Verify license for 16 virtual stations (per appliance)	\$ 849.66	\$ 650.62
334290L	Avigilon	AC-SW-LIC-AVO-VER-5VS-6-P	Access Control Manager 6 (ACM) Verify license for 5 virtual stations (per appliance)	\$ 306.00	\$ 234.32
334290L	Avigilon	AC-SW-LIC-BDGE-6-P	Badging Software Licenses for Avigilon Access Control Manager Professional; Enterprise; Enterprise Plus & Virtual	\$ 849.66	\$ 650.62
334290L	Avigilon	AC-SW-LIC-BOSCHINTR-10PANEL-6-P	Bosch Intrusion (10 Panel) Integration Software Licenses for Avigilon Access Control Manager 6 Professional; Enterprise; Enterprise Plus & Virtual	\$ 3,060.00	\$ 2,343.17
334290L	Avigilon	AC-SW-LIC-BOSCHINTR-1PANEL-6-P	Bosch Intrusion (1 Panel) Integration Software Licenses for Avigilon Access Control Manager 6 Professional; Enterprise; Enterprise Plus & Virtual	\$ 331.50	\$ 253.84
334290L	Avigilon	AC-SW-LIC-EXACQ-6-P	Access Control Manager 6 License for Video Integration for Exacq (per appliance)	\$ 4,249.32	\$ 3,253.88
334290L	Avigilon	AC-SW-LIC-HID-VERTX-ASM-6-P	Access Control Manager 6 NON OEM (Non Avigilon Ordered) HID VertX EVO V1000 or HID VertX EVO V2000 Assimilation License (per appliance)	\$ 510.00	\$ 390.53
334290L	Avigilon	AC-SW-LIC-LDAP-6-P	Access Control Manager 6 LDAP Directory Connectivity Software License (required for integration with Microsoft Active Directory or other directory products)(per appliance)	\$ 2,550.00	\$ 1,952.64
334290L	Avigilon	AC-SW-LIC-MILEST-6-P	Access Control Manager 6 License for Video Integration for Milestone (per appliance)	\$ 4,249.32	\$ 3,253.88
334290L	Avigilon	AC-SW-LIC-ORCL-6-P	Access Control Manager 6 Oracle Server Connectivity Software License (from Oracle DB 9i forward)(per appliance)	\$ 3,399.66	\$ 2,603.26

334290L	Avigilon	AC-SW-LIC-PART-6-P	Access Control Manager 6 Partitioning License for additional partitions (per appliance)	\$ 4,250.34	\$ 3,254.67
334290L	Avigilon	AC-SW-LIC-REP-6-P	Access Control Manager 6 Multi-Appliance Replication Software License (per appliance)	\$ 3,399.66	\$ 2,603.26
334290L	Avigilon	AC-SW-LIC-REST-6-P	Access Control Manager 6 REST Connectivity Software License (per appliance)	\$ 849.66	\$ 650.62
334290L	Avigilon	AC-SW-LIC-SQL-6-P	Access Control Manager 6 Microsoft SQL Server Connectivity Software License (from Microsoft SQL 2000 forward)(per appliance)	\$ 1,700.34	\$ 1,302.03
334290L	Avigilon	AC-SW-LIC-VIRDI-BIO-6-P	ViRDI BE Manager Integration Software Licenses for Avigilon Access Control Manager 6 Professional; Enterprise; Enterprise Plus & Virtual	\$ 2,550.00	\$ 1,952.64
334290L	Avigilon	AC-SW-LIC-XML-6-P	Access Control Manager 6 XML Events Connectivity Software License (per appliance)	\$ 849.66	\$ 650.62
334220	Avigilon	AC-USB-DOCK-050	USB Cable for Body-worn cameras	\$ 25.50	\$ 19.53
334220	Avigilon	AC-USB-DOCK-200	USB Cable for Body-worn cameras	\$ 25.50	\$ 19.53
334220	Avigilon	AC-USB-MICROB-100	USB Cable for Body-worn cameras	\$ 30.60	\$ 23.44
334220	Avigilon	AINVR-KYD-WARR-5YR	5 Year Keep Your Drive Warranty; All AI NVR Models	\$ 1,020.00	\$ 781.06
334220	Avigilon	AINVR-STD-24TB-AU	AI NVR Standard; 24TB; AU	\$ 16,320.00	\$ 12,496.93
334220	Avigilon	AINVR-STD-24TB-EU	AI NVR Standard; 24TB; EU	\$ 16,320.00	\$ 12,496.93
334220	Avigilon	AINVR-STD-24TB-UK	AI NVR Standard; 24TB; UK	\$ 16,320.00	\$ 12,496.93
334220	Avigilon	AINVR-STD-2NDPS-EU	Secondary Power Supply for AI NVR Standard; EU	\$ 571.20	\$ 437.39
334220	Avigilon	AINVR-STD-2NDPS-NA	Secondary Power Supply for AI NVR Standard; NA	\$ 571.20	\$ 437.39
334220	Avigilon	AINVR-STD-2NDPS-UK	Secondary Power Supply for AI NVR Standard; UK	\$ 571.20	\$ 437.39
334220	Avigilon	AINVR-STD-32TB-AU	AI NVR Standard; 32TB; AU	\$ 17,850.00	\$ 13,668.51
334220	Avigilon	AINVR-STD-32TB-EU	AI NVR Standard; 32TB; EU	\$ 17,850.00	\$ 13,668.51
334220	Avigilon	AINVR-STD-32TB-UK	AI NVR Standard; 32TB; UK	\$ 17,850.00	\$ 13,668.51
334220	Avigilon	AINVR-STD-48TB-AU	AI NVR Standard; 48TB; AU	\$ 24,990.00	\$ 19,135.92
334220	Avigilon	AINVR-STD-48TB-EU	AI NVR Standard; 48TB; EU	\$ 24,990.00	\$ 19,135.92
334220	Avigilon	AINVR-STD-48TB-UK	AI NVR Standard; 48TB; UK	\$ 24,990.00	\$ 19,135.92
334220	Avigilon	AINVR-STD-WARR-5Y4HMC	Upgrade the 5 year NBD warranty that comes with AI NVR Standard to 5 year 4HMC	\$ 2,550.00	\$ 1,952.64
334220	Avigilon	AINVR-VAL-12TB-AU	AI NVR Value; 12TB; AU	\$ 6,630.00	\$ 5,076.88
334220	Avigilon	AINVR-VAL-12TB-EU	AI NVR Value; 12TB; EU	\$ 6,630.00	\$ 5,076.88
334220	Avigilon	AINVR-VAL-12TB-UK	AI NVR Value; 12TB; UK	\$ 6,630.00	\$ 5,076.88
334220	Avigilon	AINVR-VAL-2NDPS-EU	Secondary Power Supply for AI NVR Value; EU	\$ 418.20	\$ 320.23

334220	Avigilon	AINVR-VAL-2NDPS-NA	Secondary Power Supply for AI NVR Value; NA	\$ 418.20	\$ 320.23
334220	Avigilon	AINVR-VAL-2NDPS-UK	Secondary Power Supply for AI NVR Value; UK	\$ 418.20	\$ 320.23
334220	Avigilon	AINVR-VAL-6TB-AU	AI NVR Value; 6TB; AU	\$ 5,406.00	\$ 4,139.61
334220	Avigilon	AINVR-VAL-6TB-EU	AI NVR Value; 6TB; EU	\$ 5,406.00	\$ 4,139.61
334220	Avigilon	AINVR-VAL-6TB-NA	AI NVR Value; 6TB; NA	\$ 5,406.00	\$ 4,139.61
334220	Avigilon	AINVR-VAL-6TB-UK	AI NVR Value; 6TB; UK	\$ 5,406.00	\$ 4,139.61
334220	Avigilon	AINVR-VAL-WARR-5Y4HMC	Upgrade the 5 year NBD warranty that comes with AI NVR Value to 5 year 4HMC	\$ 1,428.00	\$ 1,093.48
334220	Avigilon	APD-WARR-EXTEND-1YR	Extended Warranty for Avigilon Presence Detector; 1 year extension	\$ 86.70	\$ 66.39
334220	Avigilon	APD-WARR-EXTEND-2YR	Extended Warranty for Avigilon Presence Detector; 2 year extension	\$ 173.40	\$ 132.78
334220	Avigilon	AVGEX-CMAN0401	Armored cable available by metre (min. 10m): 1 Ethernet cable; 3 power supply wires. Built to order; orders are non-cancellable and non-returnable.	\$ 36.72	\$ 28.12
334220	Avigilon	AVGEX-CMAN1200	Armored cable available by metre (min. 10m): 1 ethernet cable; 3 power supply wires; 1 coaxial cable; 7 wires for alarms; relays and telemetry. Built to order; orders are non-cancellable and non-returnable.	\$ 49.98	\$ 38.27
334220	Avigilon	AVGEX-CMSN0400	Unrmored cable available by metre (min. 10m): 1 Ethernet cable; 3 power supply wires. Built to order; orders are non-cancellable and non-returnable.	\$ 33.66	\$ 25.77
334220	Avigilon	AVGEX-CMSN2200	Unarmored cable available by metre (min. 10m): 2 ethernet cable; 3 power supply wires; 2 coaxial cable; 15 wires for alarms; relays and telemetry. Built to order; orders are non-cancellable and non-returnable.	\$ 36.72	\$ 28.12

334220	Avigilon	AVGEX-MBA1S5A	<p>Communication box with Ethernet switch and power supply: -3 RJ45 ports; Fast Ethernet (10BASE-T/100BASE-T) -1 SFP port; Fast Ethernet (100BASE-FX); for fibre optic connection -2 bypass for analog video signals with BNC connectors -2 bypass for I/O signals with multi-pin connectors -230VAC input voltage -Power supply to 1x 24VAC H5EXPTZ and optional washer pump solenoid -Power supply to 2x 24VAC H5EX cameras and 2x optional washer pump solenoid Operating temperature: from -40°C (-40°F) up to +70°C (158°F) IP66; IP67; IP68; IP69 For use in Zones 1 and 2 IIC Group (Gas) and in Zones 21 and 22 IIIC Group (Dust); ambient temperature up to +80°C (+176°F) Aluminum construction. Built to order; orders are non-cancellable and non-returnable.</p>	\$ 2,035.00	\$ 1,558.29
334220	Avigilon	AVGEX-MBA2S5A	<p>Communication box with Ethernet switch and power supply: -3 RJ45 ports; Fast Ethernet (10BASE-T/100BASE-T) -1 SFP port; Fast Ethernet (100BASE-FX); for fibre optic connection -2 bypass for analog video signals with BNC connectors -2 bypass for I/O signals with multi-pin connectors -24VAC input voltage -Power supply to 1x 24VAC H5EXPTZ and optional washer pump solenoid -Power supply to 2x 24VAC H5EX cameras and 2x optional washer pump solenoid Operating temperature: from -40°C (-40°F) up to +70°C (158°F) IP66; IP67; IP68; IP69 For use in Zones 1 and 2 IIC Group (Gas) and in Zones 21 and 22 IIIC Group (Dust); ambient temperature up to +80°C (+176°F) Aluminum construction. Built to order; orders are non-cancellable and non-returnable.</p>	\$ 2,035.00	\$ 1,558.29

334220	Avigilon	AVGEX-MBA3S5A	<p>Communication box with Ethernet switch and power supply: -3 RJ45 ports; Fast Ethernet (10BASE-T/100BASE-T) -1 SFP port; Fast Ethernet (100BASE-FX); for fibre optic connection -2 bypass for analog video signals with BNC connectors -2 bypass for I/O signals with multi-pin connectors -120VAC input voltage -Power supply to 1x 24VAC H5EXPTZ and optional washer pump solenoid -Power supply to 2x 24VAC H5EX cameras and 2x optional washer pump solenoid Operating temperature: from -40°C (-40°F) up to +70°C (158°F) IP66; IP67; IP68; IP69 For use in Zones 1 and 2 IIC Group (Gas) and in Zones 21 and 22 IIIC Group (Dust); ambient temperature up to +80°C (+176°F) Aluminum construction. Built to order; orders are non-cancellable and non-returnable.</p>	\$ 2,035.00	\$ 1,558.29
334220	Avigilon	AVGEX-MBX1MAA	<p>Communication box with Ethernet switch and power supply: -3 RJ45 ports; Fast Ethernet (10BASE-T/100BASE-T) -1 SFP port; Fast Ethernet (100BASE-FX); for fibre optic connection -2 bypass for analog video signals with BNC connectors -2 bypass for I/O signals with multi-pin connectors -230VAC input voltage -Power supply to 1x 24VAC H5EXPTZ and optional washer pump solenoid -Power supply to 2x 24VAC H5EX cameras and 2x optional washer pump solenoid Operating temperature: from -40°C (-40°F) up to +70°C (158°F) IP66; IP67; IP68; IP69 For use in Zones 1 and 2 IIC Group (Gas) and in Zones 21 and 22 IIIC Group (Dust); ambient temperature up to +80°C (+176°F) AISI 316L stainless steel construction. Built to order; orders are non-cancellable and non-returnable.</p>	\$ 2,414.00	\$ 1,848.50

334220	Avigilon	AVGEX-MBX2MAA	Communication box with Ethernet switch and power supply: -3 RJ45 ports; Fast Ethernet (10BASE-T/100BASE-T) -1 SFP port; Fast Ethernet (100BASE-FX); for fibre optic connection -2 bypass for analog video signals with BNC connectors -2 bypass for I/O signals with multi-pin connectors -24VAC input voltage -Power supply to 1x 24VAC H5EXPTZ and optional washer pump solenoid -Power supply to 2x 24VAC H5EX cameras and 2x optional washer pump solenoid Operating temperature: from -40°C (-40°F) up to +70°C (158°F) IP66; IP67; IP68; IP69 For use in Zones 1 and 2 IIC Group (Gas) and in Zones 21 and 22 IIIC Group (Dust); ambient temperature up to +80°C (+176°F) AISI 316L stainless steel construction	\$ 2,414.00	\$ 1,848.50
334220	Avigilon	AVGEX-MBX3MAA	Communication box with Ethernet switch and power supply: -3 RJ45 ports; Fast Ethernet (10BASE-T/100BASE-T) -1 SFP port; Fast Ethernet (100BASE-FX); for fibre optic connection -2 bypass for analog video signals with BNC connectors -2 bypass for I/O signals with multi-pin connectors -120VAC input voltage -Power supply to 1x 24VAC H5EXPTZ and optional washer pump solenoid -Power supply to 2x 24VAC H5EX cameras and 2x optional washer pump solenoid Operating temperature: from -40°C (-40°F) up to +70°C (158°F) IP66; IP67; IP68; IP69 For use in Zones 1 and 2 IIC Group (Gas) and in Zones 21 and 22 IIIC Group (Dust); ambient temperature up to +80°C (+176°F) AISI 316L stainless steel construction. Built to order; orders are non-cancellable and non-returnable.	\$ 2,414.00	\$ 1,848.50
334220	Avigilon	AVGEX-MBXMP	Adapter plate for communication box to AVGEX-MPXCOL or AVGEX-MPXCW mounts. AISI 316L stainless steel. Built to order; orders are non-cancellable and non-returnable.	\$ 381.48	\$ 292.11

334220	Avigilon	AVGEX-MBXWRE	Wrench for opening communication boxes; AVGEX-MBX. Built to order; orders are non-cancellable and non-returnable.	\$ 73.44	\$ 56.23
334220	Avigilon	AVGEX-MHXWFWCA	Parapet mounting bracket for H5EX-BO; AISI 316L stainless steel. Built to order; orders are non-cancellable and non-returnable.	\$ 285.60	\$ 218.70
334220	Avigilon	AVGEX-MMXCABLARM10	Replacement 10m armored cable for H5EX Compact Bullet. Built to order; orders are non-cancellable and non-returnable.	\$ 673.20	\$ 515.50
334220	Avigilon	AVGEX-MMXCABLARM4	Replacement 4m armored cable for H5EX Compact Bullet. Built to order; orders are non-cancellable and non-returnable.	\$ 392.70	\$ 300.71
334220	Avigilon	AVGEX-MMXCWCOL	Stainless steel AISI 316L Corner and pole mount adaptor for H5EX compact bullet. Built to order; orders are non-cancellable and non-returnable.	\$ 100.98	\$ 77.32
334220	Avigilon	AVGEX-MPX2CABL10	Cabling for H5EXPTZ 10m; prewired and barrier cable gland. Built to order; orders are non-cancellable and non-returnable.	\$ 1,122.00	\$ 859.16
334220	Avigilon	AVGEX-MPX2CABL4	Cabling for H5EXPTZ 4m; prewired and barrier cable gland. Built to order; orders are non-cancellable and non-returnable.	\$ 748.68	\$ 573.30
334220	Avigilon	AVGEX-MPX2CABLARM10	Armored Cabling for H5EXPTZ 10m; prewired and barrier cable gland. Built to order; orders are non-cancellable and non-returnable.	\$ 1,122.00	\$ 859.16
334220	Avigilon	AVGEX-MPX2CABLARM4	Armored Cabling for H5EXPTZ 4m; prewired and barrier cable gland. Built to order; orders are non-cancellable and non-returnable.	\$ 748.68	\$ 573.30
334220	Avigilon	AVGEX-MPXCOL	Pole mount for use with AVGEX-MBXMP or H5EX PTZ cameras. For pole diameter from 110mm (4.3") to 150mm (5.9"). Max load 50kg (110 lb). AISI 316L stainless steel. Built to order; orders are non-cancellable and non-returnable.	\$ 369.24	\$ 282.74
334220	Avigilon	AVGEX-MPXCW	Corner mount for use with AVGEX-MBXMP or H5EX PTZ cameras. Max load 50 kg (110lb). AISI 316L stainless steel. Built to order; orders are non-cancellable and non-returnable.	\$ 269.28	\$ 206.20

334220	Avigilon	AVGEX-MPXWBA	Wall bracket; for H5EX PTZ; AISI 316L stainless steel. Built to order; orders are non-cancellable and non-returnable.	\$ 499.80	\$ 382.72
334220	Avigilon	AVGEX-MPXWBTA	Parapet or ceiling mount bracket for H5EX PTZ; AISI 316L stainless steel. Built to order; orders are non-cancellable and non-returnable.	\$ 216.24	\$ 165.58
334220	Avigilon	AVGEX-NXCOL	Pole mount adaptor; for H5EX bullet cameras or explosion proof washers; for pole diameters from 110mm (4.3") to 150mm (5.9"); max load 50kg (110lbs); AISI 316L stainless steel.	\$ 269.28	\$ 206.20
334220	Avigilon	AVGEX-NXCW	Corner mount adaptor; for H5EX bullet cameras or explosion proof washers; max load 50kg (110lbs); AISI 316L stainless steel	\$ 134.64	\$ 103.10
334220	Avigilon	AVGEX-NXFWBT	Parapet extension for H5EX-BO; 124mm (4.9"); AISI 316L stainless steel. Built to order; orders are non-cancellable and non-returnable.	\$ 209.10	\$ 160.12
334220	Avigilon	AVGEX-NXWBS1	Wall bracket for H5EX-BO; AISI 316L stainless steel. Built to order; orders are non-cancellable and non-returnable.	\$ 258.06	\$ 197.61
334220	Avigilon	AVGEX-NXWTU	Wall adapter module; for use with AVGEX-NXWBS1. AISI 316L stainless steel.	\$ 426.36	\$ 326.48
334220	Avigilon	AVGEX-OCTEX1/2-3/4P	Cable gland reduction in nickel-plated brass 3/4" - 1/2" NPT -100°C/+400°C	\$ 38.76	\$ 29.68
334220	Avigilon	AVGEX-OCTEXB1/2P	Barrier cable gland 1/2" NPT unarmoured cable IECEX-ATEX - 60/+135°C	\$ 81.60	\$ 62.49
334220	Avigilon	AVGEX-OCTEXB3/4P	Barrier cable gland 3/4" NPT unarmoured cable IECEX-ATEX - 60/+135°C	\$ 206.04	\$ 157.77
334220	Avigilon	AVGEX-OCTEXBA1/2P	Barrier cable gland 1/2" NPT armoured cable -60/+135°C	\$ 130.56	\$ 99.98
334220	Avigilon	AVGEX-OCTEXBA3/4P	Barrier cable gland 3/4" NPT armoured cable -60/+135°C	\$ 244.80	\$ 187.46
334220	Avigilon	AVGEX-OEXPLUG1/2P	EX 1/2" NPT IECEX-ATEX plug - 100/+400°C	\$ 16.32	\$ 12.49
334220	Avigilon	AVGEX-OEXPLUG3/4P	EX 3/4" NPT IECEX-ATEX plug - 100/+400°C	\$ 11.22	\$ 8.59

334220	Avigilon	AVGEX-WASEX2T4AT	Stainless steel enclosure; 10L water tank and pump with explosion proof solenoid valve; 20m delivery; 24VAC/VDC; ATEX IIC-IIIC T6-T5-T4; EAC Ex. Built to order; orders are non-cancellable and non-returnable.	\$ 2,438.00	\$ 1,866.88
334220	Avigilon	AVGEX-WASEX2T4GOR	Stainless steel enclosure; 10L water tank and pump with explosion proof electrovalve; 20m delivery; 24VAC/VDC; EAC Ex. Built to order; orders are non-cancellable and non-returnable.	\$ 2,438.00	\$ 1,866.88
334220	Avigilon	AVGEX-WASEX2T4IN	Stainless steel enclosure; 10L water tank and pump with explosion proof solenoid valve; 20m delivery; 24VAC/VDC; INMETRO. Built to order; orders are non-cancellable and non-returnable.	\$ 2,438.00	\$ 1,866.88
334220	Avigilon	AVGEX-WASEX2T4KC	Stainless steel enclosure; 10L water tank and pump with explosion proof solenoid valve; 20m delivery; 24VAC/VDC; KCs. Built to order; orders are non-cancellable and non-returnable.	\$ 2,933.00	\$ 2,245.92
334220	Avigilon	CAM-FIPS	FIPS Camera license	\$ 10.20	\$ 7.81
334220	Avigilon	DC-200/AUS	DockController DC-200; PSU; AUS power & LAN cable. Available only for EU; EFTA; US; Australia; New Zealand and Canada. For use with	\$ 734.40	\$ 562.36
334220	Avigilon	DC-200/EU	DockController (EU)	\$ 734.40	\$ 562.36
334220	Avigilon	DC-200/ROW	DockController (ROW)	\$ 734.40	\$ 562.36
334220	Avigilon	DC-200/UK	DockController DC-200; PSU; UK power & LAN cable. Available only for EU; EFTA; US; Australia; New Zealand and Canada. For use with body worn cameras.	\$ 734.40	\$ 562.36
334220	Avigilon	DC-200/US	DockController DC-200; PSU; US power & LAN cable. Available only for EU; EFTA; US; Australia; New Zealand and Canada. For use with body worn cameras.	\$ 734.40	\$ 562.36
334220	Avigilon	DC-200-12MW	12 Month Warranty for DC-200	\$ 132.60	\$ 101.54
334220	Avigilon	H264ENC-WARR-EXTEND-1YR	Extended Warranty for Analog Video Encoder; 1 year extension	\$ 35.70	\$ 27.34
334220	Avigilon	H264ENC-WARR-EXTEND-2YR	Extended Warranty for Analog Video Encoder; 2 years extension	\$ 70.38	\$ 53.89
334220	Avigilon	H4AES-WARR-EXTEND-1YR	Extended Warranty for H4A ES box; dome and bullet cameras; 1 year extension	\$ 140.76	\$ 107.79

334220	Avigilon	H4AES-WARR-EXTEND-2YR	Extended Warranty for H4A ES box; dome and bullet cameras; 2 years extension	\$ 281.52	\$ 215.58
334220	Avigilon	H4A-ETD-KIT	H4 Thermal Elevated Temperature Detection Solution; 640x512 Thermal Bullet Camera; Black Body; Tripod x 2	\$ 5,610.00	\$ 4,295.82
334220	Avigilon	H4AMH-WARR-EXTEND-1YR	Extended Warranty for H4 Multisensor camera; 1 year extension	\$ 193.80	\$ 148.40
334220	Avigilon	H4AMH-WARR-EXTEND-2YR	Extended Warranty for H4 Multisensor camera; 2 years extensions	\$ 387.60	\$ 296.81
334220	Avigilon	H4A-WARR-EXTEND-1YR	Extended Warranty for H4A box; dome and bullet cameras; 1 year extension	\$ 105.06	\$ 80.45
334220	Avigilon	H4A-WARR-EXTEND-2YR	Extended Warranty for H4A box; dome and bullet cameras; 2 years extension	\$ 209.10	\$ 160.12
334220	Avigilon	H4F-WARR-EXTEND-1YR	Extended Warranty for H4 Fisheye cameras; 1 year extension	\$ 89.76	\$ 68.74
334220	Avigilon	H4F-WARR-EXTEND-2YR	Extended Warranty for H4 Fisheye cameras; 2 years extension	\$ 179.52	\$ 137.47
334220	Avigilon	H4IRPTZ-WARR-EXTEND-1YR	Extended Warranty for H4 IR PTZ cameras; non-moving parts only; 1 year extension	\$ 371.28	\$ 284.30
334220	Avigilon	H4IRPTZ-WARR-EXTEND-2YR	Extended Warranty for H4 IR PTZ cameras; non-moving parts only; 2 years extension	\$ 741.54	\$ 567.83
334220	Avigilon	H4LPC-WARR-EXTEND-1YR	Extended Warranty for H4 LPC camera only; 1 year extension	\$ 89.76	\$ 68.74
334220	Avigilon	H4LPC-WARR-EXTEND-2YR	Extended Warranty for H4 LPC camera only; 2 years extension	\$ 179.52	\$ 137.47
334220	Avigilon	H4-MT-CRNR1	Corner mount adapter for use with H4A-MT-Wall1; H4-BO-JBOX1; H4SL; H4F; H4 PTZ; H4 IR PTZ and H4 Multisensor cameras.	\$ 91.80	\$ 70.30
334220	Avigilon	H4-MT-POLE1	Pole mount adapter for use with H4A-MT-Wall1; H4-BO-JBOX1; H4SL; H4F; H4 PTZ; H4 IR PTZ and H4 Multisensor cameras.	\$ 91.80	\$ 70.30
334220	Avigilon	H4M-WARR-EXTEND-1YR	Extended Warranty for H4 Mini Dome cameras; 1 year extension	\$ 36.72	\$ 28.12
334220	Avigilon	H4M-WARR-EXTEND-2YR	Extended Warranty for H4 Mini Dome cameras; 2 years extension	\$ 72.42	\$ 55.46
334220	Avigilon	H4PRO-WARR-EXTEND-1YR	Extended Warranty for H4 Pro camera; 1 year extension	\$ 554.88	\$ 424.90
334220	Avigilon	H4PRO-WARR-EXTEND-2YR	Extended Warranty for H4 Pro camera; 2 years extension	\$ 1,110.00	\$ 849.97
334220	Avigilon	H4PTZ-WARR-EXTEND-1YR	Extended Warranty for H4 PTZ cameras; non-moving parts only; 1 year extension	\$ 262.14	\$ 200.74

334220	Avigilon	H4PTZ-WARR-EXTEND-2YR	Extended Warranty for H4 PTZ cameras; non-moving parts only; 2 years extension	\$ 524.28	\$ 401.46
334220	Avigilon	H4SL-WARR-EXTEND-1YR	Extended Warranty for H4SL dome and bullet cameras; 1 year extension	\$ 49.98	\$ 38.27
334220	Avigilon	H4SL-WARR-EXTEND-2YR	Extended Warranty for H4SL dome and bullet cameras; 2 years extension	\$ 99.96	\$ 76.54
334220	Avigilon	H4VI-WARR-EXTEND-1YR	Extended Warranty for H4 Video Intercom; 1 year extension	\$ 117.30	\$ 89.82
334220	Avigilon	H4VI-WARR-EXTEND-2YR	Extended Warranty for H4 Video Intercom; 2 years extension	\$ 234.60	\$ 179.65
334220	Avigilon	H5AEX-BO-WARR-EXTEND-2YR	2 year extended warranty for H5 Explosion Protected Bullet camera. Must be purchased at the same time as the camera.	\$ 1,041.00	\$ 797.14
334220	Avigilon	H5AEX-CO-WARR-EXTEND-2YR	2 year extended warranty for H5 Explosion Protected Compact Bullet camera. Must be purchased at the same time as the camera.	\$ 627.30	\$ 480.35
334220	Avigilon	H5AEX-PTZ-WARR-EXTEND-2YR	2 year extended warranty for H5 Explosion Protected PTZ camera. Must be purchased at the same time as the camera.	\$ 2,856.00	\$ 2,186.96
334220	Avigilon	H5DH-DI-CLER1	Replacement Dome Cover for H5A Dual Head Camera	\$ 100.00	\$ 76.57
334220	Avigilon	H5PTZ-ACCS-CABL1	H5A PTZ cable gland nut kit. Pack of 10.	\$ 95.00	\$ 72.75
334220	Avigilon	HD-LP-PS-A	Replacement Power Supply for JPEG2000 LPR Kits	\$ 826.20	\$ 632.65
334220	Avigilon	HD-NVR2-W10UPG	Windows 7 to Windows 10 Upgrade for NVR2	\$ 255.00	\$ 195.26
334220	Avigilon	HD-NVR3-W10UPG	USB Windows 10 Upgrade for NVR3-STD; NVR3-VAL; RMWS3; and NVRWS3	\$ 255.00	\$ 195.26
334220	Avigilon	HD-NVR4-STD-48TB-S16-UK	NVR4 Standard 48TB; 2U Rack Mount; Windows Server 2016; UK	\$ 25,460.00	\$ 19,495.82
334220	Avigilon	KF-DOCKCLAMP	Klick Fast Dock Clamp (pocket klick fast dock). For use with body worn cameras.	\$ 30.60	\$ 23.44
334220	Avigilon	KF-DOCKEP	Klick Fast Dock Epaulette (epaulette klickfast dock)	\$ 25.50	\$ 19.53
334220	Avigilon	KF-HARN3	Klick Fast 3-point chest harness	\$ 61.20	\$ 46.86
334220	Avigilon	KF-HARN4	Klick Fast 4-point chest harness	\$ 61.20	\$ 46.86
334220	Avigilon	KF-HARN5	Klick Fast shoulder harness. For use with body worn cameras.	\$ 61.20	\$ 46.86
334220	Avigilon	KF-LOOP	Klick Fast radio loop dock. For use with body worn cameras.	\$ 20.40	\$ 15.62
334220	Avigilon	KF-MAGMOUNT	Klick Fast magnetic mounting set (supplied w/o magnets). For use with body worn cameras.	\$ 30.60	\$ 23.44

334220	Avigilon	KF-MOLLEVEST	Klick Fast Dock for MOLLE vests. For use with body worn cameras.	\$ 20.40	\$ 15.62
334220	Avigilon	KF-SCREW	Klick Fast uniform screw-on dock. For use with body worn cameras.	\$ 20.40	\$ 15.62
334220	Avigilon	LEF2814SI	Sigma 28mm f/1.4 Lens for Pro Cameras	\$ 2,678.00	\$ 2,050.66
334220	Avigilon	LEF5014SI	Sigma 50mm f/1.4 Lens for Pro Cameras	\$ 1,811.00	\$ 1,386.76
334220	Avigilon	LEF7030040CA	Canon 70-300mm f/4-f/5.6 Lens. Compatible with Video H4 Pro Cameras.	\$ 1,153.00	\$ 882.90
334220	Avigilon	LEF9028TA	Tamron 90mm f/2.8 VC Lens for Pro Cameras	\$ 1,326.00	\$ 1,015.38
334220	Avigilon	M4K43-G2-AU	Monitor; 43" LCD 4K UHD; 16:9 Widescreen Aspect Ratio	\$ 1,694.00	\$ 1,297.17
334220	Avigilon	M4K43-G2-EU	Monitor; 43" LCD 4K UHD; 16:9 Widescreen Aspect Ratio	\$ 1,694.00	\$ 1,297.17
334220	Avigilon	M4K43-G2-NA	Monitor; 43" LCD 4K UHD; 16:9 Widescreen Aspect Ratio	\$ 1,694.00	\$ 1,297.17
334220	Avigilon	M4K43-G2-UK	Monitor; 43" LCD 4K UHD; 16:9 Widescreen Aspect Ratio	\$ 1,694.00	\$ 1,297.17
334220	Avigilon	NVR3-HDDN-HOT-10TB	Spare Hard Drive; 10TB; Front/Rear Bay; NLSAS compatible with NVR3-PRM-137TB	\$ 2,382.00	\$ 1,824.00
334220	Avigilon	NVR3-HDDN-HOT-4TB	Spare Hard Drive; 4TB; Front/Rear Bay; NLSAS compatible with NVR3-STD-24TB	\$ 1,194.00	\$ 914.30
334220	Avigilon	NVR3-HDDN-INT-10TB	Spare Hard Drive; 10TB; Internal Bay; NLSAS compatible with NVR3-PRM-137TB	\$ 2,346.00	\$ 1,796.43
334220	Avigilon	NVR3-HDDS-HOT-2TB	Spare Hard Drive; 2TB; Front/Rear Bay; SATA compatible with NVR3-VAL-6TB; Gen 2	\$ 683.40	\$ 523.30
334220	Avigilon	NVR4-HDDN-HOT-4TB	Spare Hard Drive; 4TB; Front/Rear Bay; NLSAS compatible with NVR4-PRM-64TB	\$ 1,194.00	\$ 914.30
334220	Avigilon	NVR4-HDDN-INT-10TB	Spare Hard Drive; 10TB; Internal Bay; NLSAS compatible with NVR4-PRM-157TB	\$ 2,316.00	\$ 1,773.46
334220	Avigilon	NVR4-HDDN-INT-4TB	Spare Hard Drive; 4TB; Internal Bay; NLSAS compatible with NVR4-PRM-64TB	\$ 1,122.00	\$ 859.16
334220	Avigilon	NVR4-HDDN-INT-8TB	Spare Hard Drive; 8TB; Internal Bay; NLSAS compatible with NVR4-PRM-128TB; NVR4-PRM-96TB	\$ 1,836.00	\$ 1,405.90
334220	Avigilon	NVR4-HDDS-HOT-2TB	Spare Hard Drive; 2TB; Front/Rear Bay; SATA compatible with NVR4-VAL-6TB	\$ 734.40	\$ 562.36

334220	Avigilon	NVR4-HDDS-HOT-4TB	Spare Hard Drive; 4TB; Front/Rear Bay; SATA compatible with NVR4-STD-24TB; NVR4-STD-16TB; NVR4-VAL-12TB	\$ 938.40	\$ 718.57
334220	Avigilon	NVR4-HDDS-HOT-8TB	Spare Hard Drive; 8TB; Front/Rear Bay; SATA compatible with NVR4-STD-48TB; NVR4-STD-32TB; NVR4-VAL-24TB; NVR4-VAL-16TB	\$ 1,556.00	\$ 1,191.50
334220	Avigilon	NVR4-HDDS-PACK-16TB	Storage Expansion Pack to add 16TB of effective storage to NVR4-STD-32TB or NVR4-STD-16TB	\$ 5,610.00	\$ 4,295.82
334220	Avigilon	NVR4-S16-COA	Windows Server 2016 COA for NVR4	\$ 1,342.00	\$ 1,027.63
334220	Avigilon	NVR4-S19-COA	Windows Server 2019 Upgrade USB and COA for NVR4/NVR4X.	\$ 1,450.00	\$ 1,110.33
334220	Avigilon	NVR4-VAL-10GBE	Network Card; DP 10G-SFP+; NVR4 Value	\$ 759.90	\$ 581.88
334220	Avigilon	NVR4-VAL-12TB-AU	NVR4 Value 12TB; 1U Rack Mount; Windows 10; AU	\$ 5,814.00	\$ 4,452.03
334220	Avigilon	NVR4-VAL-12TB-EU	NVR4 Value 12TB; 1U Rack Mount; Windows 10; EU	\$ 5,814.00	\$ 4,452.03
334220	Avigilon	NVR4-VAL-12TB-NA	NVR4 Value 12TB; 1U Rack Mount; Windows 10; NA	\$ 5,814.00	\$ 4,452.03
334220	Avigilon	NVR4-VAL-12TB-UK	NVR4 Value 12TB; 1U Rack Mount; Windows 10; UK	\$ 5,814.00	\$ 4,452.03
334220	Avigilon	NVR4-VAL-16TB-AU	NVR4 Value 16TB; 1U Rack Mount; Windows 10; AU	\$ 6,885.00	\$ 5,272.14
334220	Avigilon	NVR4-VAL-16TB-EU	NVR4 Value 16TB; 1U Rack Mount; Windows 10; EU	\$ 6,885.00	\$ 5,272.14
334220	Avigilon	NVR4-VAL-16TB-UK	NVR4 Value 16TB; 1U Rack Mount; Windows 10; UK	\$ 6,885.00	\$ 5,272.14
334220	Avigilon	NVR4-VAL-24TB-AU	NVR4 Value 24TB; 1U Rack Mount; Windows 10; AU	\$ 10,251.00	\$ 7,849.63
334220	Avigilon	NVR4-VAL-24TB-EU	NVR4 Value 24TB; 1U Rack Mount; Windows 10; EU	\$ 10,251.00	\$ 7,849.63
334220	Avigilon	NVR4-VAL-24TB-UK	NVR4 Value 24TB; 1U Rack Mount; Windows 10; UK	\$ 10,251.00	\$ 7,849.63
334220	Avigilon	NVR4-VAL-6TB-AU	NVR4 Value 6TB; 1U Rack Mount; Windows 10; AU	\$ 4,590.00	\$ 3,514.76
334220	Avigilon	NVR4-VAL-6TB-EU	NVR4 Value 6TB; 1U Rack Mount; Windows 10; EU	\$ 4,590.00	\$ 3,514.76
334220	Avigilon	NVR4-VAL-6TB-NA	NVR4 Value 6TB; 1U Rack Mount; Windows 10; NA	\$ 4,590.00	\$ 3,514.76
334220	Avigilon	NVR4-VAL-6TB-UK	NVR4 Value 6TB; 1U Rack Mount; Windows 10; UK	\$ 4,590.00	\$ 3,514.76
334220	Avigilon	NVR4-VAL-WARR-EXTEND-2YR	2 Year Warranty Extension for NVR4 Value	\$ 1,020.00	\$ 781.06
334220	Avigilon	NVR4-WKS-4TB-AU	NVR4 Workstation 4TB; Windows 10; AU	\$ 2,382.00	\$ 1,824.00
334220	Avigilon	NVR4-WKS-4TB-EU	NVR4 Workstation 4TB; Windows 10; EU	\$ 2,382.00	\$ 1,824.00

334220	Avigilon	NVR4-WKS-4TB-NA	NVR4 Workstation 4TB; Widnows 10; NA	\$ 2,382.00	\$ 1,824.00
334220	Avigilon	NVR4-WKS-4TB-UK	NVR4 Workstation 4TB; Widnows 10; UK	\$ 2,382.00	\$ 1,824.00
334220	Avigilon	NVR4-WKS-8TB-AU	NVR4 Workstation 8TB; Widnows 10; AU	\$ 2,724.00	\$ 2,085.88
334220	Avigilon	NVR4-WKS-8TB-EU	NVR4 Workstation 8TB; Widnows 10; EU	\$ 2,724.00	\$ 2,085.88
334220	Avigilon	NVR4-WKS-8TB-UK	NVR4 Workstation 8TB; Widnows 10; UK	\$ 2,724.00	\$ 2,085.88
334220	Avigilon	NVR4X-PRM-128TB-AU	NVR4X Premium 128TB 2U Rack Mnt; Windows Server 2016; AU	\$ 48,450.00	\$ 37,100.25
334220	Avigilon	NVR4X-PRM-128TB-EU	NVR4X Premium 128TB 2U Rack Mnt; Windows Server 2016; EU	\$ 47,500.00	\$ 36,372.80
334220	Avigilon	NVR4X-PRM-128TB-UK	NVR4X Premium 128TB 2U Rack Mnt; Windows Server 2016; UK	\$ 47,500.00	\$ 36,372.80
334220	Avigilon	NVR4X-PRM-157TB-AU	NVR4X Premium 157TB 2U Rack Mnt; Windows Server 2016; AU	\$ 59,500.00	\$ 45,561.71
334220	Avigilon	NVR4X-PRM-157TB-EU	NVR4X Premium 157TB 2U Rack Mnt; Windows Server 2016; EU	\$ 59,500.00	\$ 45,561.71
334220	Avigilon	NVR4X-PRM-157TB-UK	NVR4X Premium 157TB 2U Rack Mnt; Windows Server 2016; UK	\$ 59,500.00	\$ 45,561.71
334220	Avigilon	NVR4X-PRM-192TB-AU	NVR4X Premium 192TB 2U Rack Mnt; Windows Server 2016; AU	\$ 72,930.00	\$ 55,845.64
334220	Avigilon	NVR4X-PRM-192TB-EU	NVR4X Premium 192TB 2U Rack Mnt; Windows Server 2016; EU	\$ 72,930.00	\$ 55,845.64
334220	Avigilon	NVR4X-PRM-192TB-UK	NVR4X Premium 192TB 2U Rack Mnt; Windows Server 2016; UK	\$ 72,930.00	\$ 55,845.64
334220	Avigilon	NVR4X-PRM1-WARR-5Y4HMC	Upgrade the 5 Year Next Business Day warranty to 5 Years 4 Hour Mission Critical for NVR4X PRM 64/96/128/157TB.	\$ 4,080.00	\$ 3,124.23
334220	Avigilon	NVR4X-PRM-217TB-AU	NVR4X Premium 217TB 2U Rack Mnt; Windows Server 2016; AU	\$ 82,263.00	\$ 62,992.32
334220	Avigilon	NVR4X-PRM-217TB-EU	NVR4X Premium 217TB 2U Rack Mnt; Windows Server 2016; EU	\$ 82,263.00	\$ 62,992.32
334220	Avigilon	NVR4X-PRM-217TB-UK	NVR4X Premium 217TB 2U Rack Mnt; Windows Server 2016; UK	\$ 82,263.00	\$ 62,992.32
334220	Avigilon	NVR4X-PRM2-WARR-5Y4HMC	Upgrade the 5 Year Next Business Day warranty to 5 Years 4 Hour Mission Critical for NVR4X PRM 192/217TB.	\$ 4,080.00	\$ 3,124.23
334220	Avigilon	NVR4X-PRM-64TB-AU	NVR4X Premium 64TB 2U Rack Mnt; Windows Server 2016; AU	\$ 31,620.00	\$ 24,212.80
334220	Avigilon	NVR4X-PRM-64TB-EU	NVR4X Premium 64TB 2U Rack Mnt; Windows Server 2016; EU	\$ 31,620.00	\$ 24,212.80
334220	Avigilon	NVR4X-PRM-64TB-UK	NVR4X Premium 64TB 2U Rack Mnt; Windows Server 2016; UK	\$ 31,620.00	\$ 24,212.80
334220	Avigilon	NVR4X-PRM-96TB-AU	NVR4X Premium 96TB 2U Rack Mnt; Windows Server 2016; AU	\$ 36,720.00	\$ 28,118.09

334220	Avigilon	NVR4X-PRM-96TB-EU	NVR4X Premium 96TB 2U Rack Mnt; Windows Server 2016; EU	\$ 36,720.00	\$ 28,118.09
334220	Avigilon	NVR4X-PRM-96TB-UK	NVR4X Premium 96TB 2U Rack Mnt; Windows Server 2016; UK	\$ 36,720.00	\$ 28,118.09
334220	Avigilon	NVR4X-STD-16TB-AU	NVR4X Standard 16TB 2U Rack Mnt; Windows 10; AU	\$ 13,388.00	\$ 10,251.77
334220	Avigilon	NVR4X-STD-16TB-EU	NVR4X Standard 16TB 2U Rack Mnt; Windows 10; EU	\$ 13,388.00	\$ 10,251.77
334220	Avigilon	NVR4X-STD-16TB-S16-AU	NVR4X Standard 16TB 2U Rack Mnt; Windows Server 2016; AU	\$ 15,428.00	\$ 11,813.88
334220	Avigilon	NVR4X-STD-16TB-S16-EU	NVR4X Standard 16TB 2U Rack Mnt; Windows Server 2016; EU	\$ 15,428.00	\$ 11,813.88
334220	Avigilon	NVR4X-STD-16TB-S16-UK	NVR4X Standard 16TB 2U Rack Mnt; Windows Server 2016; UK	\$ 15,428.00	\$ 11,813.88
334220	Avigilon	NVR4X-STD-16TB-UK	NVR4X Standard 16TB 2U Rack Mnt; Windows 10; UK	\$ 13,388.00	\$ 10,251.77
334220	Avigilon	NVR4X-STD-24TB-AU	NVR4X Standard 24TB 2U Rack Mnt; Windows 10; AU	\$ 15,372.00	\$ 11,771.00
334220	Avigilon	NVR4X-STD-24TB-EU	NVR4X Standard 24TB 2U Rack Mnt; Windows 10; EU	\$ 15,372.00	\$ 11,771.00
334220	Avigilon	NVR4X-STD-24TB-S16-AU	NVR4X Standard 24TB 2U Rack Mnt; Windows Server 2016; AU	\$ 17,412.00	\$ 13,333.12
334220	Avigilon	NVR4X-STD-24TB-S16-EU	NVR4X Standard 24TB 2U Rack Mnt; Windows Server 2016; EU	\$ 17,412.00	\$ 13,333.12
334220	Avigilon	NVR4X-STD-24TB-S16-UK	NVR4X Standard 24TB 2U Rack Mnt; Windows Server 2016; UK	\$ 17,412.00	\$ 13,333.12
334220	Avigilon	NVR4X-STD-24TB-UK	NVR4X Standard 24TB 2U Rack Mnt; Windows 10; UK	\$ 15,372.00	\$ 11,771.00
334220	Avigilon	NVR4X-STD-32TB-AU	NVR4X Standard 32TB 2U Rack Mnt; Windows 10; AU	\$ 16,749.00	\$ 12,825.43
334220	Avigilon	NVR4X-STD-32TB-EU	NVR4X Standard 32TB 2U Rack Mnt; Windows 10; EU	\$ 16,749.00	\$ 12,825.43
334220	Avigilon	NVR4X-STD-32TB-S16-AU	NVR4X Standard 32TB 2U Rack Mnt; Windows Server 2016; AU	\$ 19,131.00	\$ 14,649.43
334220	Avigilon	NVR4X-STD-32TB-S16-EU	NVR4X Standard 32TB 2U Rack Mnt; Windows Server 2016; EU	\$ 19,131.00	\$ 14,649.43
334220	Avigilon	NVR4X-STD-32TB-S16-UK	NVR4X Standard 32TB 2U Rack Mnt; Windows Server 2016; UK	\$ 19,131.00	\$ 14,649.43
334220	Avigilon	NVR4X-STD-32TB-UK	NVR4X Standard 32TB 2U Rack Mnt; Windows 10; UK	\$ 16,749.00	\$ 12,825.43
334220	Avigilon	NVR4X-STD-48TB-AU	NVR4X Standard 48TB 2U Rack Mnt; Windows 10; AU	\$ 23,919.00	\$ 18,315.81
334220	Avigilon	NVR4X-STD-48TB-EU	NVR4X Standard 48TB 2U Rack Mnt; Windows 10; EU	\$ 23,450.00	\$ 17,956.68
334220	Avigilon	NVR4X-STD-48TB-S16-AU	NVR4X Standard 48TB 2U Rack Mnt; Windows Server 2016; AU	\$ 25,460.00	\$ 19,495.82
334220	Avigilon	NVR4X-STD-48TB-S16-EU	NVR4X Standard 48TB 2U Rack Mnt; Windows Server 2016; EU	\$ 25,460.00	\$ 19,495.82
334220	Avigilon	NVR4X-STD-48TB-S16-UK	NVR4X Standard 48TB 2U Rack Mnt; Windows Server 2016; UK	\$ 25,460.00	\$ 19,495.82

334220	Avigilon	NVR4X-STD-48TB-UK	NVR4X Standard 48TB 2U Rack Mnt; Windows 10; UK	\$ 23,450.00	\$ 17,956.68
334220	Avigilon	NVR4X-STD-WARR-5Y4HMC	Upgrade the 5 Year Next Business Day warranty to 5 Years 4 Hour Mission Critical for NVR4X STD.	\$ 2,550.00	\$ 1,952.64
334220	Avigilon	RF-220	RFID RF-220 reader & base (MIFARE;MULTI-ISO; and LF). For use with body worn cameras.	\$ 739.50	\$ 566.27
334220	Avigilon	RF-CARD-10	10x RFID plastic cards. For use with body worn cameras.	\$ 20.40	\$ 15.62
334220	Avigilon	RF-STICKER-10	10x RFID sticker-style tags. For use with body worn cameras.	\$ 10.20	\$ 7.81
334220	Avigilon	RLEF20028CA	Refurbished Canon 200mm f/2.8 L lens. Lens may be missing original packaging and documentation. Lens may also contain cosmetic scratches which will not impair its functionality. Available in limited quantities.	\$ 955.74	\$ 731.85
334220	Avigilon	RLEF7020028CA	Refurbished Canon 70-200mm f/2.8 L lens. Lens may be missing original packaging and documentation. Lens may also contain cosmetic scratches which will not impair its functionality. Available in limited quantities.	\$ 1,594.00	\$ 1,220.59
334220	Avigilon	RM5-WKS-2MN-AU	Remote Monitoring Workstation; 2 monitors; AU	\$ 2,040.00	\$ 1,562.12
334220	Avigilon	RM5-WKS-2MN-EU	Remote Monitoring Workstation; 2 monitors; EU	\$ 2,040.00	\$ 1,562.12
334220	Avigilon	RM5-WKS-2MN-NA	Remote Monitoring Workstation; 2 monitors; NA	\$ 2,040.00	\$ 1,562.12
334220	Avigilon	RM5-WKS-2MN-UK	Remote Monitoring Workstation; 2 monitors; UK	\$ 2,040.00	\$ 1,562.12
334220	Avigilon	RM5-WKS-4MN-AU	Remote Monitoring Workstation; 4 monitors; AU	\$ 3,203.00	\$ 2,452.68
334220	Avigilon	RM5-WKS-4MN-EU	Remote Monitoring Workstation; 4 monitors; EU	\$ 3,203.00	\$ 2,452.68
334220	Avigilon	RM5-WKS-4MN-NA	Remote Monitoring Workstation; 4 monitors; NA	\$ 3,203.00	\$ 2,452.68
334220	Avigilon	RM5-WKS-4MN-UK	Remote Monitoring Workstation; 4 monitors; UK	\$ 3,203.00	\$ 2,452.68
334220	Avigilon	RM5-WKS-WARR-EXTENDED-2YR	2 Year Extended Warranty for RM5-WKS	\$ 392.70	\$ 300.71
334220	Avigilon	RMS1U-A-ENVR1-8P	1U Rack Mount Shelf for up to two ES 8-Port Appliance	\$ 323.34	\$ 247.60
334220	Avigilon	VB-400-12MW-N	12 Month Additional Warranty for VB-400 Body-worn camera	\$ 147.90	\$ 113.25
334220	Avigilon	VB-400-24MW-N	24 Month Additional Warranty for VB-400 Body-worn camera	\$ 255.00	\$ 195.26
334220	Avigilon	VB-400-DOCK14/AUS	VB400 14-Port Dock with AUS power cable	\$ 816.00	\$ 624.85

334220	Avigilon	VB-400-DOCK14/EU	VB400 14-Port Dock with EU power cable	\$ 816.00	\$ 624.85
334220	Avigilon	VB-400-DOCK14/ROW	VB400 14-Port Dock with no power cable	\$ 816.00	\$ 624.85
334220	Avigilon	VB-400-DOCK14/UK	VB400 14-Port Dock with UK power cable	\$ 816.00	\$ 624.85
334220	Avigilon	VB-400-DOCK14/US	VB400 14-Port Dock with US power cable	\$ 816.00	\$ 624.85
334220	Avigilon	VB-400-DOCK14-12MW	12 Month Additional Warranty for VB400-DOCK14	\$ 132.60	\$ 101.54
334220	Avigilon	VB-400-DOCK14-24MW	24 Month Additional Warranty for VB-400-DOCK14	\$ 255.00	\$ 195.26
334220	Avigilon	VB-400-DOCK-SOLO	VB400 1-Port Dock	\$ 86.70	\$ 66.39
334220	Avigilon	VB-400-ID-CUS-1000	1000 Custom front-button sticker for VB-400 camera	\$ 1,031.00	\$ 789.48
334220	Avigilon	VB-400-ID-CUS-250	Custom VB400 Front-button Stickers (250)	\$ 678.30	\$ 519.41
334220	Avigilon	VB-400-ID-CUS-5000	5000 Custom front-button sticker for the VB-400 camera	\$ 1,362.00	\$ 1,042.94
334220	Avigilon	VB-400-ID-CUS-ART	Custom VB400 Front button Sticker Design	\$ 413.10	\$ 316.33
334220	Avigilon	VB-400-QR-KFSTUD	Klick Fast Quick Release Stud for VB-440-64-QR-N	\$ 25.50	\$ 19.53
334220	Avigilon	VB-400-QR-KFTILT	VB-400 Tilting KlickFast for QR base	\$ 35.70	\$ 27.34
334220	Avigilon	VB-400-QR-KFTILT2	Klick Fast Quick Release Wide Tilt Mount for VB-440-64-QR-N	\$ 61.20	\$ 46.86
334220	Avigilon	VB-400-QR-SPORT	VB-400 Sports Camera fitting for QR base	\$ 25.50	\$ 19.53
334220	Avigilon	VB-400-SOLO-12MW	12 Month Additional Warranty for VB-400-DOCK-SOLO	\$ 35.70	\$ 27.34
334220	Avigilon	VB-400-SOLO-24MW	Warranty: +24 Months warranty for VB-400-SOLO	\$ 61.20	\$ 46.86
334220	Avigilon	VB-400-VF-MAG	Close-Fit Magnetic Mount for VB-440-64-VF-N	\$ 35.70	\$ 27.34
334220	Avigilon	VB-400-VF-MOL2	Close-Fit Double MOLLE Mount for VB-440-64-VF-N	\$ 71.40	\$ 54.67
334220	Avigilon	VB-440-64-ALIG	VB400 Alligator clip Body-worn camera	\$ 606.90	\$ 464.73
334220	Avigilon	VB-440-64-KF-N	VB400 Klick Fast Stud Body-worn camera	\$ 606.90	\$ 464.73
334220	Avigilon	VB-440-64-QR-N	VB400 Body-worn camera with QuickRelease Mount	\$ 606.90	\$ 464.73
334220	Avigilon	VB-440-64-VF-N	VB400 Close Fit Body-worn camera	\$ 606.90	\$ 464.73
334220	Avigilon	VMA-AIA1-CG1-AU	AI Appliance with 10 channels of analytics and an Australian power cord.	\$ 7,497.00	\$ 5,740.78
334220	Avigilon	VMA-AIA1-CG1-EU	AI Appliance with 10 channels of analytics and a European power cord.	\$ 7,497.00	\$ 5,740.78

334220	Avigilon	VMA-AIA1-CG1-UK	AI Appliance with 10 channels of analytics and a United Kingdom power cord.	\$ 7,497.00	\$ 5,740.78
334220	Avigilon	VMA-AIA1-CG2-AU	AI Appliance with 30 channels of analytics and an Australian power cord.	\$ 12,312.00	\$ 9,427.83
334220	Avigilon	VMA-AIA1-CG2-EU	AI Appliance with 30 channels of analytics and a European power cord.	\$ 12,312.00	\$ 9,427.83
334220	Avigilon	VMA-AIA1-CG2-UK	AI Appliance with 30 channels of analytics and a United Kingdom power cord.	\$ 12,312.00	\$ 9,427.83
334220	Avigilon	VMA-AS1-W10UPG	USB Windows 10 upgrade kit for AS1 models	\$ 255.00	\$ 195.26
334220	Avigilon	VMA-AS3-16P-WARR-EXTEND-1YR	1YR Warranty Extension for HDVA3 16-Port	\$ 341.70	\$ 261.65
334220	Avigilon	VMA-AS3-16P-WARR-EXTEND-2YR	2YR Warranty Extension for HDVA3 16-Port	\$ 637.50	\$ 488.16
334220	Avigilon	VMA-AS3-24P-WARR-EXTEND-1YR	1YR Warranty Extension for HDVA3 24-Port	\$ 510.00	\$ 390.53
334220	Avigilon	VMA-AS3-24P-WARR-EXTEND-2YR	2YR Warranty Extension for HDVA3 24-Port	\$ 979.20	\$ 749.81
334220	Avigilon	VMA-AS3-8P-WARR-EXTEND-1YR	1YR Warranty Extension for HDVA3 8-Port	\$ 168.30	\$ 128.88
334220	Avigilon	VMA-AS3-8P-WARR-EXTEND-2YR	2YR Warranty Extension for HDVA3 8-Port	\$ 306.00	\$ 234.32
334220	Avigilon	VMA-AS3-ANK	Analytics Kit for Appearance Search and Face Recognition; HDVA3 16/24-port	\$ 999.60	\$ 765.44
334220	Avigilon	VMA-ENVR1-8P4A-AU	ES 8-Port Appliance; 4TB; ACC and Analytics licenses sold separately.	\$ 1,617.00	\$ 1,238.21
334220	Avigilon	VMA-ENVR1-8P4A-EU	ES 8-Port Appliance; 4TB; ACC and Analytics licenses sold separately.	\$ 1,617.00	\$ 1,238.21
334220	Avigilon	VMA-ENVR1-8P4A-NA	ES 8-Port Appliance; 4TB; ACC and Analytics licenses sold separately.	\$ 1,617.00	\$ 1,238.21
334220	Avigilon	VMA-ENVR1-8P4A-UK	ES 8-Port Appliance; 4TB; ACC and Analytics licenses sold separately.	\$ 1,617.00	\$ 1,238.21
334220	Avigilon	VMA-ENVR1-8P8A-AU	ES 8-Port Appliance; 8TB; ACC and Analytics licenses sold separately.	\$ 2,127.00	\$ 1,628.74
334220	Avigilon	VMA-ENVR1-8P8A-EU	ES 8-Port Appliance; 8TB; ACC and Analytics licenses sold separately.	\$ 2,127.00	\$ 1,628.74
334220	Avigilon	VMA-ENVR1-8P8A-NA	ES 8-Port Appliance; 8TB; ACC and Analytics licenses sold separately.	\$ 2,127.00	\$ 1,628.74
334220	Avigilon	VMA-ENVR1-8P8A-UK	ES 8-Port Appliance; 8TB; ACC and Analytics licenses sold separately.	\$ 2,127.00	\$ 1,628.74
334220	Avigilon	VMA-ENVR1-8P-WARR-EXTEND-2YR	Can be applied to VMA-ENVR1-8Px; VMA-ENVR1-8PxA; or VMA-ENVR1-8PxB	\$ 408.00	\$ 312.42
334220	Avigilon	VMA-RPA-RGD-8P2	ES 8-Port Rugged Appliance with 2TB; power supply sold separately	\$ 5,406.00	\$ 4,139.61

334220	Avigilon	VM-EPL-HQ-BASE	VideoManager for Head-quarters - Base	\$ 3,815.00	\$ 2,921.31
334220	Avigilon	VM-EPL-VB-CONNECT-1	License: 1x VideoManager CONNECT license for VB400 body-worn camera	\$ 316.20	\$ 242.13
334220	Avigilon	VM-EPL-VB-CONNECT-TO-PLUS-1	License: 1x VideoManager UPGRADE license for VB400 body-worn camera	\$ 122.40	\$ 93.72
334220	Avigilon	VM-EPL-VB-PLUS-1	License: 1x VideoManager PLUS license for VB400 body-worn camera	\$ 402.90	\$ 308.51
334220	Avigilon	VM-EPL-VT-CONNECT-1	Licence: 1x VM Connect for VT100	\$ 193.80	\$ 148.40
334220	Avigilon	VM-EPL-VT-CONNECT-TO-PLUS-1	Licence: 1x Upg. to VM Plus for VT100	\$ 40.80	\$ 31.24
334220	Avigilon	VM-EPL-VT-PLUS-1	Licence: 1x VM Plus for VT100	\$ 224.40	\$ 171.83
334220	Avigilon	VM-ESA-VB-12M-1	12 Month Additional S/W Assurance for VideoManager (VB400)	\$ 86.70	\$ 66.39
334220	Avigilon	VM-ESA-VB-24M-1	Software Assurance: +24 Months for 1x VM-EPL-VB license	\$ 147.90	\$ 113.25
334220	Avigilon	VM-ESA-VT-12M-1	SW Assurance: +12 mnths for 1x VM-EPL-VT	\$ 61.20	\$ 46.86
334220	Avigilon	WKS-RACK	Rack Shelf for three NVR4-WKS or RM5-WKS; 7U	\$ 418.20	\$ 320.23

August 2019

CMAS Local Government Agency Guide

(This packet supersedes all previous guides)

- General Information Regarding CMAS
- Call the CMAS Unit for Information at (916) 375-4365
- Contact [CMAS Unit](mailto:cmas@dgs.ca.gov) at cmas@dgs.ca.gov
- [CMAS Website](http://www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Acquisitions/California-Multiple-Award-Schedules) (www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Acquisitions/California-Multiple-Award-Schedules)



Procurement Division • Department of General Services
State of California

CMAS LOCAL GOVERNMENT AGENCY GUIDE

TABLE OF CONTENTS

SECTION 1 - OVERVIEW	5
Legislation	5
Definition of a Local Government Agency	5
Fees to Use CMAS	5
Agency Responsibilities	5
Method of Establishing a CMAS	5
What is Included?	6
What is Excluded?	6
Contractor's Option to Allow Use of Their CMAS	6
How to Contact CMAS	6
SECTION 2 – USE OF CMAS	7
CMAS is Optional	7
Search for a CMAS	7
Seeking Multiple	7
Request for Offer	7
Copy of a CMAS	7
Best Value Determination	8
Protests	8
Legal Counsel	8
SECTION 3 – PURCHASE ORDER PROCEDURES	9
Purchase Order Limits	9
Purchase Order Form	9
Purchase Order Amendments	9
Purchase Order Termination	9
Delivery of Products and Services	9
Substantiate CMAS is Valid	9
Multiple Contracts - One Purchase Order Form	10
Where to Send Purchase Order?	10
SECTION 4 – CONTRACT CONSIDERATIONS	11
CMAS Numbers	11
Why Does Agency Need a Copy of a CMAS?	11
Small/Disabled Veteran Business Certification and Status Verification	11
Liquidated Damages and Acceptance Testing/Criteria	11
Public Works - Bond Requirements	12
Progress Payments	12
Progress Payments, Continued	13
Travel	13
Maintenance Sales Tax	13

CMAS LOCAL GOVERNMENT AGENCY GUIDE

TABLE OF CONTENTS

SECTION 5 – BEST VALUE DETERMINATION	14
CMAS Assessment of Offers	14
What is Best Value?	14
Determining Best Value	14
Review Resumes	14
Document Files	14
SECTION 6 – PAYMENTS AND INVOICES	15
Fees to Use CMAS	15
CAL-Card (Credit Card)	15
Advance Payments	15
Contractor Name/ Ownership Change	15
Required Payment Date	15
SECTION 7 – USEFUL WEBSITES	16
SECTION 8 – RENTAL, FINANCE AND LEASE POLICIES	17
State of California’s Financial Marketplace	17
Federal Lease to Own Purchase (LTOP)	17
Federal Lease Provisions	17
SECTION 9 – SERVICES	18
Definition of Personal, Consulting, and Technical Services	18
Public Works Services	18
Service and Delivery after CMAS Expires	18
Review Resumes	18
Progress Payments	18
Follow-on Contracts Prohibited	19
Network Design Services	19
SECTION 10 – NOT SPECIFICALLY PRICED (NSP)	20
Open Market, Incidental, and Non- Contract Items	20
Subordinate and Peripheral	20
Items Specifically Excluded	20
NSP Dollar Limits	20
NSP Not Available	21
Manufacturer Authorization Required	21
Clearly Identify NSP	21

CMAS LOCAL GOVERNMENT AGENCY GUIDE

TABLE OF CONTENTS

SECTION 11 – PUBLIC WORKS PROJECTS	22
Definition of a Public Works Project	22
Installation of Physical Layer Cable and Carpet	22
Applicable Laws and Codes	22
Agency Responsibility	22
Verify Status of Contractor’s License	22
Prime and Subcontractors Both Must Be Licensed	22
Bond Requirements	22
SECTION 12 – SUPPLIER COMPLIANCE	23
Compliance Focus	23
What is Reviewed?	23
Contractor Compliance Reviews	23
ATTACHMENT A – CMAS WEBSITE SEARCH INSTRUCTIONS	24
Website	24
Limited Descriptors	24
Basic Search	24
Search within Results	24
Cal eProcure	24
ATTACHMENT B – AMERICANS WITH DISABILITIES ACT (ADA) NOTICE	25
ADA Policy	25
Phone Numbers for Help	25
Advance Notice	25

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 1 - OVERVIEW

Legislation

Public Contract Code (PCC) § 10290 et seq. and 12101.5 include approval for local government agencies to use CMAS for acquisition of information technology and non-information technology products and services.

Public Contract Code (PCC) § 10298 and 10299 authorizes local government agencies and school districts to use CMAS and other Department of General Services (DGS) agreements without competitive bidding. However, each local government agency should make its own determination whether the CMAS program is consistent with their procurement policies and regulations.

Definition of a Local Government Agency

A local government agency is any city, county, city and county, district, or other local governmental body or corporation, including the California State Universities (CSU) and University of California (UC) systems, K-12 schools and community colleges empowered to expend public funds.

Fees to Use CMAS

Local government agencies do not pay DGS an administrative fee to place an order against a CMAS. In lieu of this fee paid by the local government agency, the selling CMAS contractor pays DGS a 1.25% incentive fee.

Agency Responsibilities

Each agency is responsible for its own contracting program and purchasing decisions, including use of the CMAS program and associated outcomes.

Successful CMAS transactions are the responsibility of the ordering agency. It is also the responsibility of each agency to consult as applicable with legal staff and contracting offices for advice depending upon the scope or complexity of the purchase order.

Method of Establishing a CMAS

A CMAS is not established through a competitive bid process conducted by the State of California. It is because of this that all pricing, products and/or services offered must have been previously bid and awarded on a Federal General Services Administration (GSA) multiple award schedule.

To apply for a CMAS, a contractor must offer to provide products and/or services at prices based on an existing GSA schedule. The GSA schedule is referred to as the “base” contract. The State of California adds standard contract terms and conditions and procurement codes, policies and guidelines, which result in the award of a CMAS.

For clarity, the CMAS Program does not “use” the GSA schedule. Instead, the CMAS Unit establishes a totally independent California agreement for the same products and services at equal or lower prices.

Continued on next page

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 1 – OVERVIEW, Continued

What is Included?

CMAS agreements are established for information technology and non- information technology products and services that have been competitively assessed, negotiated, or bid primarily by the federal GSA, but not exclusively.

The awarded CMAS is structured to comply with California procurement codes, guidelines, and policies, and provide for the highest level of contractual protection.

What is Excluded?

The following Non-IT services are examples of services not available on the CMAS program:

- Architectural, Engineering, and Environmental Services (Government Code (GC) § 4525)
 - Financial Audits (Government Code (GC) § 8546.4(e))
 - Legal Services (Government Code (GC) § 11040)
 - Public Works (Public Contract Code (PCC) § 1101)
 - Facility Planning, Registered Nursing, & Security Guard Services (by CMAS Policy)
-

Contractor's Option to Allow Use of Their CMAS

As specified in the CMAS, it is at the option of the CMAS contractor whether or not to allow local government agencies to use their CMAS.

CMAS contractors must report all local government agency transactions in their quarterly reports.

How to Contact CMAS

Department of General Services
Procurement Division – CMAS Unit
707 Third Street, Second Floor, MS 2-202
West Sacramento, California 95605
Phone: (916) 375-4365

E-mail: cmas@dgs.ca.gov

[CMAS Website: www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Acquisitions/California-Multiple-Award-Schedules](http://www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Acquisitions/California-Multiple-Award-Schedules)

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 2 – USE OF CMAS

CMAS is Optional

The CMAS Program is a procurement option. It is not mandatory that Local Government Agencies use CMAS.

Search for a CMAS

Agencies can use the CMAS website to [search for CMAS contractors](#) by company name, or by CMAS product/service description. Go to www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Acquisitions/California-Multiple-Award-Schedules, then select “Find a CMAS Contractor” under the Services For Government heading. Instructions for searching the CMAS website are available in Attachment A of this guide.

[Copies of a CMAS](#) can be obtained at caleprocure.ca.gov.

Seeking Multiple Offers

When using CMAS as a procurement method, State agencies are required to seek offers from a minimum of 3 CMAS contractors, including one California Certified SB and/or DVBE (if available). Local government agencies are not bound by this requirement, and can set their own policy of how many contractors to solicit.

Request for Offer

Do not refer to the CMAS transaction as a bid. This is not a competitive bid transaction so small business preferences, protest language, intents to award, evaluation criteria, advertising, etc. are not applicable. Refer to the CMAS transaction as a “Request for Offer” (RFO).

The agency must develop an RFO identifying their needs and requirements for the purchase. The RFO could be simple for a product, or more detailed and contain a [Statement of Work](#) (SOW) for a services project. For information regarding the preparation of a SOW and some SOW samples, go to the CMAS website: www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Acquisitions/California-Multiple-Award-Schedules, then select “Statement of Work Information” under the Resources heading.

Sections 4 and 9 of this guide may apply to the development of an RFO.

The RFO can be mailed, faxed, or e-mailed to the selected CMAS contractors. In the case of a simple product purchase, the agency offer and CMAS contractor quote can be verbal.

Copy of a CMAS

Copies of a CMAS can be obtained at caleprocure.ca.gov. A complete copy of a CMAS consists of the following:

- CMAS cover page (which includes the signature page, ordering instructions and special provisions, and any attachments or exhibits as prepared by the CMAS Unit)
 - CMAS Terms and Conditions
 - Federal GSA (or Non-GSA) terms and conditions
 - Product/service listing and prices
 - Supplements, if applicable
-

Continued on next page

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 2 – USE OF CMAS, Continued

Best Value Determination

The award of all CMAS transactions is based on best value criteria. Best value constitutes whatever the agency determines to be most critical to ensure that its business needs and goals are effectively met and they obtain the most value.

For more information, see Public Contract Code (PCC) § 12100.7(e) and Section 5 of this guide.

Protests

California code does not provide for formal protest of CMAS transactions. The individual ordering agency handles any informal complaints.

Legal Counsel

It is the responsibility of each using agency to consult, as applicable, with their legal staff and contracting offices for advice depending upon the scope or complexity of their purchase.

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 3 – PURCHASE ORDER PROCEDURES

Purchase Order Limits

CMAS agreements have set maximum order limits for State agencies. Local government agencies are subject to their own procurement policies and procedures, and therefore set their own purchase order limits.

Purchase Order Form

Local government agencies may use their own purchase order forms (in lieu of the State's purchase order form), and shall issue it directly to the CMAS contractor via mail or fax. Local government agencies may also transact in FI\$Cal.

Purchase Order Amendments

When the agency determines that the purchase order is incorrect for any reason, they should first contact the CMAS contractor and then issue an amendment to correct the purchase order as soon as possible (preferably before delivery of the products and/or services).

Purchase order amendments cannot be issued after the base CMAS expires.

For amendments, the agency uses the same agency order number as the original purchase order, with an amendment #_____

The CMAS contractor is required to immediately reject purchase orders that are not accurate.

Purchase Order Termination

The only provisions for early termination of a purchase order are in the CMAS Terms & Conditions identified below:

- Termination for Convenience (also see Stop Work)
- Termination for Default
- Termination for Funding

Agencies may negotiate a termination provision into the purchase order before issuance. The CMAS contractor is not legally obligated to accept increased risk.

Delivery of Products and Services

The purchase order must be issued before the CMAS expires.

However, delivery of the products or completion of the services may be after the expiration of the CMAS, as specified in the purchase order.

Substantiate CMAS is Valid

Prior to issuing an order, agencies should check the CMAS website (www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Acquisitions/California-Multiple-Award-Schedule, select "Find a CMAS Contractor") to substantiate the CMAS is still active.

A CMAS can also be searched for at caleprocure.ca.gov.

Continued on next page

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 3 – PURCHASE ORDER PROCEDURES, Continued

Multiple Contracts - One Purchase Order Form

Agencies wishing to include multiple CMAS contracts on a single purchase order must adhere to the following guidelines:

- All CMAS must be for the same CMAS contractor.
 - The purchase order must go to one contractor location.
 - Write the word “CMAS” in the space usually reserved for the contract number. On the purchase order, this is at the top of the form. The word “CMAS” signifies that the purchase order contains items from multiple CMAS.
 - For each individual CMAS (as differentiated by alpha suffix), the agency must identify and group together the CMAS number with the line items and subtotal per CMAS number (do not include tax in the subtotal), and sequentially identify each individual CMAS as Sub #1, Sub #2, Sub #3, etc. This facilitates accurate billing of administrative fees by the Procurement Division.
 - The total of all items on the purchase order must not exceed the purchase order limit identified in the CMAS.
 - Do not combine items from both non-IT and Information Technology CMAS(s). A non-IT CMAS begins with the number “4” and an Information Technology CMAS begins with the number “3.” The purchase order limits are different for these two types of CMAS.
-

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 4 – CONTRACT CONSIDERATIONS

CMAS Numbers

The numbers in a CMAS number are significant as follows:

- CMAS numbers beginning with a 3 are for information technology products and/or services.
 - CMAS numbers beginning with a 4 are for non-information technology products.
-

Why Does Agency Need a Copy of a CMAS?

A copy is needed to:

- Determine warranties, guarantees, maintenance provisions, product return policies, bond requirements, travel costs, etc.
 - Determine if products and services are available on the CMAS
 - Determine which products and/or services are specifically excluded
 - Determine if prices quoted are at or below base contract rates
 - Determine if additional approvals, forms, filings, etc. are required
 - Substantiate that the contractor is certified as a small business
 - Substantiate that the contractor has a valid Seller's Permit
 - Substantiate that the contractor has a valid Contractor's License
-

Small/Disabled Veteran Business Certification and Status Verification

The [CMAS Search](#) lists CMAS contractors who are Small Businesses and Disabled Veteran Business Enterprises (SB/DVBE) that have been certified by the Office of Small Business and DVBE Services (OSDS).

The CMAS Unit substantiates that the CMAS contractor is certified as a SB or DVBE when the CMAS is awarded. The CMAS indicates the certification number and the date the certification expires.

Before issuing the purchase order, the ordering agency must verify the CMAS contractor's SB/DVBE status by contacting OSDS at (916) 375-4940 or by searching for the CMAS contractor's SB/DVBE certification at caleprocure.ca.gov.

Liquidated Damages and Acceptance Testing/Criteria

If the agency wants to include acceptance testing and liquidated damages for late delivery, the criteria must be added to the RFO and purchase order to be applicable.

Continued on next page

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 4 – CONTRACT CONSIDERATIONS, Continued

Public Works - Bond Requirements

Prior to the commencement of performance, the CMAS contractor must obtain and provide to the ordering agency, a payment bond, on Std. Form 807, when the purchase order involves a public works expenditure (labor/installation costs) in excess of \$5,000. Such bond shall be in a sum not less than one hundred percent (100%) of the purchase order price. Forms shall be provided to the CMAS contractor by the ordering agency. See the General Terms and Conditions, CMAS Public Works Requirements.

Progress Payments

A progress payment is a partial payment for a portion or segment of the work needed to complete a task. To determine whether a particular task is separate and distinct, you must decide if later tasks build on it. Agencies wishing to allow progress payments for services are required to adhere to the following guidelines.

a. Special Information Technology Products and/or Services

Any contract for information technology products and/or services (Public Contract Code (PCC) § 12112), to be manufactured or performed by the CMAS contractor especially for the State and not suitable for sale to others in the ordinary course of the CMAS contractor's business may provide, on such terms and conditions as the department deems necessary to protect the State's interests, for progress payments for work performed and costs incurred by the CMAS contractor, provided that not less than 10 percent of the contract price is required to be withheld until final delivery and acceptance. Interim risk assessment guidelines and financial protection measures are detailed in Public Contract Code (PCC) § 12112 for agencies to use to determine the applicability to their projects.

b. Special Goods

Any contract for goods (Public Contract Code (PCC) § 10314) to be manufactured or performed by the CMAS contractor especially for the State and not suitable for sale to others in the ordinary course of the CMAS contractor's business may provide, on such terms and conditions as the department deems necessary to protect the State's interests, for progress payments for work performed and costs incurred by the CMAS contractor, provided that not less than 10 percent of the purchase order price is required to be withheld until final delivery and acceptance of the goods or services, and provided further, that the CMAS contractor is required to submit a faithful performance bond, acceptable to the department, in a sum not less than one-half of the total amount payable under the contract securing the faithful performance of the contract by the CMAS contractor.

Continued on next page

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 4 – CONTRACT CONSIDERATIONS, Continued

Progress Payments, Continued

c. Non-Information Technology Services

Any contract for non-information technology services (Public Contract Code (PCC) § 10346) may provide for progress payments to CMAS contractors for work performed or costs incurred in the performance of the contract. Not less than 10 percent of the contract amount shall be withheld pending final completion of the contract. However, if the contract consists of the performance of separate and distinct tasks, then any funds so withheld with regard to a particular task may be paid upon completion of that task.

Recommended policy for state agencies:

- Discourage progress payments whenever possible.
 - Do not allow progress payments on purchase orders for less than three months.
 - If progress payments are to be made, they should be made not more frequently than monthly in arrears or at clearly identifiable stages of progress, based upon written progress reports submitted with the CMAS contractor's invoices.
 - Progress payments shall not be made in advance of services rendered.
-

Travel

If the CMAS provides for travel, agencies may pay travel and per diem expenses according to their respective statutory requirements.

All travel and per diem expenses must be within CMAS parameters, and incorporated into the agency purchase order.

It is important that the ordering agency and CMAS contractor discuss necessary travel requirements prior to issuing the purchase order because the detail and cost (only as allowed for in the CMAS) must be included in the agency purchase order to be payable.

Maintenance Sales Tax

The Board of Equalization has ruled that in accordance with [Regulation 1546](#) of the Sales and Use Tax Regulations of the Business Taxes Law Guide, that whenever optional maintenance contracts include consumable supplies, such supplies are subject to sales tax.

Generally, the agency has two options:

1. For contracts that provide for only maintenance services (i.e., the furnishing of labor and parts necessary to maintain equipment), the charges for the provision of maintenance services are not taxable.
2. For contracts that provide for both maintenance services and consumable supply items (i.e., toner, developer, and staples), the provision of the consumable supplies is considered a taxable sale of tangible personal property. Therefore, agencies awarding optional maintenance contracts are responsible for paying the applicable sales tax on the consumable supplies used during the performance period of the maintenance contract.

The CMAS contractor will be required to itemize the consumables being taxed for accounting purposes.

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 5 – BEST VALUE DETERMINATION

CMAS Assessment of Offers

When using the CMAS contracting process, agencies use best value criteria to assess the offers and select the awarded contractor.

What is Best Value?

Best value is whatever the agency identifies as critical and important to the success of the project. See Public Contract Code (PCC) § 12100.7(e)

Here are some samples of possible best value criteria:

- The price of the product or service
 - The operational cost that the agency would incur
 - Quality of the product or service, or its technical competency
 - Reliability of delivery and implementation schedules
 - Warranties, guarantees and return policy
 - Supplier financial stability
 - Quality and effectiveness of business solution and approach
 - Industry and program experience
 - Prior record of supplier performance
 - Supplier expertise with engagements of similar scope and complexity
 - Proven development and methodologies and tools
 - Innovative use of current technologies and quality results
-

Determining Best Value

To determine best value, the following minimum steps are required. Agencies must:

- Define their requirements (RFO/Statement of Work)
 - Obtain a copy of the CMAS from caleprocure.ca.gov
 - Review the CMAS in context with agency requirements and CMAS contractor offer
 - Compare offers from all CMAS contractors who responded to the RFO
-

Review Resumes

Before selecting a CMAS contractor for a services project, the agency must review the resumes of all CMAS contractor personnel to ensure that the expertise, education, and experience offered correlates with that specified in the CMAS and the requirements of the RFO.

Document Files

Follow local agency requirements for documentation of complete procurement file.

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 6 – PAYMENTS AND INVOICES

Fees to Use CMAS

Local government agencies do not pay DGS an administrative fee to place an order against a CMAS. In lieu of this fee paid by the using local government agency, the selling CMAS contractor pays DGS a 1.25% incentive fee. The 1.25% incentive fee is waived for CMAS contractors who are California certified small businesses.

CAL-Card (Credit Card)

CAL-Card is a payment mechanism some State and local government agencies use for the purchase of goods and services. The CMAS will stipulate whether or not the CMAS contractor accepts payment through CAL-Card.

A purchase order document is required even when the ordering department chooses to pay the CMAS contractor via the CAL-Card. When applicable, the purchase order should indicate if payment was made via CAL-Card. The CMAS contractor pays DGS the 1.25% incentive fee for all CMAS orders from local government agencies, even if payment is made via CAL-Card.

Advance Payments

It is NOT acceptable to pay for services in advance, except software maintenance and license fees, which are considered a subscription, these services may be paid in advance if a provision addressing payment in advance is included in the purchase order. Warranty upgrades and extensions may also be paid for in advance, one time.

Advance payment for services is allowed by Government Code (GC) § 11019 only under limited, narrowly defined circumstances, e.g., between specific departments and certain types of non-profit organizations, or when paying another government agency.

Contractor Name/ Ownership Change

The company name on the CMAS, purchase order and invoice must match or the agency's controller's office may not approve payment. Do not approve invoices if the company name varies between these documents. CMAS contractors must contact the CMAS Unit to initiate a legal name change for their CMAS.

Required Payment Date

Payment will be made in accordance with the provisions of the California Prompt Payment Act, Government Code (GC) § 927 et. seq. Unless expressly exempted by statute, the Prompt Payment Act requires state agencies to pay properly submitted, undisputed invoices not more than 45 days after (i) the date of acceptance of goods or performance of services; or (ii) receipt of an undisputed invoice, whichever is later.

Disputed invoices should be rejected and returned immediately to the CMAS contractor for correction.

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 7 – USEFUL WEBSITES

[Department of Tax and Fee Administration](#)

- www.cdtfa.ca.gov

[California Codes and Laws](#)

- leginfo.legislature.ca.gov/

[CMAS](#)

- www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Acquisitions/California-Multiple-Award-Schedules

[Small Business Partners](#)

- caleprocure.ca.gov

[Contractor License Status](#)

- www.cslb.ca.gov

[Department of Finance](#)

- www.dof.ca.gov/

[Federal General Services Administration \(GSA\) General Information](#)

- www.gsa.gov

[GSA Search](#)

- www.gsaelibrary.gsa.gov

[Governor's Executive Orders](#)

- www.gov.ca.gov/category/executive-orders

[Office of Small Business and DVBE Services](#)

- www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Office-of-Small-Business-and-Disabled-Veteran-Business-Enterprise/Certification-Program

[State Admin. Manual \(SAM\)](#)

- www.dgs.ca.gov/Resources/SAM

[State Contracting Manuals \(SCM\)](#)

- [www.dgs.ca.gov/PD/Resources/Page-Content/Procurement-Division-Resources-List-Folder/State-Contracting-Manual-Volume-2-3-FI\\$Cal](http://www.dgs.ca.gov/PD/Resources/Page-Content/Procurement-Division-Resources-List-Folder/State-Contracting-Manual-Volume-2-3-FI$Cal)
-

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 8 – RENTAL, FINANCE AND LEASE POLICIES

State of California's Financial Marketplace

All CMAS purchase orders may qualify for financing and leasing via the State of California's financial marketplace, managed by the Department of General Service's Procurement Division. Both programs can be found through the [Procurement Division's Home Page](#): www.dgs.ca.gov/PD/About (select the Acquisitions tab, then State Financial Marketplace).

Federal Lease to Own Purchase (LTOP)

Federal Lease to Own Purchase (LTOP) and hardware rental provisions with no residual value owed at end term are acceptable (\$1 residual value at the end of the term).

This alternative financing arrangement may be faster, but a more expensive alternative to GS \$Mart™ or Lease \$Mart™.

The following requirements apply to the use of any Lease to Own Purchase (LTOP) Plans.

Cancellation of a lease for lack of funds should only be done when the organization is no longer funded. Court decisions have held that Terminations for Convenience should only be employed when the agency no longer has a requirement for the equipment. Example: An employee has retired and the position will not be filled so now there is a piece of equipment that is not needed. In other words, a desire for something different, newer, or better is not a justification for the premature cancellation of a lease.

Federal Lease Provisions

Except for LTOPS, federal GSA lease provisions are NOT acceptable and cannot be sold through CMAS because the rates and contract terms are unacceptable.

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 9 – SERVICES

Definition of Personal, Consulting, and Technical Services

Personal Services – Services that have someone doing something, e.g., photography, cleaning services, graphic design.

Consulting Services – Services of an advisory nature that provide a recommended course of action or personal expertise (product of the mind).

Technical Services – Services providing maintenance, repair, or installation on either IT or Non-IT equipment.

Public Works Services

Public works is defined as “the erection, construction, alteration, repair or improvement of any public structure, building, road or other public improvement of any kind” in accordance with the Public Contract Code (PCC)§ 1101. Installation of physical layer cable is considered public works. The total dollar value of all public works services included in the purchase order must not exceed the dollar value of the products. See Section 11 for Public Works Projects.

Service and Delivery after CMAS Expires

The purchase order must be issued before the CMAS expires. However, delivery of the products or completion of the services may be provided after the CMAS expires, as specified in the purchase order.

Review Resumes

To ensure sufficient expertise, prior to issuing a purchase order for services, the agency is required to review the resumes of all personnel the CMAS contractor intends to use to fulfill the transaction.

Agencies must verify that the CMAS contractor personnel meet education and/or experience requirements listed in the CMAS, and meet the requirements of their RFO. Agencies should also check the resumes of any proposed substitutions to the CMAS contractor’s personnel to ensure they meet the same requirements.

Progress Payments

Agencies wishing to allow progress payments for services must adhere to the guidelines in Section 4, Progress Payments.

Continued on next page

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 9 – SERVICES, Continued

Follow-on Contracts Prohibited

No person, firm, or subsidiary thereof who has been awarded a purchase order for consulting services, or a purchase order that includes a consulting component, may be awarded a purchase order for the provision of services, delivery of goods or supplies, or any other related action which is required, suggested, or otherwise deemed appropriate as an end product of a prior purchase order (Public Contract Code (PCC) § 10365.5).

Example: Any consultant that contracts with an agency to develop a program study or provide formal recommendations for the acquisition of products or services is precluded from contracting for any work recommended in the program study or the formal recommendation.

Network Design Services

All network design services must result in a hardware or software solution. Also, all network design services performed by the CMAS contractor that include infrastructure components must be performed by a performed by a Building Industry Consulting Service International (BICSI) certified Registered Communications Distribution Designer (RCDD) employed either by the CMAS contractor or subcontractor. Evidence of RCDD certification may be required by the ordering agency.

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 10 – NOT SPECIFICALLY PRICED (NSP)

Open Market, Incidental, and Non- Contract Items

The only time open market/incidental, non-contract items, may be included in a CMAS purchase order is when they fall under the parameters of the Not Specifically Priced (NSP) provision.

If the NSP provision is not included in the CMAS, or the products and/or services required do not qualify under the following parameters, the products and/or services must be procured separate from CMAS.

Subordinate and Peripheral

The NSP provision enables the agency to include in the purchase order non- contract products and services that are subordinate and peripheral to the other purchase order items, as follows:

- A purchase order containing NSP items may be issued only if it results in the best value alternative to meet agency needs.
 - Any product or service already specifically priced and identified in the contract may not be identified as a NSP item in a purchase order.
 - All NSP items included in a purchase order issued against a CMAS are subject to all the terms and conditions set forth in the CMAS.
-

Items Specifically Excluded

The following NSP items are specifically excluded from any purchase order issued under a CMAS:

1. Items that are not intended for use in direct support of the CMAS priced items identified in the same purchase order. A NSP item must be subordinate to the specifically priced item that the NSP item is supporting.
 2. Supply type items, except for the minimum amount necessary to provide initial support to the priced CMAS items included in the same purchase order.
 3. Items that do not meet the Productive Use Requirements.
 4. Any other items or class of items that are specifically excluded from the scope of the CMAS.
 5. Public Works components that are not incidental to the total purchase order amount. See Section 11, Public Works Projects.
 6. Products or services the CMAS contractor is not factory authorized or otherwise certified or trained to provide.
 7. Follow-on consultant services that were previously recommended or suggested by the same contractor.
-

NSP Dollar Limits

Purchase orders \$250,000 or less: Total dollar value of all NSP items shall not exceed \$5,000.

Purchase orders exceeding \$250,000: Total dollar value of all NSP items shall not exceed 5% of the total cost of the purchase order, or \$25,000, whichever is less.

Continued on next page

CMAS LOCAL GOVERNMENT AGENCY GUIDE
SECTION 10 – NOT SPECIFICALLY PRICED (NSP), Continued

NSP Not Available

Not all CMAS include the NSP provision. The NSP provision is included at the option of the CMAS contractor and the CMAS Unit.

The NSP provision will not be included in a CMAS for consulting or personal services, software, or office supplies.

Agency purchase orders for only NSP items are prohibited.

Manufacturer Authorization Required

Agencies must substantiate (through manufacturer authorizations) that the CMAS contractor is an authorized provider of the products and product related services (maintenance, repair, etc.) that are offered under the NSP provision.

Clearly Identify NSP

The NSP items must be separately listed and clearly identified on the purchase order.

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 11 – PUBLIC WORKS PROJECTS

Definition of a Public Works Project

Public works is defined as “the erection, construction, alteration, repair or improvement of any public structure, building, road or other public improvement of any kind” in accordance with the Public Contract Code (PCC)§ 1101.

Installation of Physical Layer Cable

Installation of physical layer cable is considered public works. Agency CMAS purchase orders may allow for public works installation only when it is incidental to the total purchase order amount. The total dollar value of all public works services included in the purchase order must not exceed the dollar value of the products.

Applicable Laws and Codes

Agencies are to ensure that the applicable laws and codes pertaining to contractor and sub-contractor licensing, prevailing wage rates, bonding, labor code requirements, etc., are adhered to by prime contractors as well as sub- contractors during the performance under the agency’s CMAS purchase order.

Agency Responsibility

In accordance with Labor Code (LC) § 1773.2, the ordering agency is responsible for determining the appropriate craft, classification or type of worker needed for any contract for public works.

The ordering agency is to specify the applicable prevailing wage rates as determined by the Director of the [Department of Industrial Relations \(DIR\)](#). In lieu of specifying the prevailing wage rates, the agency may include a statement on the purchase order that the prevailing wage rates are on file at the agency’s office, and will be made available upon request. The prevailing wage rates are available from the DIR at (415) 703-4774 or www.dir.ca.gov.

Verify Status of Contractor’s License

The CMAS Unit substantiates that the CMAS contractor holds the appropriate license when the CMAS is established. However, the agency must verify that the Contractor’s license is still active and in good standing prior to placing the order by calling the [State Contractors License Board](#) at (800) 321-2752 or checking their website at www.cslb.ca.gov.

Prime and Subcontractors Both Must Be Licensed

When contractor’s licenses are required, the prime and subcontractor (if applicable) must both hold a valid license for the work being performed.

Bond Requirements

Public Works: Prior to the commencement of performance, the Contractor must obtain and provide to the agency, a payment bond, on State Std. Form 807, when the contract involves a public works expenditure (labor/installation costs) in excess of \$5,000.

Such bond shall be in a sum not less than one hundred percent (100%) of the contract price. Forms shall be provided to the Contractor.

See the CMAS Contract General Terms and Conditions, CMAS Public Works Requirements.

CMAS LOCAL GOVERNMENT AGENCY GUIDE

SECTION 12 – SUPPLIER COMPLIANCE

Compliance Focus

The following guidelines pertain to State agencies only and are provided for information only. The Procurement Division, Purchasing Authority Management Section (PAMS), conducts periodic compliance reviews of supplier's orders. These reviews are conducted at DGS headquarters. Local agencies may receive phone calls from PAMS regarding orders placed against a CMAS.

What is Reviewed?

CMAS contractor must have evidence of the following available for review:

- Did the CMAS contractor have an active CMAS?
 - Did the ordering agency obtain a copy of the CMAS and the price pages for the items purchased?
 - Was pricing bundled?
 - Are the prices, position titles, skill levels and hourly rates delineated and do they correlate with those specified in the CMAS?
 - Does the purchase order reflect the correct CMAS number?
-

Contractor Compliance Reviews

DGS conducts contractor compliance reviews. The agency is not involved in these reviews.

Be aware that contractors are required to return to the agency any purchase order that is non-compliant with the provisions of the contract at which point an amendment would be required to correct the information, or a new purchase order drafted.

The types of compliance issues reviewed are:

Overcharging: Are the products and services on the contract and delineated by product/model, hourly rate, position title, or skill level as specified in the contract?

Price Bundling: Is each line item priced individually in the base schedule?

Have all CMAS contractor Quarterly Reports been submitted to the CMAS Unit?

CMAS LOCAL GOVERNMENT AGENCY GUIDE

ATTACHMENT A – CMAS WEBSITE SEARCH INSTRUCTIONS

Website

Go to www.dgs.ca.gov/PD/About/Page-Content/PD-Branch-Intro-Accordion-List/Acquisitions/California-Multiple-Award-Schedules and select “Find a CMAS Contractor,” then search by Product/Service Description or Contractor Name.

Limited Descriptors

The CMAS database limits descriptors to a maximum of 12 CMAS Product and Service codes per CMAS. More products and services may be available on the CMAS.

Basic Search

Search by Product/Service Description

Search by Contractor Name

Search within Results

Use the initial search results and click on **Search Within Results** at the top of the screen. Enter any part or all of the **CMAS Product/Service Codes** to further refine your search.

Once the option has been selected, click the “**SEARCH**” button to execute search.

Contracts (if any found) will be displayed in a new window (click on contract number for details)

Cal eProcure

A CMAS can be searched for on the Cal eProcure website. Go to caleprocure.ca.gov and select “Quicklinks.” Then select “View/Search Contracts.” If searching by CMAS number, the “Contract ID” field must be utilized. If searching by CMAS contractor name, the “Vendor” field must be utilized.

CMAS LOCAL GOVERNMENT AGENCY GUIDE

ATTACHMENT B – AMERICANS WITH DISABILITIES ACT (ADA) NOTICE

ADA Policy

The following outlines the Department of General Services, Procurement Division, Americans with Disabilities Act (ADA) policy for nondiscrimination on the basis of disability:

To meet and carry out compliance with the nondiscrimination requirements of the Americans with Disabilities Act (ADA), it is the policy of the Procurement Division (within the State Department of General Services) to make every effort to ensure that its programs, activities, and services are available to all persons, including persons with disabilities.

Phone Numbers for Help

For persons with a disability needing a reasonable accommodation to participate in the procurement process, or for persons having questions regarding reasonable accommodations for the procurement process, please call the following numbers:

1. Procurement Division TTY telephone numbers

Sacramento Office:	916-376-5127 (CALNET 480-5127)
--------------------	-----------------------------------

2. California Relay Service at

Voice:	1-800-735-2922, or 7-1-1
Speech to Speech Service:	1-800-854-7784

You may also directly contact the Procurement Division contact person responsible for the procurement document.

Advance Notice

IMPORTANT: To ensure that we can meet your need, it is best that we receive your request at least 10 working days before the scheduled event (i.e., meeting, conference, workshop, etc.) or deadline due date for the procurement document.
